KOLAR Document ID: 1674511

Confiden	tiality Re	quested:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY			
Confidentiality Requested			
Date:			
Confidential Release Date:			
Wireline Log Received Drill Stem Tests Received			
Geologist Report / Mud Logs Received			
UIC Distribution			
ALT I II III Approved by: Date:			

KOLAR Document ID: 1674511

Operator Name:	Lease Name: Well #:
Sec TwpS. R East _ West	County:

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold (If vented, Subn	Used on Lease		Open Hole		-	·	mingled	юр	
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	EASTBURN 44A
Doc ID	1674511

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	U U	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	8	n/a
Production	5.875	2.875	9	660	portland	80	n/a

HAMMERSON CORPORATION

Invoice

PO BOX 189 Gas, KS 66742

Date	Invoice #	-
9/1/2022	21492	State of States of States

Bill To

R.J. ENERGY LLC 22082 NE NEOSHO RD GARNETT, KS 66032

		P.O. No.	Terms		Project
			Due on receipt		
Quantity	Description		Ra	ite	Amount
1 1.25 120 1 1 100 1 1.25 120 1 1.5 100 1	Well Mud (\$8.80 Per Sack) Eastburn 44A Ticket #21492 Fuel Surcharge Hour Rate Well Mud (\$8.80 Per Sack) Eastburn 231 Ticket #21497 Fuel Surcharge Hour Rate Well Mud (\$8.80 Per Sack) Eastburn 221 Ticket #21507 Fuel Surcharge Hour Rate Well Mud (\$8.80 Per Sack) Eastburn 23A Ticket #21512 Fuel Surcharge Hour Rate Well Mud (\$8.80 Per Sack) Eastburn 191 Ticket #21517 Fuel Surcharge Hour Rate SALES TAX	in company too	V	8.80 35.00 65.00 8.80 35.00 65.00 8.80 35.00 65.00 8.80 35.00 65.00 8.80 35.00 65.00 65.00 65.00 6.50%	1.056.00 35.00 81.25 1.056.00 65.00 880.00 35.00 97.50 880.00 35.00 97.50 880.00 35.00 81.21 358.10
	Zur				

Eastburn 44A

2	soil	2	start 8/18/2022
7	clay and rock	9	finish 8/19/2022
30	shale	59	
143	lime	202	
178	shale	380	
15	lime	395	set 20' 7"
56	shale	451	ran 660' of 2 7/8
32	lime	483	cemented to surface 80 sxs
30	shale	513	
15	lime	528	
9	shale	537	
9	lime	546	
10	shale	556	
4	lime	560	
20	shale	586	
3	sandy shale	589	odor
10	bkn sand	599	show
28	oil sand	627	good show
43	shale	670	td