## KOLAR Document ID: 1672264

Confiden	tiality Requested:
Yes	No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM

WELL	HISTORY	- DESCRIPTION	OF WELL	& I FASE
	III JIONI	- DESCRIF HOR		a LLASL

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled         Permit #:           Dual Completion         Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposa in flauled offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received Drill Stem Tests Received				
Geologist Report / Mud Logs Received				
UIC Distribution				
ALT I II III Approved by: Date:				

### KOLAR Document ID: 1672264

Operator Name:	Lease Name: Well #:
Sec TwpS. R East 🗌 West	County:

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	Y	es 🗌 No			og Formatio	n (Top), Depth	and Datum	Sample	
Samples Sent to Geolog	*		és 🗌 No	Ν	lame	e		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:			ies No ies No ies No						
		Repo	CASING I		] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled		ze Casing tt (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Туре	e of Cement	# Sacks Used			Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the is</li> <li>Was the hydraulic fractu</li> <li>Date of first Production/Inj</li> </ol>	total base fluid of the h ring treatment informa	nydraulic fra tion submit	acturing treatment	al disclosure regis	-	Yes Yes Yes Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Injection:			Flowing	Pumping		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITION	I OF GAS:		METHOD OF			TION:			ON INTERVAL:
Vented Sold (If vented, Subm	Used on Lease		Open Hole		Dually Comp.     Commingled       (Submit ACO-5)     (Submit ACO-4)		Тор	Bottom	
	oration Perfora Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Tauy Oil, Inc
Well Name	L. HEY HEY #6
Doc ID	1672264

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	20	43	portland	15	gel
Production	5.625	2.875	0.66	812	portland	95	gel



Remit To: Hurricane Services, Inc. 250 N. Water, Suite 200 Wichita, KS 67202 316-303-9515

Customer:	Invoice Da	to	7/22/2022	
TAUY OIL INC	Invoice Da	0362144		
PO BOX 973	Lease Nan		L Hey	
1621 NISORD RD	Well		Hey #6 (New)	
BALDWIN CITY, KS 66006	Coun		Douglas, Ks	
	Job Numb	•	EP5352	
	Distri	ct:	East	
Date/Description	HRS/QTY	Rate	Total	
Surface	0.000	0.000	0.00	
Cement Pump Service	1.000	712.500	712.50	
Heavy Eq Mileage	4.000	3.800	15.20	
Light Eq Mileage	4.000	1.900	7.60	
Ton Mileage-Minimum	0.500	285.000	142.50	
Vacuum Truck-80bbl	2.500	90.000	225.00	
Econobond	15.000	19.000	285.00	
Pheno Seal	15.000	1.663	24.94	

**Total** 1,412.74

**TERMS**: Net 30 days. Interest may be charged on past due invoice at rate of 1 ½% per month or maximum allowed by applicable state or federal laws. HSI has right to revoke any discounts applied in arriving at net invoice price if invoice is past due. If revoked, full invoice price without discount plus additional sales tax, as applicable, is due immediately and subject to interest charges. Customer agrees to pay all collection costs directly or indirectly incurred by HSI in the event HSI engages a third party to pursue collection of past due invoice.

SALES TAX: Services performed on oil, gas and water wells in Kansas are subject to sales tax, with certain exceptions. HSI relies on the well information provided by the customer in identifying whether the services performed on wells qualify for exemption.

#### WE APPRECIATE YOUR BUSINESS!



Customer	Tauy Oil		Lease & Well #	L. Hey HEY 6				Date	7/2	22/2022
Service District	Garnett		County & State	DG, KS	Legals S/T/R	9-15	-20	Job #		
Job Type	Surface	✓ PROD	INJ	SWD	New Well?	✓ YES	No	Ticket #	E	P5352
Equipment #	Driver			Job Safety	Analysis - A Discuss	ion of Hazards	& Safety Pro	cedures		
931	Casey Kennedy	✓ Hard hat		✓ Gloves		Lockout/Ta	gout	Warning Sigr	ns & Flagging	
238	Nick Beets	H2S Monitor		✓ Eye Protect	tion	Required Po	ermits	Fall Protectio	n	
248	Trevor Glasgow	✓ Safety Footwe	ear	Respiratory	Protection	✓ Slip/Trip/Fa	ll Hazards	✓ Specific Job S	Sequence/Exp	ectations
124	Keith Detwiler	FRC/Protectiv	-		Chemical/Acid PPE	✓ Overhead Hazards ✓ Muster Point/Medical Locations				ations
		✓ Hearing Prote	ection	✓ Fire Extingu			concerns or is	sues noted below		
					Con	nments				
Product/ Service Code		Desci	ription		Unit of Measure	Quantity				Net Amount
C010	Cement Pump Serv				ea	1.00				\$712.50
										· · · ·
M010	Heavy Equipment N	lileage			mi	4.00				\$15.20
M015	Light Equipment Mil	eage			mi	4.00				\$7.60
M025	Ton Mileage - Minim	านm			each	0.50				\$142.50
T010	Vacuum Truck - 80	bbl			hr	2.50				\$225.00
CP049	EconoBond				sack	15.00				\$285.00
										,
CP125	Pheno Seal				lb	15.00				\$24.94
Custo	omer Section: On th	e following scale h	ow would vou rate	Hurricane Servic	ces Inc.?				Net:	\$1,412.74
						Total Taxable	\$ -	Tax Rate:	Net.	¥1,412.74
Ba	ised on this job, ho	w likely is it you v	vould recommend	HSI to a collea	gue?	State tax laws de	em certain proc	lucts and services	Sale Tax:	\$ -
							es relies on the	customer provided		
l	Jnlikely 1 2	3 4 5	6 7 8	9 10	Extremely Likely	well information a services and/or p			Total	\$ 1,412.74
									Total:	
						HSI Represe	entative:	Case	y Ken	meay

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1/3% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection. Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent. HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. **DISCLAIMER NOTICE**: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results fom the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the customer operational care of all customer owned equipment and property while HSI is on location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

**CUSTOMER AUTHORIZATION SIGNATURE** 



	 • • • • • • •
I TREATN	

I

CEMENT	T TRE	ATMENT REP	ORT						
Cust	tomer:	Tauy Oil		Well:	L. Hey H	EY 6 Tick	et: EP5352		
City,	State:	Baldwin City, K	S	County:	DG, K	(S Da	te: 7/22/2022		
Field	d Rep:	Dan Martin		S-T-R:	9-15-2	20 Servio	Surface		
		Information							
	e Size:			Calculated S			Calculated Slurry - Tail		
Hole I				Blend:	Econobond 1# PS	Ble			
Casing				Weight:	13.61 ppg	Weig			
				Water / Sx:	7.12 gal / sk	Water / S			
				Yield:	1.56 ft <sup>3</sup> / sk	Yie			
Tubing /				Annular Bbls / Ft.:	bbs / ft.	Annular Bbis / I			
Tool / Pa	Depth:			Depth:	ft	Dep			
	Depth:			Annular Volume:	0.0 bbls	Annular Volun			
				Excess:		Exce			
Displace	ement			Total Slurry:	bbls	Total Slur			
ТІМЕ	RATE	STAGE PSI BBLs	TOTAL BBLs	Total Sacks: REMARKS	0 sks	Total Sac	ks: 0 sks		
1:00 PM			-	on location, held safet	v meeting				
			-	,,,	,				
			-	waited for rig to drill he	ole and run casing				
			-	ŭ					
3:00 PM			-	rigged up					
	4.0		-	established circulation					
	4.0		-			n 1# PS per sk, cement to surface	)		
-	2.0		-		1.5 bbls fresh water, shut in	-			
	4.0		-	washed up equipment	·	-			
			-						
3:30 PM			-	left location					
			-						
			-						
			-						
			-						
			-						
			-						
			-						
			-						
			-						
			-						
			-						
		ļ	-						
		ļ	-						
		ļ	-						
		ļ	-						
			-						
		CREW		UNIT		SUMN	ARY		
	menter:	Casey Kenne	dy	931	Average	Rate Average Pressure	Total Fluid		
Pump Op	perator:			238	3.5 bj	om - psi	- bbls		
	Bulk:			248					
	H2O:	Keith Detwile	1	124					



Remit To: Hurricane Services, Inc. 250 N. Water, Suite 200 Wichita, KS 67202 316-303-9515

Customer:	Invoice Dat	<u>ه</u> .	8/3/2022	
TAUY OIL INC	Invoice		0362213	
PO BOX 973	Lease Nam		L Hey	
1621 NISORD RD	Well	#:	Hey #6 (New)	
BALDWIN CITY, KS 66006	County:			
	Job Number:			
	Distri	ct:	East	
Date/Description	HRS/QTY	Rate	Total	
Longstring	0.000	0.000	0.00	
Cement Pump Service	1.000	712.500	712.50	
Heavy Eq Mileage	41.000	3.800	155.80	
Light Eq Mileage	41.000	1.900	77.90	
Ton Mileage-Minimum	1.000	285.000	285.00	
Vacuum Truck-80bbl	2.500	90.000	225.00	
Econobond	95.000	19.000	1,805.00	
Pheno Seal	95.000	1.663	157.94	
Bentonite Gel	200.000	0.380	76.00	
2 7/8" Rubber Plug	1.000	38.000	38.00	
Fresh water	3,000.000	0.019	57.00	

**Total** 3,590.14

TERMS: Net 30 days. Interest may be charged on past due invoice at rate of 1 ½% per month or maximum allowed by applicable state or federal laws. HSI has right to revoke any discounts applied in arriving at net invoice price if invoice is past due. If revoked, full invoice price without discount plus additional sales tax, as applicable, is due immediately and subject to interest charges. Customer agrees to pay all collection costs directly or indirectly incurred by HSI in the event HSI engages a third party to pursue collection of past due invoice.

SALES TAX: Services performed on oil, gas and water wells in Kansas are subject to sales tax, with certain exceptions. HSI relies on the well information provided by the customer in identifying whether the services performed on wells qualify for exemption.

#### WE APPRECIATE YOUR BUSINESS!



Customer	Tauy Oil		Lease & Well # L. Hey HEY 6					Date	8/	3/2022
Service District	ct Garnett		County & State DG, KS Legals S		Legals S/T/R	9-15-20		Job #		
Job Type	Longstring	✓ PROD	INJ	SWD	New Well?	✓ YES	No	Ticket #	E	P5465
Equipment #	Driver	Job Safety Analysis - A Discussion of Hazards & Safety Procedures								
931	Casey Kennedy	✓ Hard hat		✓ Gloves		Lockout/Ta	gout	Warning Sigr	ns & Flagging	
239	Nick Beets	✓ H2S Monitor		✓ Eye Protect	tion	Required Pe	ermits	Fall Protectio	n	
248	Devin Katzer	Safety Footwear Respiratory Pr				Slip/Trip/Fall Hazards Specific Job Sequence/Expectat				ectations
110	Trevor Glasgow	✓ FRC/Protectiv			Chemical/Acid PPE	Overhead Hazards Vuster Point/Medical Locations				
		✓ Hearing Prote	ection				concerns or is	rns or issues noted below		
					Con	nments				
Product/ Service Code		Descr	ription		Unit of Measure	Quantity				Net Amount
C010	Cement Pump Serv	ice			ea	1.00				\$712.50
M010	Heavy Equipment N	lileage			mi	41.00				\$155.80
M015	Light Equipment Mil	eage			mi	41.00				\$77.90
M025	Ton Mileage - Minim	num			each	1.00				\$285.00
T010	Vacuum Truck - 80	bbl			hr	2.50				\$225.00
1010						2.00				<i>\</i>
CP049	EconoBond				sack	95.00				\$1,805.00
CP125	Pheno Seal				lb	95.00				\$157.94
CP095	Bentonite Gel				lb	200.00				\$76.00
FE025	2 7/8" Rubber Plug				ea	1.00				\$38.00
45000	Frank Mater					0.000.00				¢ = 7 00
AF080	Fresh Water				gal	3,000.00				\$57.00
Custo	omer Section: On th	e following scale h	ow would you rate l	Hurricane Servi	ces Inc.?		1		Net:	\$3,590.14
						Total Taxable	\$ -	Tax Rate:		> <
Ba	sed on this job, ho	w likely is it you v	vould recommend	HSI to a collea	igue?			ducts and services	Sale Tax:	\$ -
ι	Jnlikely 1 2	3 4 5	6 7 8	9 10	Extremely Likely	well information a services and/or p			Total:	\$ 3,590.14
						HSI Represe	entative:	Para	y Ken	
							manvo.	Case	y ren	neng

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1/3% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection. Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent. HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. **DISCLAIMER NOTICE**: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results fom the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the customer operational care of all customer owned equipment and property while HSI is on location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

**CUSTOMER AUTHORIZATION SIGNATURE** 



CEMENT TRE	ATMENT REPORT
Customer:	Tauy Oil

Cust	tomer:	r: Tauy Oil				Well:	L. Hey HEY 6 Tick			EP5465		
City,	State:	Baldwin City, KS				County:				8/3/2022		
Fiel	d Rep:	Rep: Dan Martin			S-T-R:	9-15-20 Service			Longstring			
					Calc		lated Slurry - Lead Calculated Slurry - Tail					
	e Size: Depth:	5 5/8		-		Blend:	Econobond 1# PS		Blend			
	g Size:	2 7/8		-		Weight: ter / Sx:	13.61 ppg		Weight Water / Sx			
Casing I		812			Wal	Yield:	7.12 gal / sk 1.56 ft <sup>3</sup> / sk		Water / Sx Yield	• • • • • • • • • • • • • • • • • • •		
Tubing /	-		in		Annular Bb	_	bbs / ft.		Annular Bbls / Ft.			
	Depth:		ft			Depth:	ft		Depth			
Tool / Pa	acker:				Annular V		0.0 bbls		Annular Volume			
Tool	Depth:		ft	Excess:		Excess:			Excess			
Displace	ement:	4.70	bbls		Total Slurry:		26.39 bbls		Total Slurry	0.0 bbls		
			STAGE	TOTAL		Sacks:	95 sks		Total Sacks	0 sks		
TIME	RATE	PSI	BBLs	BBLs	REMARKS							
9:45 AM			-	-	on location, h	neld safety	meeting					
	4.0			-								
	4.0 4.0			-	established c		# Bentonite Gel followed	by 4 bblc fr	ach water			
	4.0									urface		
	4.0				mixed and pumped 95 sks Econobond cement with 1# PhenoSeal per sk, cement to surface							
	1.0			-								
	1.0			-			ell held pressure					
				-								
	4.0			-								
				-								
10:30 AM				-	left location							
				-								
				-								
	+			-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
	$\left  \right $			-								
		CREW		-	UNIT				SUMMA			
CREW Cementer: Casey Kennedy		931		Avera	e Rate	SUMMA Average Pressure	Total Fluid					
	Pump Operator: Nick Beets							- bbls				
Bulk: Devin Katzer			248			·						
	H2O:		or Glasgo	w	110							