KOLAR Document ID: 1677241

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx) Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
□ Oil □ WSW □ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
EOR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Canad Date on Date Decembed TD Completing Date on	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

KOLAR Document ID: 1677241

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool rature, fluid recovery, Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo				EEZE RECORD	Typo a	ad Paraant Additivas	
Perforate Protect Ca Plug Back	Top	Bottom	туре	ype of Cement # Sacks Used			Type and Percent Additives			
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF COMPLETION: PRODUCTION INTE				N INTERVAL:	
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Perforation Perforation Foot Top Bottom			on	Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Bobcat Oilfield Service, Inc.
Well Name	SHIELDS E-4
Doc ID	1677241

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	8.75	6	10	20	Portland	5	50/50 POZ
Production	5.625	2.875	8	709	Portland	105	50/50 POZ

Lease:	Shields	
Owner:	Bobcat Oilfield	Service LLC
OPR #:	3895	Y A
Contractor:	DALE JACKSON	PRODUCTION CO.
OPR #:	4339	-51 /H\ -€
Surface:	Cemented:	Hole Size:
20' of 6"	5 Sacks	8 ¾"
Longstring:	Cemented:	Hole Size:
709' 2 7/8 8rd	105 Sacks	5 5/8
	(54 Portland	
	51 Flyach)	

Dale Jackson Production Co.

Box 266, Mound City, Ks 66056

Cell # 620-363-2683

Office # 620-363-2696

ı	Well #: E-4
4	Location: SESENWNW Sec13 Twp16 S. R.21 E
/	
1	County: Miami
	FSL:
	FEL:
	API#:15-121-31715-00-00
	Started:9-6-2022
	Completed:9-7-2022
ſ	TD: 715'

SN: None	Packer: None
Plugged: None	Bottom Plug:None

Well Log

TKN	BTM Depth	Formation	TKN	BTM Depth	Formation
2	2	Topsoil		607	Coal
5	7	Clay	4	611	Shale
5	12	Lime	20	631	Lime
3	15	Blake Shale	4	635	Shale
20	35	Lime	4	639	Lime
2	37	Shale	6	645	Light Shale
18	55	Lime	2	647	Light Sandy Shale (Oil Sand Stk) (Poor Bleed)
8	63	Shale	1/2	647 ½	Lime
3	66	Red Bed	3 ½	661	Oil Sand (Good Bleed)
4	70	Shale	3	664	Oil Sand (Shaley) (Fair Bleed)
15	85	Sandy Shale	4	668	Sandy Shale (Oil Sand Stk) (Oil Show)
20	105	Lime	TD	715	Shale
25	130	Sandy Shale			
10	140	Shale			
20	160	Sandy Shale			
22	182	Shale			
35	217	Lime			
25	242	Shale			
7	249	Lime			
4	253	Black Shale			
13	266	Shale			
7	273	Lime			
3	276	Shale			
3	279	Lime			
27	306	Shale			
23	329	Lime			
6	335	Black Shale			
4	339	Shale			
20	359	Lime			
13	363	Shale			
7	370	Lime			
11	374	Black Shale			
15	389	Lime			
92	481	Shale			
14	495	Light Sandy Shale			
46	541	Shale			
10	551	Lime			
24	575	Shale	<u> </u>		
1	576	Coal			
5	581	Light Shale			
15	596	Lime			
5	601	Light Shale (Limey)			
5	606		-		
Э	000	Lime (Odor)			



Dale Jackson Production Co.

Box 266, Mound City, Ks 66056

Cell # 620-363-2683

Office # 620-363-2696



Core Run #1

FT	Depth	Clock	Time	Formation/Remarks	Depth
0	657	0:00		Lime	657 ½
1	658	0:30	1/2		
2	659	1:00	1/2	Oil Sand (Good Bleed)	
3	660	1:30	1/2		
4	661	2:00	1/2		661
5	662	2:30	1/2		
6	663	3:30	1	Oil Sand (Shaley) (Good Bleed)	
7	664	5:00	1 ½		664
8	665	7:00	2		
9	666	9:30	2 ½	Sandy Shale (Oil Sand Stk) (Oil Show)	
10	667	12:00	2 ½		
11	668	14:30	2 ½		668
12	669	17:00	2 ½		
13	670	19:30	2 ½	Shale	
14	671	22:00	2 ½		
15	672	24:00	2		
16					
17					
18					
19					
20					