KOLAR Document ID: 1676368

Confident	tiality Re	equested:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL	HISTORY	- DESCRIP	WEII &	IFASE
	INSIONI			LLASL

OPERATOR: License #	API No.:					
Name:	_ Spot Description:					
Address 1:						
Address 2:	Feet from North / South Line of Sec					
City: State: Zip:+	Feet from East / West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()						
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
New Well Re-Entry Workover	Field Name:					
	Producing Formation:					
☐ Oil ☐ WSW ☐ SWD □ Gas □ DH □ EOR	Elevation: Ground: Kelly Bushing:					
Gas DH EOR	Total Vertical Depth: Plug Back Total Depth:					
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet					
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?					
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet					
Operator:	If Alternate II completion, cement circulated from:					
Well Name:	feet depth to:w/sx cmt.					
Original Comp. Date: Original Total Depth:						
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan					
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)					
	Chloride content: ppm Fluid volume: bbls					
Commingled Permit #:	Dewatering method used:					
Dual Completion Permit #:						
SWD Permit #:	Location of fluid disposal if hauled offsite:					
EOR Permit #:	Operator Name:					
GSW Permit #:	License #:					
	Quarter Sec Twp S. R East West					
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Permit #:					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY			
Confidentiality Requested			
Date:			
Confidential Release Date:			
Wireline Log Received Drill Stem Tests Received			
Geologist Report / Mud Logs Received			
UIC Distribution			
ALT I II III Approved by: Date:			

KOLAR Document ID: 1676368

Operator Nar	ne:			Lease Name:	Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c] Ne	w Used rmediate, productio	on. etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Depth Perforate		Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
1. Did you perform a hydraulic fracturing treatment on this well? Image: State of the state of the hydraulic fracturing treatment exceed 350,000 gallons? Image: State of the hydraulic fracturing treatment exceed 350,000 gallons? 2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Image: State of the hydraulic fracturing treatment exceed 350,000 gallons? Image: No (If No, skip questions 2 and 3) 3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Image: No (If No, fill out Page Three of the ACO-1)									
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	F COMPLETION:			PRODUCTION INTERVAL:	
Vented Sold Used on Lease Open Hole (If vented, Submit ACO-18.)		Open Hole		-	·	nit ACO-4)	Тор	Bottom	
		Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)			
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Rhodes, Derek Leon dba Rhodes Well Service
Well Name	WEST WESTOFF 2-22
Doc ID	1676368


Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11	7	15	20	portland	6	na
Production	5.875	2.875	6.5	446	portland	55	na



.

> **Cleaver Farm & Home 2103 South Santa Fe Ave** Chanute KS 66720 620-431-6070



SOLD TO	JOB ADDRESS	ACCOUNT	JOB
	Cash Sales	CASH	0
Cash Sales CHANUTE KS 66720	CHANUTE KS 66720	SOLD ON	11/25/2022 12:27:56 PM
		CUST PICKUP	
		BRANCH	1000
		CUSTOMER PO#	-
		STATION	C9
	CASHIER BDAV SALESPERSON		
Returned items from invoice 221	Returned items from invoice 2211-644375		

Quantity	UM	ltem	Description	D	T	Price	Per	Amount
60	EA	STD	CEMENT PORTLAND TYPE 1 94LB MONARCH	N	Y	14.9900	EA	899.40
-84	EA	QC	CONCRETE MIX WITH ROCK 80LB Return Reason: CUSTOMER-CUSTOMER DID NOT NEED	N	Y	5.7900	EA	-486.36
-2	EA	PALLET	PALLET BLOCKS & QUIK-CRETE Return Reason: CUSTOMER-CUSTOMER DID NOT NEED		N	25.0000	EA	-50.00
2	EA	PALLET	PALLET BLOCKS & QUIK-CRETE		N	25.0000	EA	50.00

Payment Method(s)		SubTotal Sales Tax	413.04 39.24
Check #4124 452.28		Deposit	

	Dopooli
Please Pay This Amount	452.28

.

RETURN POLICY - within 30 days only - merchandise must be in saleable condition and accompanied by invoice.

No refunds on Special Order non-stock items

Signature

HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE #33734

West Westoff #2-22 API# 15-037-22428-00-00 SPUD DATE 11-23-22

FootageFormation0Topsoil1clay10clay w/lime13sand29shale89lime138shale203lime224shale397coal398sand405black sand410shale450T.D.	Thickness 1 9 3 16 60 49 65 21 173 1 7 5 40	Set 20' of 7" Drilled with 11" Bit cemented with 6 sacks of Portland TD 450' Drilled with 5 7/8" Bit Ran 446' of 2 7/8 on 11-25-22
--	--	---