

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD
K.A.R. 82-3-117

Form CP-4
March 2009

Type or Print on this Form
Form must be Signed
All blanks must be Filled

OPERATOR: License #: _____
 Name: _____
 Address 1: _____
 Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Contact Person: _____
 Phone: (_____) _____
 Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic
 Water Supply Well Other: _____ SWD Permit #: _____
 ENHR Permit #: _____ Gas Storage Permit #: _____
 Is ACO-1 filed? Yes No If not, is well log attached? Yes No
 Producing Formation(s): List All (If needed attach another sheet)
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - _____
 Spot Description: _____
 _____ - _____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West
 _____ Feet from North / South Line of Section
 _____ Feet from East / West Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
 County: _____
 Lease Name: _____ Well #: _____
 Date Well Completed: _____
 The plugging proposal was approved on: _____ (Date)
 by: _____ (KCC District Agent's Name)
 Plugging Commenced: _____
 Plugging Completed: _____

Show depth and thickness of all water, oil and gas formations.

| Oil, Gas or Water Records | | Casing Record (Surface, Conductor & Production) | | | |
|---------------------------|---------|---|------|---------------|------------|
| Formation | Content | Casing | Size | Setting Depth | Pulled Out |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: _____ Name: _____
 Address 1: _____ Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Phone: (_____) _____
 Name of Party Responsible for Plugging Fees: _____
 State of _____ County, _____, ss.
 _____ Employee of Operator or Operator on above-described well,
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

QUALITY WELL SERVICE, INC.

8166

Federal Tax I.D. # 481187368

Home Office 30060 N. Hwy 281, Pratt, KS 67124

Mailing Address P.O. Box 468

Office 620-786-6992

Fax 620-672-3663

Todd's Cell 620-388-4967

Brady's Cell 620-727-6964

| | | | | | | | | | | | | | | | |
|--|-------------------|----------|------------|------|------------|-------|--|---|------|-------|----|-------------|--|--------|--|
| Date | 11-29-22 | Sec. | 3 | Twp. | 29S | Range | 23W | County | Ford | State | Ks | On Location | | Finish | |
| Lease | PECKINS | Well No. | 6-3 | | Location | | | | | | | | | | |
| Contractor | DUKE OIL & GAS #1 | | | | | | | Owner | | | | | | | |
| Type Job | Surface | | | | | | | To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. | | | | | | | |
| Hole Size | 12 1/4 | | T.D. | | 659' | | Charge To | | | | | | | | |
| Csg. | 95/8 23" | | Depth | | 653' | | VILLAGE OIL CORP | | | | | | | | |
| Tbg. Size | | | Depth | | Street | | | | | | | | | | |
| Tool | | | Depth | | City State | | | | | | | | | | |
| Cement Left in Csg. | | | Shoe Joint | | 42.63 | | The above was done to satisfaction and supervision of owner agent or contractor. | | | | | | | | |
| Meas Line | | | Displace | | 39.06 | | Cement Amount Ordered 1502 MDC 31 CC 1/2" PS | | | | | | | | |
| EQUIPMENT | | | | | | | 1502 Common 2% CEL 3/4 CC 1/2" PS | | | | | | | | |
| Pumptrk | 3 | No. | | | | | Common 1502 | | | | | | | | |
| Bulktrk | | No. | | | | | 11/2 Poz. 1502 | | | | | | | | |
| Bulktrk | | No. | | | | | Gel. 564" | | | | | | | | |
| Pickup | | No. | | | | | Calcium 346" | | | | | | | | |
| JOB SERVICES & REMARKS | | | | | | | Hulls | | | | | | | | |
| Rat Hole | | | | | | | Salt | | | | | | | | |
| Mouse Hole | | | | | | | Flowseal 150" | | | | | | | | |
| Centralizers | | | | | | | Kol-Seal | | | | | | | | |
| Baskets | | | | | | | Mud CLR 48 | | | | | | | | |
| D/V or Port Collar | | | | | | | CFL-117 or CD110 CAF 38 | | | | | | | | |
| Run 15 1/2" 95/8 23" CSG SET @ 653 | | | | | | | Sand | | | | | | | | |
| START CSG CSG ON BOTTOM | | | | | | | Handling 332 | | | | | | | | |
| Hook up to CSG & Break circ with 16 | | | | | | | Mileage 65 / 12000 | | | | | | | | |
| START Pumping H ₂ O | | | | | | | 95/8 FLOAT EQUIPMENT | | | | | | | | |
| START mix 1" Pump 1502 mdc 31 CC 1/2" PS 12 1/4" | | | | | | | Guide-Shoe H: 11 1 EA | | | | | | | | |
| START mix 1" Pump 1502 Common | | | | | | | Centralizer BATTLE PLATE 1 EA | | | | | | | | |
| 2% CEL 3/4 CC 1/2" PS @ 14.3" / GAL | | | | | | | Baskets 378 WOODEN PLUG 1 EA | | | | | | | | |
| SHUT DOWN & RELEASE 95/8 WOODEN PLUG | | | | | | | AFU Inserts | | | | | | | | |
| START DND | | | | | | | Float Shoe | | | | | | | | |
| PLUG DOWN | | | | | | | Latch Down | | | | | | | | |
| Close Valve on csg. 300' 39.06 BHL | | | | | | | SERVICE SW 1 EA | | | | | | | | |
| Bore circ then job | | | | | | | LMV 65 | | | | | | | | |
| Circ cut to RT | | | | | | | Pumptrk Charge SURFACE | | | | | | | | |
| | | | | | | | Mileage 195 | | | | | | | | |
| + Thank you | | | | | | | Tax | | | | | | | | |
| PLEASE CALL AGAIN | | | | | | | Discount | | | | | | | | |
| Signature m.h. Mackley Don Mike Blum | | | | | | | Total Charge | | | | | | | | |

QUALITY WELL SERVICE, INC.

8182

Federal Tax I.D. # 481187368

Home Office 30060 N. Hwy 281, Pratt, KS 67124

Mailing Address P.O. Box 468

Office 620-786-6992

Fax 620-672-3663

Todd's Cell 620-388-4967

Brady's Cell 620-727-6964

| | | | | | | | | | | | | | | | |
|-----------------------------------|----------------|------|------------|------|--|-------|-----|---|------|-------|----|-------------|--|--------|----------------|
| Date | 12-9-22 | Sec. | 3 | Twp. | 29S | Range | 23W | County | FOSS | State | KS | On Location | | Finish | |
| Lease | PERKINS | | Well No. | | Location | | | | | | | | | | |
| Contractor | DUKE DZLG RG 1 | | | | | | | Owner | | | | | | | |
| Type Job | PTA | | | | | | | To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. | | | | | | | |
| Hole Size | 7 7/8 | | T.D. | | 5380' | | | | | | | | | | |
| Csg. | | | Depth | | Charge To VINCENT OIL CO? | | | | | | | | | | |
| Tbg. Size | 4 1/2 DP | | Depth | | Street | | | | | | | | | | |
| Tool | | | Depth | | City State | | | | | | | | | | |
| Cement Left in Csg. | | | Shoe Joint | | The above was done to satisfaction and supervision of owner agent or contractor. | | | | | | | | | | |
| Meas Line | | | Displace | | Cement Amount Ordered 170 @ 62/40 4 1/2 CEL | | | | | | | | | | |
| EQUIPMENT | | | | | | | | | | | | | | | |
| Pumptrk | 9 | No. | | | | | | | | | | | | | Common 102 SK |
| Bulktrk | 17 | No. | | | | | | | | | | | | | Poz. Mix 63 SK |
| Bulktrk | | No. | | | | | | | | | | | | | Gel. 58.5 " |
| Pickup | | No. | | | | | | | | | | | | | Calcium |
| JOB SERVICES & REMARKS | | | | | | | | | | | | | | | |
| Rat Hole | 20 SK | | | | | | | Hulls | | | | | | | |
| Mouse Hole | 20 SK | | | | | | | Salt | | | | | | | |
| Centralizers | | | | | | | | Flowseal | | | | | | | |
| Baskets | | | | | | | | Kol-Seal | | | | | | | |
| D/V or Port Collar | | | | | | | | Mud CLR 48 | | | | | | | |
| 1st P/O 1590 | | | | | | | | CFL-117 or CD110 CAF 38 | | | | | | | |
| Pump H ₂ O | | | | | | | | Sand | | | | | | | |
| Mix. Pump 50 SK 62/40 4 1/2 CEL | | | | | | | | Handling 176 | | | | | | | |
| Disp H ₂ O | | | | | | | | Mileage 65 / 10000 | | | | | | | |
| 2nd P/O 690 | | | | | | | | FLOAT EQUIPMENT | | | | | | | |
| Pump H ₂ O | | | | | | | | Guide Shoe | | | | | | | |
| Mix. Pump 50 SK 62/40 4 1/2 CEL | | | | | | | | Centralizer | | | | | | | |
| Disp H ₂ O | | | | | | | | Baskets | | | | | | | |
| 3rd P/O 62' | | | | | | | | AFU Inserts | | | | | | | |
| 20 SK 62/40 4 1/2 CEL | | | | | | | | Float Shoe | | | | | | | |
| Plg D-M Holes | | | | | | | | Latch Down | | | | | | | |
| | | | | | | | | SERVICE SUP 1 EA | | | | | | | |
| | | | | | | | | Pumptrk Charge PTA | | | | | | | |
| | | | | | | | | Mileage 130 | | | | | | | |
| | | | | | | | | Tax | | | | | | | |
| | | | | | | | | Discount | | | | | | | |
| | | | | | | | | Total Charge | | | | | | | |
| X Signature | [Signature] | | | | | | | | | | | | | | |