KOLAR Document ID: 1677086

For KCC Use:
Effective Date:
District #
SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1
Oct 2016
Form must be Typed
Form must be Signed
All blanks must be Filled

# CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act. MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	
	Sec Twp S. R E W feet from N / S Line of Section
OPERATOR: License#	feet from E / W Line of Section
Name:	Is SECTION: Regular Irregular?
Address 1: Address 2:	(Check directions from nearest outside corner boundries)
City:	(Check directions from hearest outside corner boundnes)
Contact Person:	County:
Phone:	Facility Name:
	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MS Cathodic Borehole Total Depth: fee
Name:	Depth to Bedrock:
Type Drilling Equipment: Mud Rotary Cable	Water Information
☐ Air Rotary ☐ Other  Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set:feet	Depth to bottom of usable water:
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	
;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;;; ;; ;	Annular space between borehole and casing will be grouted with:
•	Concrete Neat Cement Bentonite Cement Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surfact Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
	Depth of TOP of Backfill installation material:
AFFIDAVIT	Borehole will be Pre-Plugged? Yes No
he undersigned hereby affirms that the drilling, completion and eventual pluggin f this well will comply with K.S.A. 55-101 et. seq.	9
is agreed that the following minimum requirements will be met:	
. Notify the appropriate District office prior to spudding and again before plugging the	
Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.	
<ul> <li>Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.</li> <li>Notify appropriate District Office 48 hours prior to workover or re-entry.</li> </ul>	or to any grouting.
<ul> <li>Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.</li> <li>Notify appropriate District Office 48 hours prior to workover or re-entry.</li> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig.</li> <li>The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp</li> </ul>	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
<ol> <li>Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.</li> <li>Notify appropriate District Office 48 hours prior to workover or re-entry.</li> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig.</li> <li>The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill</li> </ol>	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
<ol> <li>Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.</li> <li>Notify appropriate District Office 48 hours prior to workover or re-entry.</li> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig.</li> <li>The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.</li> </ol>	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
<ul> <li>Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.</li> <li>Notify appropriate District Office 48 hours prior to workover or re-entry.</li> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig.</li> <li>The minimum amount of cathodic surface casing as specified below shall be set by</li> <li>File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.</li> </ul>	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -	grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.   If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.  Permit Expired Well Not Drilled
and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required feet  Minimum Cathodic Surface Casing Required: feet  Approved by: This authorization expires: This authorization expires:	grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.

For KCC Use ONLY
API # 15

#### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.


In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:	Location of Well: County:		
Facility Name:	feet from N / S Line of Section feet from E / W Line of Section		
Borehole Number:	feet from L E / W Line of Section		
	Sec Twp S. R		
	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

#### **PLAT**

Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



1251 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.:
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1677086

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date cor  Pit capacity:	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
material, thickness and installation procedure.			ncluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of worl	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment ¡	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	ne closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Perm	it Date: Lease Inspection: Yes No	

KOLAR Document ID: 1677086

### Kansas Corporation Commission Oil & Gas Conservation Division


Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R 🗌 East 🗌 West		
Address 1:	County:		
Address 2:	Lease Name: Well #:  If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
City: State: Zip: +			
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:   □ I certify that, pursuant to the Kansas Surface Owner Notice provided the following to the surface owner(s) of the land upon	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat of the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the gin connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address.		
the KCC will be required to send this information to the surface this task, I acknowledge that I must provide the name and addr and that I am being charged a \$30.00 handling fee, payable to the surface of the surface	acknowledge that, because I have not provided this information, owner(s). To mitigate the additional cost of the KCC performing tess of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.  The with this form. If the fee is not received with this form, the KSONA-1		
form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1			
Submitted Electronically			



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.