\_ WELL ID\_

KOLAR DOC ID

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER WELL						Original I	Recor	d Co	rrection	Chang	e in We	l Use
Latitude	Longitude			Section	Township	R	lange	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County	<u> </u>							
WATER WELL OWNER		l	WELL	NATER US	 			NEAREST S	OURCE OF	POTENTIAL C	ONTAMIN	IATION
Name								Source:				
Business			COMP	LETION				Distance		Direction	n	
Dustriess					. 1 . 11			from well:		from we	ll:	
Address					ted well:		ft.	Source descriptio	n.			
			1 -	•	water encountered: (2) ft.;	•		•				
Well location					(2) it.; (4) dry well							
								from well:		Direction from we	n ll:	
at owner's address			Static water level in well: ft.  measured below land surface					Source description:				
CONSTRUCTION				(mm/dd/y				No not	ential cour	ce of contami	nation	
CONSTRUCTION  Parabala interval.	Borehole dia	um at c ==		easured abo (mm/dd/y	ve land surface				100 feet.			
Borehole interval:							=	PERMIT &	ID NUMBE	RS (AS REQU	IRED)	
fromtoft.		in.			gpm			DIATE 4	ali anti e - NT			
fromto ft.			Water		ft. after		•	1		).: Code:		
Casing height above land sur		in.	pumping gpm				KDHE / EPA Project Code: Site Name:					
If casing height is less that has a variance been appr		s No	Pump installed? Yes No				KDHE UIC Class V Form Completed: Yes No					
*variance not required fo			Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
or environmental remediation wells			Date disinfected (mm/dd/yy):			_	Lease Name & Well #:					
Casing type:			A au : 6	er, if knowr						# of dewater		
Blank casing interval:		ft.										
Blank casing diameter:				LOGIC LOG		NITED\/A.I.C						
Casing joints:lbs			FROI	и то	LITHOLOGY	NIERVALS	'					
Wall thickness or gauge r												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight:lbs												
Wall thickness or gauge r	10.:											
Grout interval:ft. to	ft											
Grout material:												
Grout interval: ft. to												
Grout material:			сомм	ENTS								
Screen / perforation material:												
Screen / perforation opening			CONTE	RACTOR'S	OR LANDOWNER	S CERTIFIC	ATION					
Screen / perforation intervals			This	water well	was constructe	d reco	onstru	cted p	oursuant to	the stated w	ater well	
Fromft. to			contr	actor's lice	ense and was con	npleted on		·	I certify th	nat this recor	d is true	to
Slot size unit _			the b	est of my l	knowledge and b	elief. This v	vater v	well record	was compl	eted on		
From ft. to			unde	r the busii	ness name of							,
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	o	uı	nder the au	thority of th	e designa	ited
Gravel pack intervals:	Cmar1 - '				ed in K.A.R. 28-3					•	_	
Gravel pack not used:		in	-		son at its submitt	•	٥				-	
From ft. to Gravel pack not used:					VATER WELL OW		ain one	e for vour rec	ords. Fee of	\$5.00 for each	constructe	d well
From ft. to		in		· · · · · · · · · · · · · · · · · · ·				EALTH AND				
710m n. to	11.			Bureau	of Water, Geology (7			Jackson St., S A. 82a-1212		peka KS 66612	2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1678185
Well Owner	Bestifor Farms LP
Contractor	Clarke Well & Equipment, Inc.

## Casing

From	То	Casing Diameter	Casing Joint		Wall Thickness or Gauge Number
0	41	16	Glued	19.75	.616
46	65	16	Glued	19.75	.616
70	75	16	Glued	19.75	.616

Form	WWC5.2 - Water Well Record			
Doc ID	1678185			
Well Owner	Bestifor Farms LP			
Contractor	Clarke Well & Equipment, Inc.			

## Lithology

From	То	Lithology Intervals
0	6	topsoil
6	28	clay,brown
28	46	sand & gravel,fine to medium
46	65	clay,brown
65	70	sand & gravel,fine to coarse
70	74	clay,sandy,yellowish
74	85	clay,yellowish,brown,with medium gravel
85	86	clay,yellowish,white

Form	WWC5.2 - Water Well Record			
Doc ID	1678185			
Well Owner	Bestifor Farms LP			
Contractor	Clarke Well & Equipment, Inc.			

## Screen and Gravel

From	То	Slot Size		Gravel Pack Used			Gravel Size
41	46	.1	inches	Yes	20	60	
65	70	.05	inches	Yes	60	71	
75	85	.05	inches	Yes	71	86	