KOLAR Document ID: 1679817

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD K.A.R. 82-3-117

Form CP-4 March 2009 Type or Print on this Form Form must be Signed All blanks must be Filled

| OPERATOR: License #: | API No. 15 |
|---|---|
| Name: | Spot Description: |
| Address 1: | Sec Twp S. R East West |
| Address 2: | Feet from North / South Line of Section |
| City: State: Zip: + | Feet from East / West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | NE NW SE SW |
| Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic Water Supply Well Other: SWD Permit #: SWD Permit #: | County: Well #: Lease Name: Well #: Date Well Completed: The plugging proposal was approved on: (Date) |
| Producing Formation(s): List All (If needed attach another sheet) | by:(KCC District Agent's Name) |
| Depth to Top: Bottom: T.D. Depth to Top: Bottom: T.D. Depth to Top: Bottom: T.D. | Plugging Commenced: |

Show depth and thickness of all water, oil and gas formations.

| Oil, Gas or Water | r Records | Casing Record (Surface, Conductor & Production) | | | | |
|-------------------|-----------|---|------|---------------|------------|--|
| Formation | Content | Casing | Size | Setting Depth | Pulled Out | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

| Plugging Contractor License #: | Name: | | | | | |
|--|--|--|--|--|--|--|
| Address 1: | Address 2: | | | | | |
| City: | State: Zip: + | | | | | |
| Phone: () | | | | | | |
| Name of Party Responsible for Plugging Fees: | | | | | | |
| State of County, | , SS. | | | | | |
| (Print Name) | Employee of Operator or Operator on above-described we | | | | | |
| | | | | | | |

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically



Remit To: Hurricane Services, Inc. 250 N. Water, Suite 200 Wichita, KS 67202 316-303-9515

| Customer: | Invoice Da | ato: | 12/15/2022 | | | |
|--------------------------|------------|--------------------------------------|------------|--|--|--|
| VESS OIL CORP. | | | | | | |
| 1700 N WATERFRONT PKWY | | Invoice #: Lease Name: Well #: | | | | |
| BLDG 500 | | | | | | |
| WICHITA, KS 67206 | Cou | | Ness, Ks | | | |
| | Job Numl | • | WP3745 | | | |
| | Dist | | Oakley | | | |
| | | not. | Ounicy | | | |
| Date/Description | HRS/QTY | Rate | Total | | | |
| PTA | 0.000 | 0.000 | 0.00 | | | |
| H-Plug | 280.000 | 14.000 | 3,920.00 | | | |
| Wooden plug 8 5/8" | 1.000 | 175.000 | 175.00 | | | |
| Light Eq Mileage | 85.000 | 2.000 | 170.00 | | | |
| Heavy Eq Mileage | 170.000 | 4.000 | 680.00 | | | |
| Ton Mileage | 1,060.000 | 1.500 | 1,590.00 | | | |
| Depth Charge 2001'-3000' | 1.000 | 2,000.000 | 2,000.00 | | | |
| Cement Blending & Mixing | 280.000 | 1.400 | 392.00 | | | |
| Service Supervisor | 1.000 | 275.000 | 275.00 | | | |
| | | | | | | |

| Net Invoice | 9,202.00 |
|-------------|----------|
| Sales Tax: | 475.69 |
| Total | 9,677.69 |

TERMS: Net 30 days. Interest may be charged on past due invoice at rate of 1 ½% per month or maximum allowed by applicable state or federal laws. HSI has right to revoke any discounts applied in arriving at net invoice price if invoice is past due. If revoked, full invoice price without discount plus additional sales tax, as applicable, is due immediately and subject to interest charges. Customer agrees to pay all collection costs directly or indirectly incurred by HSI in the event HSI engages a third party to pursue collection of past due invoice.

SALES TAX: Services performed on oil, gas and water wells in Kansas are subject to sales tax, with certain exceptions. HSI relies on the well information provided by the customer in identifying whether the services performed on wells qualify for exemption.

WE APPRECIATE YOUR BUSINESS!

Х



| Customer | Vess Oil | Lease & Well # Giess-Clyne Unit #1 | | | | | Date | 12/ | 15/2022 | |
|--------------------------|---------------------|------------------------------------|-------------------|----------------------|--------------------|--|---|------------------------------------|----------------|---|
| Service District | ct Oakley KS | | County & State | Ness KS Legals S/T/R | | 10-16S-25W | | Job # | | |
| Job Type | РТА | ✓ PROD | | SWD | New Well? | ✓ YES | 🗌 No | Ticket # | w | IP 3745 |
| Equipment # | Driver | | | Job Safety Ana | alysis - A Discuss | ion of Hazards | & Safety Pro | cedures | | |
| 73 | John | ✓ Hard hat | | ✓ Gloves | | Lockout/Tag | gout | Warning Sigi | ns & Flagging | |
| 528-520 | Jose V | H2S Monitor | | ✓ Eye Protection | | Required Pe | ermits | Fall Protection | | |
| 180-530 | Kale | Safety Footwe | ear | Respiratory Pro | tection | ✓ Slip/Trip/Fal | ll Hazards | Specific Job | Sequence/Exp | pectations |
| | | FRC/Protectiv | e Clothing | Additional Cher | mical/Acid PPE | ✓ Overhead H | azards | ✓ Muster Point | :/Medical Loca | ations |
| | | Hearing Prote | ection | ✓ Fire Extinguisher | er | Additional of | oncerns or is | sues noted below | | |
| | | | | | Com | nments | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Product/ Service Code | | Deese | intian | | Unit of Measure | Quantity | | | | Net Amount |
| CP055 | H-Plug A | Descr | iption | | sack | 280.00 | | | | \$3,920.00 |
| FE290 | 8 5/8" Wooden Plug | | | | ea | 1.00 | | | | \$3,920.00 |
| M015 | Light Equipment Mil | | | | mi | 85.00 | | | | \$175.00 |
| M010 | Heavy Equipment M | | | | mi | 170.00 | | | | \$680.00 |
| M010 M020 | Ton Mileage | lileage | | | tm | 1,060.00 | | \$1,59 | | |
| D013 | Depth Charge: 2001 | 1'-3000' | | | job | 1,000.00 | | \$2,00 | | |
| C060 | Cement Blending & | | | | sack | 280.00 | | | | \$392.00 |
| R061 | Service Supervisor | Mixing Oct Vice | | | day | 1.00 | | | | \$275.00 |
| | | | | | uuy | | | | | 411111 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Custo | omer Section: On th | e following scale h | ow would you rate | Hurricane Services I | nc.? | | | | Net: | \$9,202.00 |
| | | | | | | Total Taxable | \$- | Tax Rate: | | $>\!$ |
| | | | | | | used on new wells Hurricane Service well information a | s to be sales ta s relies on the bove to make a | customer provided determination if | Sale Tax: | \$ - |
| L | Jnlikely 1 2 | 3 4 5 | 6 7 8 | 9 10 Extr | emely Likely | services and/or pr | oducts are tax | exempt. | Total: | \$ 9,202.00 |
| | | | | | | HSI Represe | entative: | John Polley | | |

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 ½% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royallies and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. <u>DISCLAIMER NOTICE</u>: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results fom the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of all customer owned equipment and property while HSI is on location performs. Likewise, the customer operational care of all customer owned equipment not property while HSI is on location performs. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

CUSTOMER AUTHORIZATION SIGNATURE



| CEMENT | TRE | ATMEN | T REPO | ORT | | | | | | | |
|-----------------------------|---|----------------|------------------------|---------------------|--|--------------------------|--------------------------|---------------------|-----------------------------|--|--|
| Custo | Customer: Vess Oil Well: Giess-Clyne Unit | | | Giess-Clyne Unit #1 | Ticket: | WP 3745 | | | | | |
| City, S | itate: | Arnold M | (S | | County: Ness KS Date: | | | 12/15/2022 | | | |
| Field | Rep: | Scott Pil | land | | S-T-R: | | | | РТА | | |
| narran yang berteken kerina | | | | | | | | | | | |
| Down | hole l | nformatio | on | | Calculated S | lurry - Lead | | Calc | ulated Slurry - Tail | | |
| Hole | Size: | 7 7/8 | in | | Blend: | Blend: H-Plug A Blend: | | | | | |
| Hole D | epth: | 4600 | ft | | Weight: | Weight: 13.8 ppg Weight: | | | | | |
| Casing | Size: | | in | | Water / Sx: | gal / sx | | | | | |
| Casing D | | | ft | | Yield: 1.42 ft ³ / sx | | | Yield: | Yield: ft ³ / sx | | |
| Tubing / L | iner: | | in | | Annular Bbls / Ft.: 0.0406 bbs / ft. | | | Annular Bbls / Ft.: | bbs / ft. | | |
| | epth: | | ft | | Depth: | | | Depth: | ft | | |
| Tool / Pa | 1912 | | | | Annular Volume: 81.6 bbls Annular Volum | | | Annular Volume: | 0 bbls | | |
| Tool D | - | | ft | | Excess: | | | Excess: | | | |
| Displacen | nent: | | bbls | C STOR POLICY | Total Slurry: | 70.8 b | | Total Slurry: | 0.0 bbls | | |
| TIME | DATE | DEL | STAGE | TOTAL BBLs | Total Sacks: | 280 s | x | Total Sacks: | 0 sx | | |
| | RATE | PSI | BBLs | | REMARKS | | | | | | |
| 2:55 AM | | | - | | Arrived on location | | | | | | |
| 3:05 AM | | | | • | Safety meeting | | | | | | |
| 3:15 AM | | 400.0 | E 0 | - | Rigged up | | | | | | |
| 4:53 AM 3 4:57 AM 4 | | 100.0 200.0 | 5.0 12.6 | 5.0 17.6 | Water ahead | A comont 12 g | 2 ppg @ 2010' | × | | | |
| 5:00 AM | | 100.0 | 5.0 | 22.6 | Mixed 50 sacks H-Plug Begin displacment | A cement 13.0 | 5 ppg @ 2010 | | | | |
| 5:04 AM | 5.2 | 100.0 | 5.0 | 22.6 | Pumped mud with rig p | ump for 1:30 | minutos | | | | |
| 5.04 AM | | | | 22.6 | r uniped indd with hig p | | | | | | |
| 5:56 AM 3 | 3.0 | 100.0 | 5.0 | 22.6 | Water ahead | | | | | | |
| 6:00 AM | | 200.0 | 20.2 | 47.8 | Mixed 80 sacks H-Plug | A cement 13.8 | 3 ppg @ 1260' | | | | |
| 6:05 AM 3 | | 50.0 | 9.5 | 57.3 | Begin displacment | | - FF3 C | | | | |
| | | | | | | | | | | | |
| 6:38 AM 3 | 3.0 | 50.0 | 5.0 | | Water ahead | | | | | | |
| 6:42 AM | 4.0 | 150.0 | 12.6 | | Mixed 50 sacks H-Plug | A cement 13.8 | 3 ppg @ 660' | | | | |
| 6:45 AM | 4.5 | 100.0 | 5.0 | | Begin displacement | | | | | | |
| | | | | | | | | | | | |
| 7:13 AM 3 | 3.0 | 100.0 | 5.0 | | Water ahead | | | | | | |
| 7:17 AM | 4.7 | 170.0 | 12.6 | | Mixed 50 sacks H-Plug A cement 13.8 ppg @ 330' | | | | | | |
| 7:19 AM 4 | 4.0 | 50.0 | 0.5 | | Begin displacement | | | | | | |
| | | | | | | | | | | | |
| 8:28 AM 2 | 2.3 | 50.0 | 5.0 | | Mixed 20 sacks H-Plug | A cement with | n wooden plug for top 60 | 0' | | | |
| 8:41 AM 2 | 2.3 | 50.0 | 7.5 | | Mixed 30 sacks H-Plug | A cement for | rat hole plug | | | | |
| 8:44 AM | | | | | Plug down | | | | | | |
| 8:46 AM | | | | | Washed up and rigged | down | | | | | |
| 9:30 AM | | | | | Left location | | | s | | | |
| | | | | | | | | | | | |
| | dia and | | | | | | | | | | |
| | | CREW | | | UNIT | | | SUMMAR | | | |
| Cem | enter: | John | ohn 73 Average Rate Av | | | | Average Pressure | Total Fluid | | | |
| Pump Ope | | Jose | V | | 528-520 | - | 3.6 bpm | 105 psi | 111 bbls | | |
| | ilk #1: | Kale | | | 180-530 | | | | | | |
| | ılk #2: | | | | | | | | | | |