WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER W	/ELL					Original Re	ecor	d Co	rrection	Chang	e in We	ll Use
Latitude	Longitude		9	Section	Township	Rar	nge	E	Fraction	1/4	1/4	1/4
Datum	Elevation			County				VV				
WATER WELL OWNER				/ATER US				NEARESTS	OURCE OF	POTENTIAL C	ONTAMIN	OITAL
Name												.,
			COMPI	FTION				Dictance		Direction	n	
Business			COMPL	EHON			\neg	from well:		from wel	il:	
Address					ed well:			Source				
			1 -		water encountered			descriptio				
747 11 1					(2) ft.;			Source:				
Well location			(3)	ft.;	(4) dry well			Distance from well-		Direction from wel	n II.	
at owner's			Static	vater level	in well:	t.		Source				
address			- 1		ow land surface			descriptio	n:			
CONSTRUCTION				(mm/dd/y			-	No pot	tential sour	ce of contami	nation	
Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):				No potential source of contamination within 100 feet.					
fromtoft.							=	PERMIT &	ID NUMBE	RS (AS REQUI	RED)	
		in.			gpm ft after	1		DW/R Ass	nlication No			
fromtoft.	·		Water level was:ft. afterhours					DWR Application No.: KDHE / EPA Project Code:				
Casing height above land		in.	pumping gpm Pump installed? Yes No				Site Name:					
If casing height is less than 12 in. has a variance been approved?* Yes No			Fullip	ilistalieu:	ies No					orm Complet		N
*variance not required for monitoring			Water	well disinfo	ected? Yes N	0				No Permi		
or environmental remediation wells			Date disinfected (mm/dd/yy):			_	Lease Name & Well #:					
Casing type:			A :C	.01			\dashv			# of dewater		
Blank casing interval:		ft.		r, if known								
Blank casing diameter:				OGIC LOG								
Casing joints:			FROM	і то	LITHOLOGY	NTERVALS						
Weight:												
Wall thickness or gat												
Blank casing interval:		п.										
Blank casing diameter:												
Casing joints: Weight:												
Wall thickness or gau	_											
Grout interval: f												
Grout material:												
Grout interval:f			СОММ	ENTS	1							
Grout material:												
S / / / /	1											
Screen / perforation mate			CONTO	ACTORIC:	OD I ANDOUNES	C CEDTIFIC **	1011					
Screen / perforation open Screen / perforation inter					OR LANDOWNER			. 1		41	11	
-					was constructe			•		the stated w		
Fromft. to					ense and was con	•			•			
Slot size un From ft. to				-	knowledge and b				_			
Slot size u					ness name of							
Gravel pack intervals:	·····		Kansa	s Water V	Vell Contractor's	License No.		uı	nder the au	thority of th	e design	ated
Gravel pack mervais:	· Gravel cize		perso	n as defin	ed in K.A.R. 28-	30-2(j) and si	igned	l and certif	ied by the	electronic się	gnature o	f th
From ft. to		in	design	nated pers	on at its submitt	al:						
Gravel pack not used:		in	Send on	e copy to V	VATER WELL OW	NER and retai	n one	for your rec	ords. Fee of	\$5.00 for each	constructo	ed we
From ft. to _		m		17	KANSAS D	EPARTMENT (OF HE	EALTH AND	ENVIRON	MENT		
11011111.10 _	11.			Bureau	of Water, Geology	Section, 1000	SW Ja	ackson St., S	uite 420, Toj	peka KS 66612	2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1680740
Well Owner	LJK, Inc.
Contractor	Jantzen Water Well

Lithology

From	То	Lithology Intervals
0	43	sand,fine
43	74	sand,coarse
74	79	clay,brown
79	81	sand,coarse,cemented
81	92	sand,coarse
92	98	clay,brown
98	110	clay,brown,sandy
110	140	sand,medium,& cemented sand
140	154	sand,coarse
154	164	sand,coarse,cemented
164	170	clay,tan,sandy
170	180	sand,coarse
180	188	clay,tan,sandy
188	266	sand,medium
266	292	sand,coarse
292	300	clay,tan
300	305	clay,tan,sandy, & fine sand layers
305	320	clay,tan,sandy & medium sand
320	321	clay,tan
321	340	sand,medium
340	360	clay,tan,sandy (tight)
360	365	sand,medium

Form	WWC5.2 - Water Well Record
Doc ID	1680740
Well Owner	LJK, Inc.
Contractor	Jantzen Water Well

Lithology

From	То	Lithology Intervals
365	370	clay,other,yellow
370	379	sand,medium
379	385	other,shale
385	387	other,sandstone
387	405	other,shale
405	407	other,sandstone (loose)
407	450	other,shale & sandstone layers