

**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**WELL PLUGGING RECORD**  
K.A.R. 82-3-117

Form CP-4  
March 2009  
**Type or Print on this Form**  
**Form must be Signed**  
**All blanks must be Filled**

OPERATOR: License #: \_\_\_\_\_  
 Name: \_\_\_\_\_  
 Address 1: \_\_\_\_\_  
 Address 2: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
 Contact Person: \_\_\_\_\_  
 Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Type of Well: (Check one)  Oil Well  Gas Well  OG  D&A  Cathodic  
 Water Supply Well  Other: \_\_\_\_\_  SWD Permit #: \_\_\_\_\_  
 ENHR Permit #: \_\_\_\_\_  Gas Storage Permit #: \_\_\_\_\_  
 Is ACO-1 filed?  Yes  No If not, is well log attached?  Yes  No  
 Producing Formation(s): List All (If needed attach another sheet)  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_

API No. 15 - \_\_\_\_\_  
 Spot Description: \_\_\_\_\_  
 \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 \_\_\_\_\_ Feet from  North /  South Line of Section  
 \_\_\_\_\_ Feet from  East /  West Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
 County: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_  
 Date Well Completed: \_\_\_\_\_  
 The plugging proposal was approved on: \_\_\_\_\_ (Date)  
 by: \_\_\_\_\_ (KCC District Agent's Name)  
 Plugging Commenced: \_\_\_\_\_  
 Plugging Completed: \_\_\_\_\_

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: \_\_\_\_\_ Name: \_\_\_\_\_  
 Address 1: \_\_\_\_\_ Address 2: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
 Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Name of Party Responsible for Plugging Fees: \_\_\_\_\_  
 State of \_\_\_\_\_ County, \_\_\_\_\_, ss.  
 \_\_\_\_\_  Employee of Operator or  Operator on above-described well,  
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

**Submitted Electronically**

# GRESSEL OIL FIELD SERVICE

POST OFFICE BOX 438  
 HAYSVILLE, KS 67060  
 (316) 524-1225  
 FAX (316) 524-1027

**Invoice**

BURRTON, KS    ♦    GREAT BEND, KS    ♦    HAYS, KS    ♦  
 (620) 463-5161    (620) 793-3366    (785) 628-3220

**INVOICE NUMBER:  
 L1914-IN**

**BILL TO:**  
 DARRAH OIL COMPANY LLC  
 PO BOX 2786  
 WICHITA, KS 67202-2786

**LEASE: WALTER B-7**

DATE	ORDER	SALESMAN	ORDER DATE	PURCHASE ORDER	SPECIAL INSTRUCTIONS	
04/30/2022	1914		04/26/2022	WALTER B-7	NET 30	
QUANTITY	U/M	ITEM NO./DESCRIPTION		D/C	PRICE	EXTENSION
		RIG UP, RUN CIBP TOOLS TO 2465', SET PLUG, RIG UP DUMP BAILER AND MAKE 1 TRIP, TEAR DOWN.				
1.00	EACH	SET UP WIRELINE		0.00	800.00	800.00
1.00	EACH	CAST IRON BRIDGE PLUG		0.00	850.00	850.00
2,465.00	EACH	SET CIBP		0.00	0.22	542.30
1.00	EACH	DUMP BAILER		0.00	281.20	281.20
<b>REMIT TO:</b> P.O. BOX 438 HAYSVILLE, KS 67060		LOG		Net Invoice: 2,473.50 BUTCO Sales Tax: 160.78 <b>Invoice Total: 2,634.28</b>		
RECEIVED BY _____		<b>NET 30 DAYS</b>				

There will be a charge of 1.5% (18% annual rate) on all accounts over 30 days past due.  
 Gressel Oil Field Service reserves a security interest in the goods sold until the same are paid for in full and reserve all the rights of a secured party under the Uniform Commercial Code.

**FIELD WORK ORDER, INVOICE AND CONTRACT**

1914



**Field Service, LLC**

P.O. BOX 438  
Haysville, KS 67060  
(316) 524-1225 • FAX (316) 524-1027

Date <u>April 26 2002</u>	Charge To: <u>Derrick Oil</u>	Lease and Well No. <u>Walter's B-7</u>
Operator <u>Gregory Boyd</u>	Address	Field
Customer's T.D.	City & State	Legal Description
T.D.	Fluid Level <u>900</u>	Casing Size <u>4 1/2</u>
Zero <u>Gal</u>	Type Fluid in Hole <u>Production</u>	Casing Wt. <u>NA</u>
	Elevation <u>NA</u>	Casing Depth <u>2618</u>
		Sec <u>16</u> Twp. <u>24</u> Rng. <u>5E</u>
		County <u>Barton</u>
		State <u>Ks</u>

- The authorized agent and representative of the owner agrees to the following general terms and conditions of services to be rendered or which have been rendered:
- (1) All accounts are due and must be paid within 30 days from the date of services of Gressel Oil Field Service, Inc., and should these terms not be observed, interest at the rate of 18% per annum will be charged from the date of the services.
  - (2) Because of the uncertain conditions and hazards existing in a well which are beyond the control of Gressel Oil Field Service, Inc., it is understood and agreed by the parties hereto that Gressel Oil Field Service, Inc. cannot guarantee the results of its efforts and its services and will not be held responsible for personal or property damage in the performance of its services.
  - (3) Should any Gressel Oil Field Service, Inc. instruments or equipment be lost or damaged in the performance of the operations requested, the customer agrees to make every reasonable effort to recover the same, and to reimburse Gressel Oil Field Service, Inc. for the value of the items which cannot be recovered, or the cost of repairing damage to items recovered.
  - (4) The customer certifies that he has the full right and authority to order such work on such well and that the well in which the work is to be performed by Gressel Oil Field Service, Inc. is in proper and suitable condition for the performance of said work and that Gressel Oil Field Service, Inc. is merely working under the directions of the customer.
  - (5) The customer agrees to pay any and all taxes, fees and charges placed on services rendered by Gressel Oil Field Service, Inc. by governmental requirements including city, county, state and federal taxes and fees or reimburse Gressel Oil Field Service, Inc. for such taxes and fees paid to said agencies.
  - (6) No employee is authorized to alter the terms or conditions of this agreement between Gressel Oil Field Service, Inc. and the customer.
  - (7) I certify that the services have been performed by Gressel Oil Field Service, Inc. under my directions and control, and that all zones perforated were designated by me and all depth measurements were checked and approved.
  - (8) It is further stipulated and agreed to between the parties hereto that this agreement shall not become effective until the same is approved by Gressel Oil Field Service, Inc., in Harvey County, Kansas, and that the venue of any action, either in law or equity to enforce the terms of the same is agreed by the parties hereto to be in Harvey County, Kansas.

Dated in Barton, Kansas, this 26th day of April 2002

CUSTOMER

AUTHORIZED AGENT AND REPRESENTATIVE  
GRESSEL OIL FIELD SERVICE, INC.

OFFICER

WORK PERFORMED	PRICING
Perforated With <u>NA</u> as Follows:	SET UP: \$
From _____ ft. to _____ ft. _____ Shots	PERFORATING:
From _____ ft. to _____ ft. _____ Shots	1st _____ Shots \$
From _____ ft. to _____ ft. _____ Shots	Next _____ Shots @ \$ _____ Ea. \$
From _____ ft. to _____ ft. _____ Shots	Next _____ Shots @ \$ _____ Ea. \$
From _____ ft. to _____ ft. _____ Shots	LOGGING:
From _____ ft. to _____ ft. _____ Shots	Logging Chg. _____ ft @ \$ _____ ft. \$
From _____ ft. to _____ ft. _____ Shots	BRIDGE PLUG:
From _____ ft. to _____ ft. _____ Shots	Type <u>Alpha 1</u> Depth <u>2465</u> \$
<u>Rig up Run CIPB tools to 2465'</u>	CEMENT LOCATOR SURVEY: \$
<u>set plug Rig up dump barrels</u>	<u>Per. Dick's Bid</u> <u>2473.50</u>
<u>+ make 1 trip tear down</u>	
	<b>SUB TOTAL</b> ..... \$
	<b>TAX</b> ..... \$
	<b>TOTAL</b> ..... \$

Mike's Testing & Salvage Inc.

DBA Kelso Well Service

P.O. Box 467

Chase, KS 67524

# Invoice

Date	Invoice #
12/14/2022	18546

<b>Bill To</b>
Darrah Oil Company LLC 125 N. Market Street Suite 1425 Wichita, Kansas 67202

P.O. No.	County	Lease
Felix - Rig #1	Butler	Walters B #7

Qty	Description	Rate	Amount
15	Hours Rig Time	265.00	3,975.00T
	Casing Cutter	500.00	500.00T
2	Nights Out of Town	300.00	600.00T
	12-2-22 Moved to location, set in rig and rigged up, ran bailer, T.D. @1500', backhoe dug out cellar and pit, set in floor and rigged up, pulled 10-1/2" of stretch. 4 Hours		
	12-5-22 Cut casing loose @1406', laid down 4-1/2" casing. Pushed wood plug down surface to 290', dumped 4 sacks cement with bailer on top of plug. Tore down floor and moved to next well. 8 Hours		
	12-6-22 Bail fluid down to 260', tore down rig and moved to next well. 3 Hours		
	12-8-22 Moved rig back in on location, bailed down surface to 250', couldn't get redi-mix, tore down rig. 2 Hours. Not Plugged		
	Sales Tax	6.75%	342.56

<b>Total</b>	<b>\$5,417.56</b>
--------------	-------------------



Dispatch (316) 522-4949  
 Dorado (316) 320-5000  
 Office (316) 522-8454



300033469



PLANT	TICKET TIME	DATE	ORDER #	TRUCK	DRIVER	TIME DUE	TICKET #
		12/08					
CUSTOMERS INFO				DELIVERY ADDRESS INSTRUCTIONS			

JOHN DARRAH  
 HWY 77  
 Slump 8.00

FROM NORTH OF EL DORADO EXIT THE TURNPIKE GO  
 NORTH ON HWY 77 TO NORTH OF WALTERS  
 PUMPKIN PATCH GO WEST TO THE RIG TO JOB

PURCHASE ORDER	PROJECT #	PROJECT DESC.	MAP PAGE	PREV TRUCK #	SLUMP	USAGE
	1001	EASTERN KANSAS			8.00	
LOAD QTY.	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
9.00 yd	JY3500	SLURRY MIX	9.00	9.00	\$169.00	1,521.00
1.00 EA	350FSD	Fuel Surcharge RMX	0.00		\$21.00	\$21.00
9.00 /y	WS	WINTER SERVICE CHARGE	0.00		\$5.00	\$45.00

LEAVE PLANT	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT	SUBTOTAL	AMOUNT
					\$103.16	

**CAUTION:** FRESHLY MIXED CONCRETE MAY CAUSE SKIN IRRITATION OR CHEMICAL BURNS.  
 AVOID CONTACT WITH SKIN WHERE POSSIBLE AND WASH EXPOSED SKIN AREAS PROMPTLY WITH WATER. IF ANY CONCRETE MIXTURES GET INTO EYES, RINSE IMMEDIATELY AND REPEATEDLY WITH WATER AND GET PROMPT MEDICAL ATTENTION.  
**KEEP OUT OF REACH OF CHILDREN • SEE REVERSE SIDE FOR MSDS SHEET**

**NOTICE:** EXCESSIVE UNLOADING TIME  
 • A HOLDING CHARGE OF \$1.50 PER MINUTE WILL BE INCLUDED FOR EACH TRUCK HELD ON THE JOB SITE FOR MORE THAN 60 MINUTES.  
 • IN CONSIDERATION OF OUR MAKING DELIVERY ACROSS THE STREET CURB, AT YOUR REQUEST, CUSTOMER AGREES TO BE RESPONSIBLE FOR ALL DAMAGE DONE TO SIDEWALKS, DRIVEWAYS, BUILDINGS, GROUNDS, ETC. CUSTOMER ACKNOWLEDGES RECEIPT OF THE ABOVE MATERIALS IN APPROVED CONDITION.

**IMPORTANT:** PURCHASER ASSUMES FULL RESPONSIBILITY FOR STRENGTH, SLUMP AND QUALITY OF CONCRETE WHEN WATER OR OTHER MATERIALS ARE ADDED ON THE JOB SITE AT THE REQUEST OF THE CUSTOMER.

OUT SIDE TEMP.	TOTAL	
	OTHER CHARGES	
	ADDITIONAL TAX	
	<b>GRAND TOTAL</b>	1690.16
WATER ADDED ON JOB AT REQUEST OF CONSIGNEE	GALS. WATER	GALS. WATER
	INT.	INT.
TEST TAKEN	SLUMP / AIR / CYLS.	PER ASTM YES NO SPECS.

ACCEPTED BY: \_\_\_\_\_  
 PURCHASER'S SIGNATURE, HIS AGENT, OR HIS EMPLOYEE'S SIGNATURE CONSTITUTES AN AGREEMENT WITH THE ABOVE TERMS AND CONDITIONS.

DRIVER REMARKS: \_\_\_\_\_

Walters 'B' 18

300033469

AE Charge 12/09



MATERIAL SAFETY DATA SHEET

(Only Applicable Data Provided for Each Section)

SECTION I  
 Manufacturer's Name: Concrete Materials Company  
 Address: See Reverse Side  
 Emergency Telephone Number: See Reverse Side  
 Trade Names  
 3Cao Si02 (cement), 2Cao Si02 (cement), 3Cao A1203 (cement),  
 4Cao A1203 (cement), Casp4 2H2O, Traces Cao, MgO, K2SO4, Na2SO4  
 Chemical Family:  
 SECTION II - HAZARDOUS INGREDIENTS: Cement and possible traces of hexavalent chromium.  
 SECTION III - PHYSICAL DATA  
 Specific Gravity: 1.9 to 2.4  
 Appearance and Odor: Gray plastic flowable, granular mud, odorless  
 SECTION IV - FIRE AND EXPLOSION HAZARD DATA: N.A. all sections  
 SECTION V - HEALTH HAZARD DATA  
 TLV: None  
 Effects of Overexposure:  
 Dry skin and possible alkali burns (cement dermatitis).  
 Also possible traces of hexavalent chromium.  
 Emergency First Aid Procedures:  
 Irrigate eyes with water. Wash affected areas of the body with soap and water.  
 SECTION VI - REACTIVITY DATA  
 Stability: Unstable X  
 Conditions to Avoid:  
 Hazardous Polymerization  
 Will Not Occur X  
 SECTION VII - SPILL OR LEAK PROCEDURES  
 Steps to be Taken in Case Material is Released or Spilled: Spill does not increase hazard.  
 Waste Disposal Method: Once hardened, material can be disposed of as common waste.  
 SECTION VIII - SPECIAL PROTECTION INFORMATION  
 Protective Gloves: Yes  
 Eye Protection: Yes, when placement methods cause splashing.  
 Use barrier creams, gloves, boots, and clothing to protect skin.  
 SECTION IX - SPECIAL PRECAUTIONS  
 Other Protective Equipment:  
 from prolonged contact with plastic concrete.  
 Precautions to be Taken in Handling and Storage: See above.  
 Other Precautions: Immediately after working with concrete, workers should shower with soap and water.

SECTION I	Manufacturer's Name: Concrete Materials Company	Address: See Reverse Side
SECTION II	Chemical Family: 3Cao Si02 (cement), 2Cao Si02 (cement), 3Cao A1203 (cement), 4Cao A1203 (cement), Casp4 2H2O, Traces Cao, MgO, K2SO4, Na2SO4	
SECTION III	SECTION II - HAZARDOUS INGREDIENTS: Cement and possible traces of hexavalent chromium.	
SECTION IV	SECTION III - PHYSICAL DATA Specific Gravity: 1.9 to 2.4 Appearance and Odor: Gray plastic flowable, granular mud, odorless	
SECTION V	SECTION IV - FIRE AND EXPLOSION HAZARD DATA: N.A. all sections	
SECTION VI	SECTION V - HEALTH HAZARD DATA TLV: None Effects of Overexposure: Dry skin and possible alkali burns (cement dermatitis). Also possible traces of hexavalent chromium. Emergency First Aid Procedures: Irrigate eyes with water. Wash affected areas of the body with soap and water.	
SECTION VII	SECTION VI - REACTIVITY DATA Stability: Unstable X Conditions to Avoid: Hazardous Polymerization Will Not Occur X	
SECTION VIII	SECTION VII - SPILL OR LEAK PROCEDURES Steps to be Taken in Case Material is Released or Spilled: Spill does not increase hazard. Waste Disposal Method: Once hardened, material can be disposed of as common waste.	
SECTION IX	SECTION VIII - SPECIAL PROTECTION INFORMATION Protective Gloves: Yes Eye Protection: Yes, when placement methods cause splashing. Use barrier creams, gloves, boots, and clothing to protect skin.	
SECTION X	SECTION IX - SPECIAL PRECAUTIONS Other Protective Equipment: from prolonged contact with plastic concrete. Precautions to be Taken in Handling and Storage: See above. Other Precautions: Immediately after working with concrete, workers should shower with soap and water.	

SECTION I	Manufacturer's Name: Concrete Materials Company	Address: See Reverse Side
SECTION II	Chemical Family: 3Cao Si02 (cement), 2Cao Si02 (cement), 3Cao A1203 (cement), 4Cao A1203 (cement), Casp4 2H2O, Traces Cao, MgO, K2SO4, Na2SO4	
SECTION III	SECTION II - HAZARDOUS INGREDIENTS: Cement and possible traces of hexavalent chromium.	
SECTION IV	SECTION III - PHYSICAL DATA Specific Gravity: 1.9 to 2.4 Appearance and Odor: Gray plastic flowable, granular mud, odorless	
SECTION V	SECTION IV - FIRE AND EXPLOSION HAZARD DATA: N.A. all sections	
SECTION VI	SECTION V - HEALTH HAZARD DATA TLV: None Effects of Overexposure: Dry skin and possible alkali burns (cement dermatitis). Also possible traces of hexavalent chromium. Emergency First Aid Procedures: Irrigate eyes with water. Wash affected areas of the body with soap and water.	
SECTION VII	SECTION VI - REACTIVITY DATA Stability: Unstable X Conditions to Avoid: Hazardous Polymerization Will Not Occur X	
SECTION VIII	SECTION VII - SPILL OR LEAK PROCEDURES Steps to be Taken in Case Material is Released or Spilled: Spill does not increase hazard. Waste Disposal Method: Once hardened, material can be disposed of as common waste.	
SECTION IX	SECTION VIII - SPECIAL PROTECTION INFORMATION Protective Gloves: Yes Eye Protection: Yes, when placement methods cause splashing. Use barrier creams, gloves, boots, and clothing to protect skin.	
SECTION X	SECTION IX - SPECIAL PRECAUTIONS Other Protective Equipment: from prolonged contact with plastic concrete. Precautions to be Taken in Handling and Storage: See above. Other Precautions: Immediately after working with concrete, workers should shower with soap and water.	

SECTION I  
 Manufacturer's Name: Concrete Materials Company  
 Address: See Reverse Side  
 Emergency Telephone Number: See Reverse Side  
 Trade Names  
 3Cao Si02 (cement), 2Cao Si02 (cement), 3Cao A1203 (cement),  
 4Cao A1203 (cement), Casp4 2H2O, Traces Cao, MgO, K2SO4, Na2SO4  
 Chemical Family:  
 SECTION II - HAZARDOUS INGREDIENTS: Cement and possible traces of hexavalent chromium.  
 SECTION III - PHYSICAL DATA  
 Specific Gravity: 1.9 to 2.4  
 Appearance and Odor: Gray plastic flowable, granular mud, odorless  
 SECTION IV - FIRE AND EXPLOSION HAZARD DATA: N.A. all sections  
 SECTION V - HEALTH HAZARD DATA  
 TLV: None  
 Effects of Overexposure:  
 Dry skin and possible alkali burns (cement dermatitis).  
 Also possible traces of hexavalent chromium.  
 Emergency First Aid Procedures:  
 Irrigate eyes with water. Wash affected areas of the body with soap and water.  
 SECTION VI - REACTIVITY DATA  
 Stability: Unstable X  
 Conditions to Avoid:  
 Hazardous Polymerization  
 Will Not Occur X  
 SECTION VII - SPILL OR LEAK PROCEDURES  
 Steps to be Taken in Case Material is Released or Spilled: Spill does not increase hazard.  
 Waste Disposal Method: Once hardened, material can be disposed of as common waste.  
 SECTION VIII - SPECIAL PROTECTION INFORMATION  
 Protective Gloves: Yes  
 Eye Protection: Yes, when placement methods cause splashing.  
 Use barrier creams, gloves, boots, and clothing to protect skin.  
 SECTION IX - SPECIAL PRECAUTIONS  
 Other Protective Equipment:  
 from prolonged contact with plastic concrete.  
 Precautions to be Taken in Handling and Storage: See above.  
 Other Precautions: Immediately after working with concrete, workers should shower with soap and water.



Dispatch (316) 522-4949  
 El Dorado (316) 320-5000  
 Office (316) 522-8454



400063487

PLANT	TICKET TIME	DATE	ORDER #	TRUCK	DRIVER	TIME DUE	TICKET #
4	7:28	12/19/05	6	665	SCOTT	8:27	28731

JOHN DARRAH  
 HWY 77 AND  
 LOOK FOR RIG

PURCHASE ORDER	PROJECT #	PROJECT DESC.	MAP PAGE	PREV TRUCK #	SLUMP	USAGE
PAID CREDIT	1004	EASTERN KANSASVARIO			8.00	OTHER

LOAD QTY.	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
6.00 yd	JY3500	SLURRY MIX	15.00	6.00	\$169.00	1,014.00
1.00 EA	350FSC	Fuel Surcharge RMX	0.00		\$21.00	\$21.00
6.00 /y	WS	WINTER SERVICE CHARGE	0.00		\$5.00	\$30.00

LEAVE PLANT	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT	SUBTOTAL
		12/05			TAX \$1,065.00

**CAUTION:** FRESHLY MIXED CONCRETE MAY CAUSE SKIN IRRITATION OR CHEMICAL BURNS. AVOID CONTACT WITH SKIN WHERE POSSIBLE AND WASH EXPOSED SKIN AREAS PROMPTLY WITH WATER. IF ANY CONCRETE MIXTURES GET INTO EYES, RINSE IMMEDIATELY AND REPEATEDLY WITH WATER AND GET PROMPT MEDICAL ATTENTION. **KEEP OUT OF REACH OF CHILDREN • SEE REVERSE SIDE FOR MSDS SHEET**

**NOTICE:** EXCESSIVE UNLOADING TIME  
 • A HOLDING CHARGE OF \$1.50 PER MINUTE WILL BE INCLUDED FOR EACH TRUCK HELD ON THE JOB SITE FOR MORE THAN 60 MINUTES.  
 • IN CONSIDERATION OF OUR MAKING DELIVERY ACROSS THE STREET CURB, AT YOUR REQUEST, CUSTOMER AGREES TO BE RESPONSIBLE FOR ALL DAMAGE DONE TO SIDEWALKS, DRIVEWAYS, BUILDINGS, GROUNDS, ETC. CUSTOMER ACKNOWLEDGES RECEIPT OF THE ABOVE MATERIALS IN APPROVED CONDITION.

**IMPORTANT:** PURCHASER ASSUMES FULL RESPONSIBILITY FOR STRENGTH, SLUMP AND QUALITY OF CONCRETE WHEN WATER OR OTHER MATERIALS ARE ADDED ON THE JOB SITE AT THE REQUEST OF THE CUSTOMER.

OUT SIDE TEMP.	OTHER CHARGES \$169.23
	ADDITIONAL TAX \$1,134.23
	<b>GRAND TOTAL 2,342.33</b>
WATER ADDED ON JOB AT REQUEST OF CONSIGNEE	GALS. WATER INT. INT. INT.
TEST TAKEN	SLUMP / AIR / CYLS. PER ASTM YES NO SPECS.

ACCEPTED BY: \_\_\_\_\_  
 PURCHER'S SIGNATURE, HIS AGENT, OR HIS EMPLOYEE'S SIGNATURE CONSTITUTES AN AGREEMENT WITH THE ABOVE TERMS AND CONDITIONS.

DRIVER REMARKS: \_\_\_\_\_

400063487

AE Charge 12/19



# MATERIAL SAFETY DATA SHEET

(Only Applicable Data Provided for Each Section)

<b>SECTION I</b>	
Manufacturer's Name: Concrete Materials Company Address: See Reverse Side	Emergency Telephone Number: See Reverse Side Trade Names:
3CaO SiO <sub>2</sub> (cement), 2CaO SiO <sub>2</sub> (cement), 3CaO A12O <sub>3</sub> (cement) 4CaO A12O <sub>3</sub> (cement), CaSO <sub>4</sub> 2H <sub>2</sub> O, Traces Cao, MgO, K <sub>2</sub> SO <sub>4</sub> , Na <sub>2</sub> SO <sub>4</sub>	
Chemical Family: SECTION II - HAZARDOUS INGREDIENTS: Cement and possible traces of hexavalent chromium.	
<b>SECTION III - PHYSICAL DATA</b>	
Specific Gravity: 1.9 to 2.4	Solubility in Water: 0.1 to 1.0%
Appearance and Odor: Gray, plastic, flowable, granular, mud, odorless	
SECTION IV - FIRE AND EXPLOSION HAZARD DATA: N.A. all sections	
<b>SECTION V - HEALTH HAZARD DATA</b>	
TLV: None	Effects of Overexposure: Dry skin and possible alkali burns (cement dermatitis). Also possible traces of hexavalent chromium.
Emergency First Aid Procedures: Irrigate eyes with water. Wash affected areas of the body with soap and water.	
<b>SECTION VI - REACTIVITY DATA</b>	
Stability	Conditions to Avoid: Product sets and hardens in 2 to 8 hours, and is no longer hazardous
Unstable X	Will Not Occur X
Hazardous Polymerization	
<b>SECTION VII - SPILL OR LEAK PROCEDURES</b>	
Steps to be Taken in Case Material is Released or Spilled: Spill does not increase hazard.	
Waste Disposal Method: Once hardened, material can be disposed of as common waste.	
<b>SECTION VIII - SPECIAL PROTECTION INFORMATION</b>	
Protective Gloves: Yes	Eye Protection: Yes, when placement methods cause splashing. Use barrier creams, gloves, boots, and clothing to protect skin from prolonged contact with plastic concrete.
Other Protective Equipment:	
<b>SECTION IX - SPECIAL PRECAUTIONS</b>	
Precautions to be Taken in Handling and Storage: See above.	
Other Precautions: Immediately after working with concrete, workers should shower with soap and water.	

REVERSE SIDE

40006843

CONCRETE MATERIALS COMPANY  
P.O. BOX 16504



Dispatch (316) 522-4949  
 El Dorado (316) 320-5000  
 Office (316) 522-8454



400063488

PLANT	TICKET TIME	DATE	ORDER #	TRUCK	DRIVER	TIME DUE	TICKET #
4	7:37	12/19/22	21	665	SCOTT	8:30	4028732

CUSTOMERS INFO

DELIVERY ADDRESS INSTRUCTIONS

CMC HWY 77 & NW110TH (DEGRAFF) GO WEST ON N/SIDE LOOK FORRIG

HWY 77 — NO CHARGE

PURCHASE ORDER	PROJECT #	PROJECT DESC.	MAP PAGE	PREV TRUCK #	SLUMP	USAGE
	20323	WASTE / TEST LOADS			8.00	HOLE

LOAD QTY.	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
3.00 yd	JY3500	SLURRY MIX	3.00	3.00		
1.00 EA	350FSC	Fuel Surcharge RMX	0.00			
3.00 /y	WS	WINTER SERVICE CHARGE	0.00			

LEAVE PLANT	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT	SUBTOTAL
		12/19			TAX

**CAUTION:** FRESHLY MIXED CONCRETE MAY CAUSE SKIN IRRITATION OR CHEMICAL BURNS. AVOID CONTACT WITH SKIN WHERE POSSIBLE AND WASH EXPOSED SKIN AREAS PROMPTLY WITH WATER. IF ANY CONCRETE MIXTURES GET INTO EYES, RINSE IMMEDIATELY AND REPEATEDLY WITH WATER AND GET PROMPT MEDICAL ATTENTION. **KEEP OUT OF REACH OF CHILDREN • SEE REVERSE SIDE FOR MSDS SHEET**

**NOTICE:** EXCESSIVE UNLOADING TIME  
 • A HOLDING CHARGE OF \$1.50 PER MINUTE WILL BE INCLUDED FOR EACH TRUCK HELD ON THE JOB SITE FOR MORE THAN 60 MINUTES.  
 • IN CONSIDERATION OF OUR MAKING DELIVERY ACROSS THE STREET CURB, AT YOUR REQUEST, CUSTOMER AGREES TO BE RESPONSIBLE FOR ALL DAMAGE DONE TO SIDEWALKS, DRIVEWAYS, BUILDINGS, GROUNDS, ETC. CUSTOMER ACKNOWLEDGES RECEIPT OF THE ABOVE MATERIALS IN APPROVED CONDITION.

**IMPORTANT:** PURCHASER ASSUMES FULL RESPONSIBILITY FOR STRENGTH, SLUMP AND QUALITY OF CONCRETE WHEN WATER OR OTHER MATERIALS ARE ADDED ON THE JOB SITE AT THE REQUEST OF THE CUSTOMER.

OUT SIDE TEMP.	TOTAL	OTHER CHARGES	ADDITIONAL TAX	GRAND TOTAL
				1190.16
WATER ADDED ON JOB AT REQUEST OF CONSIGNEE	GALS. WATER	GALS. WATER	GALS. WATER	
	INT.	INT.	INT.	
TEST TAKEN	SLUMP / AIR / CYLS.	PER ASTM SPECS.	YES NO	

ACCEPTED BY: \_\_\_\_\_  
 PURCHER'S SIGNATURE, HIS AGENT, OR HIS EMPLOYEE'S SIGNATURE CONSTITUTES AN AGREEMENT WITH THE ABOVE TERMS AND CONDITIONS.

DRIVER REMARKS: \_\_\_\_\_

400063488

Truck	Driver	Disp	Ticket Num	Batch	Date
665	1231708	4028732	7:37	12/19/22	
Load Size	Mix Code	Seq			
3.00 CYDS	JY3500	D1			
Material	Design Qty	Required	Batched	% Var	% Moisture
CEMASHGV	1598 lb	4794 lb	4795 lb	0.02%	
WATER	128.0 gl	384.0 gl	384.0 gl	0.00%	
Actual	Num	Manual			
Load Total:	7999 lb	Design W/C:	0.668	Water/Cement:	0.668 A
Design Water:	384.0 gl	Actual Water:	384.0 gl	To Add:	0.0 gl
Slump: 8 in	Trim:	0.00 gl	Batch Time	7:40 AM	







Dispatcher (316) 522-4949  
 El Dorado (316) 320-5000  
 Office (316) 522-8454



400063491

PLANT	TICKET TIME	DATE	ORDER #	TRUCK	DRIVER	TIME DUE	TICKET #
	10:00	12/19/22	6	507	STEVE DOLLS	10:59	009735

JOHN DARRAH HYW 77 & NW110TH(DEGRAFF) GO WEST ON N/SIDE  
 LOOK FOR RIG

HWY 77 AND  
 PLAN ON USING THE SAME TRUCK

PURCHASE ORDER	PROJECT #	PROJECT DESC.	MAP PAGE	PREV TRUCK #	SLUMP	USAGE
PAID CREDIT 1004		EASTERN KANSASVARIO		665	8.00	OTHER

LOAD QTY.	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
6.00 yd	JY3500	SLURRY MIX	12.00	12.00	\$169.00	1,014.00
1.00 EA	350FSC	Fuel Surcharge RMX	0.00		\$21.00	\$21.00
6.00 /y	WS	WINTER SERVICE CHARGE	0.00		\$5.00	\$30.00

LEAVE PLANT	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT	SUBTOTAL
		12/19			

**CAUTION:** FRESHLY MIXED CONCRETE MAY CAUSE SKIN IRRITATION OR CHEMICAL BURNS.  
 AVOID CONTACT WITH SKIN WHERE POSSIBLE AND WASH EXPOSED SKIN AREAS PROMPTLY WITH WATER. IF ANY CONCRETE MIXTURES GET INTO EYES, RINSE IMMEDIATELY AND REPEATEDLY WITH WATER AND GET PROMPT MEDICAL ATTENTION.  
**KEEP OUT OF REACH OF CHILDREN • SEE REVERSE SIDE FOR MSDS SHEET**

**NOTICE:** EXCESSIVE UNLOADING TIME  
 • A HOLDING CHARGE OF \$1.50 PER MINUTE WILL BE INCLUDED FOR EACH TRUCK HELD ON THE JOB SITE FOR MORE THAN 60 MINUTES.  
 • IN CONSIDERATION OF OUR MAKING DELIVERY ACROSS THE STREET CURB, AT YOUR REQUEST, CUSTOMER AGREES TO BE RESPONSIBLE FOR ALL DAMAGE DONE TO SIDEWALKS, DRIVEWAYS, BUILDINGS, GROUNDS, ETC. CUSTOMER ACKNOWLEDGES RECEIPT OF THE ABOVE MATERIALS IN APPROVED CONDITION.

**IMPORTANT:** PURCHASER ASSUMES FULL RESPONSIBILITY FOR STRENGTH, SLUMP AND QUALITY OF CONCRETE WHEN WATER OR OTHER MATERIALS ARE ADDED ON THE JOB SITE AT THE REQUEST OF THE CUSTOMER.

OUT SIDE TEMP.	TOTAL	\$1,065.00				
	OTHER CHARGES	\$69.23				
	ADDITIONAL TAX	\$1,134.23				
	<b>GRAND TOTAL</b>	<b>1134.23</b>				
WATER ADDED ON JOB AT REQUEST OF CONSIGNEE	GALS. WATER	INT.	GALS. WATER	INT.	GALS. WATER	INT.
TEST TAKEN	SLUMP / AIR / CYLS.	PER ASTM SPECS.	YES	NO		

ACCEPTED BY: \_\_\_\_\_  
 PURCHER'S SIGNATURE, HIS AGENT, OR HIS EMPLOYEE'S SIGNATURE CONSTITUTES AN AGREEMENT WITH THE ABOVE TERMS AND CONDITIONS.

DRIVER REMARKS: \_\_\_\_\_

400063491

AE Change 12/19



# MATERIAL SAFETY DATA SHEET

( Only Applicable Data Provided for Each Section )

<b>SECTION I</b>	
Manufacturer's Name: Concrete Materials Company Address: See Reverse Side	Emergency Telephone Number: See Reverse Side Trade Names:
3CaO SiO <sub>2</sub> (cement), 2CaO SiO <sub>2</sub> (cement), 3CaO A12O <sub>3</sub> (cement) 4CaO A12O <sub>3</sub> (cement), CaSO <sub>4</sub> 2H <sub>2</sub> O, Traces Cao, MgO, K <sub>2</sub> SO <sub>4</sub> , Na <sub>2</sub> SO <sub>4</sub>	
Chemical Family: Cement and possible traces of hexavalent chromium.	
<b>SECTION III - PHYSICAL DATA</b>	
Specific Gravity: 1.9 to 2.4	Solubility in Water: 0.1 to 1.0%
Appearance and Odor: Gray plastic, flowable, granular, mud, odorless	
<b>SECTION IV - FIRE AND EXPLOSION HAZARD DATA: N.A. all sections</b>	
<b>SECTION V - HEALTH HAZARD DATA</b>	
TLV: None	Effects of Overexposure: Dry skin and possible alkali burns (cement dermatitis). Also possible traces of hexavalent chromium.
Emergency First Aid Procedures: Irrigate eyes with water. Wash affected areas of the body with soap and water.	
<b>SECTION VI - REACTIVITY DATA</b>	
Stability: Unstable X	Conditions to Avoid: Product sets and hardens in 2 to 8 hours, and is no longer hazardous
Hazardous Polymerization	
Will Not Occur X	
<b>SECTION VII - SPILL OR LEAK PROCEDURES</b>	
Steps to be Taken in Case Material is Released or Spilled: Spill does not increase hazard.	
Waste Disposal Method: Once hardened, material can be disposed of as common waste.	
<b>SECTION VIII - SPECIAL PROTECTION INFORMATION</b>	
Protective Gloves: Yes	Eye Protection: Yes, when placement methods cause splashing.
Use barrier creams, gloves, boots, and clothing to protect skin from prolonged contact with plastic concrete.	
Other Protective Equipment:	
<b>SECTION IX - SPECIAL PRECAUTIONS</b>	
Precautions to be Taken in Handling and Storage: See above.	
Other Precautions: Immediately after working with concrete, workers should shower with soap and water.	

GRAND TOTAL	WATER	WATER	WATER	WATER
11.845	1.000	1.000	1.000	1.000
11.845	1.000	1.000	1.000	1.000
11.845	1.000	1.000	1.000	1.000
11.845	1.000	1.000	1.000	1.000



Dispatch (316) 522-4949  
 El Dorado (316) 320-5000  
 Office (316) 522-8454



400063494



PLANT	TICKET TIME	DATE	ORDER #	TRUCK	DRIVER	TIME DUE	TICKET #
4	13:03	12/19/22	46	665	SCOTT <del>WATSON</del>	14:03	028738

CUSTOMERS INFO

DELIVERY ADDRESS INSTRUCTIONS

JOHN DARRAH

HWY 77

PLAN ON USING THE SAME TRUCK

FROM NORTH OF EL DORADO EXIT THE TURNPIKE GO  
 NORTH ON HWY 77 TOWARD NORTH OF WALTERS  
 PUMPKIN PATCH GO A MILE NORTH OF 110 FOLLOW  
 THE LEASE ROAD

PURCHASE ORDER	PROJECT #	PROJECT DESC.	MAP PAGE	PREV TRUCK #	SLUMP	USAGE
PAID CREDIT	1004	EASTERN KANSAS VARIO			8.00	OTHER

LOAD QTY.	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
5.00 yd	JY3500	SLURRY MIX	5.00	5.00	\$169.00	\$845.00
1.00 EA	350FSC	Fuel Surcharge RMX	0.00		\$21.00	\$21.00
5.00 /y	WS	WINTER SERVICE CHARGE	0.00		\$5.00	\$25.00

LEAVE PLANT	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT	SUBTOTAL

TAX \$891.00  
 TOTAL \$57.92  
 OTHER CHARGES \$948.92  
 ADDITIONAL TAX  
 GRAND TOTAL 948.98

**CAUTION:** FRESHLY MIXED CONCRETE MAY CAUSE SKIN IRRITATION OR CHEMICAL BURNS. AVOID CONTACT WITH SKIN WHERE POSSIBLE AND WASH EXPOSED SKIN AREAS PROMPTLY WITH WATER. IF ANY CONCRETE MIXTURES GET INTO EYES, RINSE IMMEDIATELY AND REPEATEDLY WITH WATER AND GET PROMPT MEDICAL ATTENTION. **KEEP OUT OF REACH OF CHILDREN • SEE REVERSE SIDE FOR MSDS SHEET**

**NOTICE:** EXCESSIVE UNLOADING TIME  
 • A HOLDING CHARGE OF \$1.50 PER MINUTE WILL BE INCLUDED FOR EACH TRUCK HELD ON THE JOB SITE FOR MORE THAN 60 MINUTES.  
 • IN CONSIDERATION OF OUR MAKING DELIVERY ACROSS THE STREET CURB, AT YOUR REQUEST, CUSTOMER AGREES TO BE RESPONSIBLE FOR ALL DAMAGE DONE TO SIDEWALKS, DRIVEWAYS, BUILDINGS, GROUNDS, ETC. CUSTOMER ACKNOWLEDGES RECEIPT OF THE ABOVE MATERIALS IN APPROVED CONDITION.

**IMPORTANT:** PURCHASER ASSUMES FULL RESPONSIBILITY FOR STRENGTH, SLUMP AND QUALITY OF CONCRETE WHEN WATER OR OTHER MATERIALS ARE ADDED ON THE JOB SITE AT THE REQUEST OF THE CUSTOMER.

WATER ADDED ON JOB AT REQUEST OF CONSIGNEE	GALS. WATER	GALS. WATER	GALS. WATER
	INT.	INT.	INT.
TEST TAKEN	SLUMP / AIR / CYLS.	PER ASTM SPECS.	YES NO

ACCEPTED BY: \_\_\_\_\_  
 PURCHER'S SIGNATURE, HIS AGENT, OR HIS EMPLOYEE'S SIGNATURE CONSTITUTES AN AGREEMENT WITH THE ABOVE TERMS AND CONDITIONS.

DRIVER REMARKS: \_\_\_\_\_

400063494

AE Charge 12/19



# MATERIAL SAFETY DATA SHEET

( Only Applicable Data Provided for Each Section)

<b>SECTION I</b>	
Manufacturer's Name: Concrete Materials Company Address: See Reverse Side	Emergency Telephone Number: See Reverse Side Trade Names:
Chemical Family: $3\text{CaO SiO}_2$ (cement), $2\text{CaO SiO}_2$ (cement), $3\text{CaO A}12\text{O}_3$ (cement) $4\text{CaO A}12\text{O}_3$ (cement), $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$ , Traces $\text{CaO}$ , $\text{MgO}$ , $\text{K}_2\text{SO}_4$ , $\text{Na}_2\text{SO}_4$	
SECTION II - HAZARDOUS INGREDIENTS: Cement and possible traces of hexavalent chromium.	
SECTION III - PHYSICAL DATA	
Specific Gravity: 1.9 to 2.4	Solubility in Water: 0.1 to 1.0%
Appearance and Odor: Gray, plastic, flowable, granular, mud, odorless	
SECTION IV - FIRE AND EXPLOSION HAZARD DATA: N.A. all sections	
SECTION V - HEALTH HAZARD DATA	
TLV: None	Effects of Overexposure: Dry skin and possible alkali burns (cement dermatitis). Also possible traces of hexavalent chromium.
Emergency First Aid Procedures: Irrigate eyes with water. Wash affected areas of the body with soap and water.	
SECTION VI - REACTIVITY DATA	
Stability	Unstable X
Conditions to Avoid: Product sets and hardens in 2 to 8 hours, and is no longer hazardous	
Hazardous Polymerization	
Will Not Occur X	
SECTION VII - SPILL OR LEAK PROCEDURES	
Steps to be Taken in Case Material is Released or Spilled: Spill does not increase hazard.	
Waste Disposal Method: Once hardened, material can be disposed of as common waste.	
SECTION VIII - SPECIAL PROTECTION INFORMATION	
Protective Gloves: Yes	Eye Protection: Yes, when placement methods cause splashing. Use barrier creams, gloves, boots, and clothing to protect skin from prolonged contact with plastic concrete.
Other Protective Equipment:	
SECTION IX - SPECIAL PRECAUTIONS	
Precautions to be Taken in Handling and Storage: See above.	
Other Precautions: Immediately after working with concrete, workers should shower with soap and water.	

3P34P

AF 12/11



Dispatch (316) 522-4949  
 El Dorado (316) 320-5000  
 Office (316) 522-8454



400063497



PLANT	TICKET TIME	DATE	ORDER #	TRUCK	DRIVER	TIME DUE	TICKET #
4	8:16	12/20/22	37	653	GARY HURLEY	8:52	4028741

CUSTOMERS INFO

DELIVERY ADDRESS INSTRUCTIONS

JOHN DARRAH

BLUESTEM AND SEBOTH GO WEST TOLICKTIEG

BLUESTEM AND BOTH

Slump 8.00

PURCHASE ORDER	PROJECT #	PROJECT DESC.	MAP PAGE	PREV TRUCK #	SLUMP	USAGE
PAID CREDIT	1004	EASTERN KANSASVARIO			8.00	OTHER
LOAD QTY.	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT

5.00 yd	JY3500	SLURRY MIX	5.00	5.00	\$169.00	\$845.00
1.00 EA	350FSC	Fuel Surcharge RMX	0.00		\$21.00	\$21.00
5.00 /y	WS	WINTER SERVICE CHARGE	0.00		\$5.00	\$25.00

LEAVE PLANT	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT	SUBTOTAL

TAX	\$891.00
TOTAL	\$57.92
OTHER CHARGES	\$948.92
ADDITIONAL TAX	
<b>GRAND TOTAL</b>	<b>948.92</b>

**CAUTION:** FRESHLY MIXED CONCRETE MAY CAUSE SKIN IRRITATION OR CHEMICAL BURNS.  
 AVOID CONTACT WITH SKIN WHERE POSSIBLE AND WASH EXPOSED SKIN AREAS PROMPTLY WITH WATER. IF ANY CONCRETE MIXTURES GET INTO EYES, RINSE IMMEDIATELY AND REPEATEDLY WITH WATER AND GET PROMPT MEDICAL ATTENTION.  
**KEEP OUT OF REACH OF CHILDREN • SEE REVERSE SIDE FOR MSDS SHEET**

**NOTICE:** EXCESSIVE UNLOADING TIME  
 • A HOLDING CHARGE OF \$1.50 PER MINUTE WILL BE INCLUDED FOR EACH TRUCK HELD ON THE JOB SITE FOR MORE THAN 60 MINUTES.  
 • IN CONSIDERATION OF OUR MAKING DELIVERY ACROSS THE STREET CURB, AT YOUR REQUEST, CUSTOMER AGREES TO BE RESPONSIBLE FOR ALL DAMAGE DONE TO SIDEWALKS, DRIVEWAYS, BUILDINGS, GROUNDS, ETC. CUSTOMER ACKNOWLEDGES RECEIPT OF THE ABOVE MATERIALS IN APPROVED CONDITION.

**IMPORTANT:** PURCHASER ASSUMES FULL RESPONSIBILITY FOR STRENGTH, SLUMP AND QUALITY OF CONCRETE WHEN WATER OR OTHER MATERIALS ARE ADDED ON THE JOB SITE AT THE REQUEST OF THE CUSTOMER.

WATER ADDED ON JOB AT REQUEST OF CONSIGNEE	GALS. WATER	GALS. WATER	GALS. WATER
	INT.	INT.	INT.
TEST TAKEN	SLUMP / AIR / CYLS.	PER ASTM SPECS.	YES NO

**ACCEPTED BY:** \_\_\_\_\_  
 PURCHER'S SIGNATURE, HIS AGENT, OR HIS EMPLOYEE'S SIGNATURE CONSTITUTES AN AGREEMENT WITH THE ABOVE TERMS AND CONDITIONS.

**DRIVER REMARKS:** \_\_\_\_\_

400063497

*Pending on 12/20*



# MATERIAL SAFETY DATA SHEET

(Only Applicable Data Provided for Each Section)

<b>SECTION I</b>	
Manufacturer's Name: Concrete Materials Company Address: See Reverse Side	Emergency Telephone Number: See Reverse Side Trade Names:
Chemical Family: 3CaO SiO <sub>2</sub> (cement), 2CaO SiO <sub>2</sub> (cement), 3CaO A12O <sub>3</sub> (cement) 4CaO A12O <sub>3</sub> (cement), CaSO <sub>4</sub> 2H <sub>2</sub> O, Traces CaO, MgO, K <sub>2</sub> SO <sub>4</sub> , Na <sub>2</sub> SO <sub>4</sub>	
<b>SECTION II - HAZARDOUS INGREDIENTS:</b> Cement and possible traces of hexavalent chromium.	
<b>SECTION III - PHYSICAL DATA</b>	
Specific Gravity: 1.9 to 2.4	Solubility in Water: 0.1 to 1.0%
Appearance and Odor: Gray plastic, flowable, granular, mud, odorless	
<b>SECTION IV - FIRE AND EXPLOSION HAZARD DATA:</b> N.A. all sections	
<b>SECTION V - HEALTH HAZARD DATA</b>	
TLV: None	Effects of Overexposure: Dry skin and possible alkali burns (cement dermatitis). Also possible traces of hexavalent chromium.
Emergency First Aid Procedures: Irrigate eyes with water. Wash affected areas of the body with soap and water.	
<b>SECTION VI - REACTIVITY DATA</b>	
Stability	Unstable X
Conditions to Avoid:	Product sets and hardens in 2 to 8 hours, and is no longer hazardous
Hazardous Polymerization	Will Not Occur X
<b>SECTION VII - SPILL OR LEAK PROCEDURES</b>	
Steps to be Taken in Case Material is Released or Spilled: Spill does not increase hazard.	
Waste Disposal Method: Once hardened, material can be disposed of as common waste.	
<b>SECTION VIII - SPECIAL PROTECTION INFORMATION</b>	
Protective Gloves: Yes	Eye Protection: Yes, when placement methods cause splashing. Use barrier creams, gloves, boots, and clothing to protect skin from prolonged contact with plastic concrete.
Other Protective Equipment:	
<b>SECTION IX - SPECIAL PRECAUTIONS</b>	
Precautions to be Taken in Handling and Storage: See above.	
Other Precautions: Immediately after working with concrete, workers should shower with soap and water.	

<p style="font-size: 2em; opacity: 0.5;">5P31P</p>	<p style="font-size: 2em; opacity: 0.5;">REMARKS</p>
--	--

4006197

WILKINSON

P.O. BOX 10504

CONCRETE MATERIALS COMPANY



AJ's Services, LLC  
PO Box 1118  
El Dorado, KS 67042  
316-322-0000  
contact@ajsservices.net  
www.AJsServices.net



# INVOICE

## BILL TO

Darrah Oil Company, L.L.C.  
PO Box 2786  
Wichita, KS 67202

INVOICE # 23878

DATE 12/20/2022

DUE DATE 01/19/2023

TERMS Net 30

## LOCATION

Walters B7

DATE	ACTIVITY	WORK PERFORMED	QTY	RATE	AMOUNT
12/19/2022	<b>Pulling Unit</b>	DTL, rigged up, rigged up sand pump, bailed water down, cemented top plug, rigged down, DTNL	2	225.00	450.00T
12/19/2022	<b>Bailer Tool</b>	Bailer Tool	1	75.00	75.00

Pulling Unit Crew  
Op: George  
H: Mikey  
H: Jeremiah

SUBTOTAL 525.00  
TAX 29.25  
TOTAL 554.25  
BALANCE DUE **\$554.25**