KOLAR Document ID: 1681340

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No.:	
Name:		Spot Description:	
Address 1:			est
Address 2:		Feet from North / South Line of Sect	tion
City: State:	++	Feet from East / West Line of Sect	ion
Contact Person:		Footages Calculated from Nearest Outside Section Corner:	
Phone: ()		□NE □NW □SE □SW	
CONTRACTOR: License #		GPS Location: Lat:, Long:	
Name:		(e.g. xx.xxxxx) (e.gxxx.xxxxxx)	
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84	
Purchaser:		County:	
Designate Type of Completion:		Lease Name: Well #:	—
New Well Re-Entr	y Workover	Field Name:	
] SWD	Producing Formation:	—
Gas DH] SWB] EOR	Elevation: Ground: Kelly Bushing:	
	GSW	Total Vertical Depth: Plug Back Total Depth:	
CM (Coal Bed Methane)	_	Amount of Surface Pipe Set and Cemented at: F	eet
	ol., etc.):	Multiple Stage Cementing Collar Used? Yes No	
If Workover/Re-entry: Old Well Info as		If yes, show depth set: Fe	eet
Operator:		If Alternate II completion, cement circulated from:	
Well Name:		feet depth to:w/sx c	mt.
Original Comp. Date:			
Deepening Re-perf. Plug Back Liner	Conv. to EOR Conv. to SWD Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)	
□ O		Chloride content:ppm Fluid volume:b	bls
_ •	rmit #:	Dewatering method used:	
	rmit #: rmit #:		
	rmit #:	Location of fluid disposal if hauled offsite:	
	rmit #:	Operator Name:	
_ 33		Lease Name: License #:	
Spud Date or Date Reached	Completion Data co	Quarter Sec TwpS. R	est
Recompletion Date	d TD Completion Date or Recompletion Date	County: Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received Drill Stem Tests Received				
Geologist Report / Mud Logs Received				
UIC Distribution				
ALT I II Approved by: Date:				

KOLAR Document ID: 1681340

Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.								
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		Depth Type of Cement Depth		# Sacks Used Type and Percent Additives				
Protect Casi								
Plug Off Zon								
1. Did you perform a hydraulic fracturing treatment on this well? 2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? 3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No (If No, skip question 3) No (If No, skip question 3)								
Date of first Production/Injection or Resumed Production/ Injection: Producing Method: Producing Method: Producing Method: Other (Explain) Producing Method: Producing Method:								
Estimated Production Per 24 Hours Oil Bbls. Gas			Mcf Water Bbls. Gas-Oil Ratio		Gravity			
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
(Submit ACO-5) (Submit 4			mmingled mit ACO-4)	Тор	Bottom			
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513 1200 10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	JRC Oil Co., Inc.
Well Name	KRETCHMER KV-38
Doc ID	1681340

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	11	7	20	20	Portland A	5	0
Production	5.875	2.875	7	710	Portland A	115	0

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

J. R. C. OIL COMPANY, 25558 NE WILSON RD. LEASE: KRETCHMER #KZ-38

169 N THRU ROUNDABOUT TO 1750RD(4TH ST) E 6MI TO WILSON RD S 1/2 MI BEFORE S CURVE E SD

K9 66032-9622 GARNETT DRIVER/TRUCK TIME **FORMULA** LOAD SIZE YARDS ORDERED PLANT/TRANSACTION # DIN NUMBER TICKET NUMBER BATCH# SLUMP LOAD # YARDS DEL. WATER TRIM DATE 11.50

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

DESCRIPTION

UNLOADING TIME

WELL (10 SACKS PER UNIT)

\$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR. CODE

QUANTITY

TOTAL ROUND TRIP

PROPERTY DAMAGE BELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
properly if it places the material in this load where you desire it. It is
our wish to help you in every way that we can, but in order to do this
her driver is requesting that you sign this RELEASE relieving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent properly, buildings, sidewise,
scriveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his velocite
so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the officer
of his truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

UNIT PRICE

1.00

2.00

TIME ALLOWED TIME DUE **DELAY TIME**

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL

EXTENDED PRICE

1.00			TRUCKING COMMIXING AND	HARGE	e de la companya de l	
	RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	INDER TEST TAKEN	
	3:35	2.53	2:45	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	TRUCK BROKE DOWN ACCIDENT CITATION	
	LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	9. OTHER	
	1:211	1 1 mg	2.20	2	1 v v	

TOTAL AT JOB

HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE # 33734

Kretchmer #KV-38 API: 15-003-26829

SPUD DATE 7-7-22

Footage	Formation	Thickness	Set 20' of 7" w/11" bit
0	topsoil	5	TD 713'
5	clay	7	Ran 710' of 2 7/8" w/5 7/8" bit on 7-8-22
12	shale	13	
25	lime	25	
50	shale	22	
72	lime	8	
80	shale	13	5.5
93	lime	9	
102	shale	26	
128	lime	53	
181	shale	8	
189	lime	23	
212	shale	8	
220	lime	23	
243	shale	166	
409	lime	4	
413	shale	4	
417	lime	8	
425	shale	49	
474	lime	17	
491	shale	8	
499	lime	8	
507	shale	21	
528	lime	11	u u
539	shale	18	
557	lime	2	
559	shale	43	
602	sandy shale	14	slight odor
616	shale	13	good odor, good bleed
629	sand	6	slight odor, little bleed
635	sand	2	
637	shale	76	
713			TD