For KCC	Use:			
Effective Date:				
District #				
SGA?	Yes No			

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

OPERATOR: License# Sec. Twp S. R Address 1: Sec. Twp S	Expected Spud Date:	month day yea	Spot Description:
Is SECTION: Regular Irregular? Interest Inte	DPERATOR: License#	,	Sec Twp S. R E E S. Line of Section N / S. Line of Section N / S. Line of Section S. Line of Section N / S. Line of Section S. Line of Section N / S. Line of Section S. Line of Section N / S. Line of
County: State Zip: + County: County: Lease Name: Well #: Field Name: Lease Name: Well #: Field Name: Is this a Prorated / Spaced Field? Yes Target Formation(s): Name Target Formati	lame:		
County:	Address 1:		Is SECTION: Regular Irregular?
County Ontact Person: hone: County County County			(Note. Locate well on the Section Flat on reverse side)
Contractors: License#	•	·	County:
Section Sect			Lease Name: vveil #: vveil #:
### Target Formation(s): ### Mearest Lease or unit boundary line (in footage): ### Ground Surface Elevation: ### Water Surface Plool Ext. Air Rotary Water well within one-quarter mile: Yes Yes Other Other: ### Other Other: ### Other Other: ### Other Other: ### Surface Pipe Planned to be set: Depth to bottom of tresh water: Depth to bottom of usable water water. Depth to bottom of to bottom of usable water water. Depth to bottom of to bottom of usable water water. Depth to bottom of to	none.		Field Name:
Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary line (in footage): Seismic : Infield Mud Rotary Water well within one-quarter mile: Yet Yet Seismic : # of Holes Other			Is this a Prorated / Spaced Field?
Oil Enh Rec	ame:		Target Formation(s):
Gals Storage Pool Ext. Air Yotary Water well within one-quarter mile: Yet Yet Gals Gals Storage Pool Ext. Air Yotary Public water supply well within one mile: Yet Yet Water well within one-quarter mile: Yet Yet Gals Wildcat Gable Pool Ext. Air Yotary Water well within one-quarter mile: Yet Yet Water Yet	Well Drilled For:	Well Class: Type Equipme	71G
Gas Slorage Pool Ext. Air Rotary Public water supply well within one mile: Yes Depth to bottom of fresh water: Depth to bottom of susable water: Depth to bottom of usable water to bottom of the poper to plugging; Depth to bottom of t	Oil Enh Re	ec Infield Mud Rot	Ground Surface Elevation:feet M
Depth to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of usable water: Depth service of the property of the period	Gas Storage		Water well within one-quarter mile:
Depth to bottom of usable water: Depth to bottom of usable water: Surface Pipe by Alternate: I I I Length of Surface Pipe by Alternate: I I I Length of Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: DWR Permit #: Will Cores be taken? Notify the paper of the properties district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; A repropriate district office of intent to drill shall be posted on each drilling rig; The appropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be noti	Dispos	al Wildcat Cable	
Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Promet to the spet: Length of Conductor Pipe (if any): Projected Total Depth: Prometion at Total Depth: Prometion at Total Depth: Prometion at Total Depth: Prometion at Total Depth: Water Source for Drilling Operations: Water Source on Drilling Operations: Water Source on Drilling Operations: Water Source Valley In Intelling Operations: Water Source Valley Intelling Operations: Water Source Valley Water Source Valley Intelling Operations: Water Source Valley Water Source Valley Operations: Water Source Valley Water Source Valley Operations: Water Source Valley Valley Operations: Water Source Valley Operations: Water Source Valley Operations:	Seismic ; # of	Holes Other	Depth to bottom of fresh water:
Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Formation at Total Depth: Solution Hole Location: CC DKT #: No Wes, true vertical depth: Solution Hole Location: CC DKT #: No Will Cores be taken? If Yes, proposed zone: AFFIDAVIT No No Will Cores be taken? If Yes, proposed zone: AFFIDAVIT No No Will Cores be taken? If Yes, proposed zone: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:* - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Completion For Account to Drill; - File Comp	Other:		Depth to bottom of usable water:
Operator: Well Name: Original Completion Date: Original Total Depth: Identitional, Deviated or Horizontal wellbore? Ves, true vertical depth: OCD EXT #: Water Source for Drilling Operations: Water Source for Drilling Ope	It OMMO, ald wall in	oformation on follows:	
Well Name: Original Completion Date: Original Total Depth: Incettional, Deviated or Horizontal wellbore? Yes No Yes, true vertical depth: Interestional Depth: Interestional Deviated or Horizontal wellbore? Yes No Yes, true vertical depth: Interestical depth: Interes	If OvvvvO: old well in	normation as follows:	Length of Surface Pipe Planned to be set:
Original Completion Date:Original Total Depth:	Operator:		
Water Source for Drilling Operations: Water Source for Drill operations: Water Source for Drill operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Date Form Accentually Operations: Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cares be taken? Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cares be taken? Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cares be taken? If Yes, proposed zone: Water Source for Drill Will Dwater Drill with Dwater Drill operations: (Note: Apply for Permit with DWR) Will Cares be taken? (Note: Apply for Permit with DWR) Will Cares be taken? (Note: Apply for Permit with Dwater Drill op			
rectional, Deviated or Horizontal wellbore? Yes, true vertical depth: DWR Permit #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Sagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:* - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date: - File Completion Form ACO-1 within 120 days of spud date:	Original Completion Date	e: Original Total Depth: _	
DWR Permit #: DWR Permit #: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone:			
ottom Hole Location: CC DKT #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT he undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Completion Form ACD-1 within 120 days of spud date: - File Completion Form ACD-1 within 120 days of spud date: - File Completion Form ACD-1 within 120 days of spud date:			
AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Act (KSONA-1) with Intent to Drill; File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:			DWK Femili #
If Yes, proposed zone: AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:			(Note: Apply for Fernit With DVIN
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Cill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of soud date:			Will Cores be taken?
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Certification (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:			
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. 	he undersigned hereby a	ffirms that the drilling, completion and	eventual plugging of this well will comply with K.S.A. 55 et. seq.
 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. District Office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date: 	is agreed that the following	ng minimum requirements will be met	
Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of soud date:	 A copy of the approvations. The minimum amounthrough all unconsol If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appe 	wed notice of intent to drill shall be po nt of surface pipe as specified below a lidated materials plus a minimum of 20 e, an agreement between the operator crict office will be notified before well is COMPLETION, production pipe shall endix "B" - Eastern Kansas surface case	sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Inis authorization expires:	ıbmitted Electron	ically	Remember to:
(This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water.	API # 15 Conductor pipe required Minimum surface pipe requ Approved by:	feetfeet per ALT.	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
	API # 15 Conductor pipe required Minimum surface pipe requ Approved by: This authorization expires:	feet uiredfeet per ALT.	Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
Spud date: Agent: please check the box below and return to the address below.	API # 15 Conductor pipe required Minimum surface pipe requ Approved by: This authorization expires:	feet uiredfeet per ALT.	Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

Side Two

For KCC Use ONLY	
API # 15	

Operator: _

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: _

SEWARD CO. 3390' FEL

									feet fr	om N	I / S	Line of Sect
umber:									feet fr	om E	/ W	Line of Sect
					_ Se	c	Twp	S. F	₹	E	W	
er of Acres attr QTR/QTR/QTR						_	Section:	Regular		egular		
							Section is ction corne	Irregular, loc er used:		om neare		boundary.
						PLAT						
				d electrica	l lines, as	required b	y the Kans	dary line. Sho as Surface O				32).
				You m	ay attach a	a separate	plat if desi	ired. 12 ft.				
	: : : :	:			:	:	0	– 132 ft.	I	LEGENE)	
	:	:	:	•••••		········ :	:			Nell Loca		
	:	:	:	••••	:	:	:			Γank Batt∘ Pipeline L	ery Locati	ion
	:	:	:	•••••		:	:			-	ne Locati	on
	<u>:</u>	: : :			: : :	:	:			_ease Ro	ad Locati	on
	········· :		· · · · · · · · · · · · · · · · · · ·	••••	:		:					
	:	· · ·					:	EX	KAMPLE	:	:	
	<u>. </u>				<u>. </u>	<u>·</u>	<u>.</u> :					
			9			:						
		•		••••	· 	· ·	· 			:		
							:		:	:		
				••••		:			: ,) 	:	1980' F
	:				: :	:	: : :		: `	í 🎚	÷	
	:				: :	:	:	"	:		····· :	•••••
					:		:		i	╚	:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R			
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	m ground level to dee	pest point:	(feet) No Pit			
material, thickness and installation procedure. liner integrity, including any special monitoring.						
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inform	west fresh water feet. nation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS						
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:			

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)					
OPERATOR: License #	Well Location:					
Name:	SecTwpS. R 🔲 East 🗌 West					
Address 1:	County:					
Address 2:	Lease Name: Well #:					
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of					
Contact Person:	the lease below:					
Phone: () Fax: ()						
Email Address:						
Surface Owner Information:						
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional					
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the					
Address 2:	county, and in the real estate property tax records of the county treasurer.					
City: State: Zip:+						
provided the following to the surface owner(s) of the land upon Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the in connection with this form; 2) if the form being filed is a Form					
the KCC will be required to send this information to the surface	acknowledge that, because I have not provided this information, owner(s). To mitigate the additional cost of the KCC performing					
and that I am being charged a \$30.00 handling fee, payable to the	ess of the surface owner by filling out the top section of this form he KCC, which is enclosed with this form.					
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1						
Submitted Electronically						

VINCENT OIL CORPORATION CORNITIUS LEASE NE. 1/4. SECTION 9. T26S. R24W FORD COUNTY, KANSAS



- * Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 ocres.
- Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services, Inc. its officers and employees harmless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages

January 16, 2023 Date -



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed:	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)						
OPERATOR: License # 5004 Name: Vincent Oil Corporation Address 1: 200 W. Douglas, Suite 725	Well Location: NE_NE_NE_NE_Sec. 9 Twp. 26_S. R. 24 East West						
Address 1: 200 W. Douglas, Suite 725	County: Ford						
	Lease Name: Cornitius Well #: 1-9						
Address 2:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of						
Contact Person: M.L. Korphage	the lease below:						
Phone: (316) 262-3573 Fax: (316) 262-3309							
City:							
Surface Owner Information: Name: Mr. & Mrs Timothy Cornitius Address 1: 10725 115 Road Address 2:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.						
the KCC with a plat showing the predicted locations of lease roads, take are preliminary non-binding estimates. The locations may be entered. Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface electrical lines. The locations shown on the plat a copy of the Form C-1, Form CB-1, the plat following to the surface electrical: Act (House Bill 2032), I have provided the following to the surface electrical: I have provided the follo						
I have not provided this information to the surface owner(s). I	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and						
If choosing the second option, submit payment of the \$30.00 handlir form and the associated Form C-1, Form CB-1, Form T-1, or Form CI	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.						
I hereby certify that the statements made herein are true and correct	to the best of my knowledge and belief.						
1/19/2023	C// / Geologist						
Date: Signature of Operator or Agent:	Geologist Title:						



Lease Rd

Lead line

Electrical Line

Tank Battery

Vincent Oil Corporation

Location Plat: Cornitius #1-9

Preliminary Non-Binding Estimate for:

Lease Road, Lead line, Tank Battery and

Electrical line



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Dwight D. Keen, Commissioner Andrew J. French, Commissioner

NOTICE

Nearest Lease or Unit Boundary Line

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Dwight D. Keen, Commissioner Andrew J. French, Commissioner

January 23, 2023

M.L. Korphage Vincent Oil Corporation 200 W DOUGLAS AVE #725 WICHITA, KS 67202-3023

Re: Drilling Pit Application Cornitius 1-9 NE/4 Sec.09-26S-24W Ford County, Kansas

Dear M.L. Korphage:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.