KOLAR Document ID: 1680786

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Address 1:	g. xx.xxxxx) (e.gxxx.xxxxx) NAD83 WGS84
State	t from North / South Line of Section t from East / West Line of Section earest Outside Section Corner: SE SW
City: State: Zip: +	t from East / West Line of Section earest Outside Section Corner: SE SW , Long: (e.gxxx.xxxxx) NAD83 WGS84
Contact Person:	earest Outside Section Corner: SE SW , Long: (e.gxxx.xxxxx) NAD83 WGS84
Phone: () CONTRACTOR: License #	SE SW , Long:
CONTRACTOR: License #	g. xx.xxxxx) (e.gxxx.xxxxx) NAD83 WGS84
Name:	g. xx.xxxxx) (e.gxxx.xxxxx) NAD83 WGS84
Wellsite Geologist:	
Purchaser:	
Purchaser: Designate Type of Completion: New Well Re-Entry Workover Oil WSW SWD Gas DH EOR OG GSW CM (Coal Bed Methane) Lease Name: Field Name: Producing Formation: Elevation: Ground: Total Vertical Depth: Amount of Surface Pipe Set	
Designate Type of Completion: New Well Re-Entry Workover Oil WSW SWD Gas DH EOR OG GSW CM (Coal Bed Methane) Field Name: Producing Formation: Elevation: Ground: Total Vertical Depth: Amount of Surface Pipe Set	
New Well Re-Entry Workover Oil WSW SWD Gas DH EOR OG GSW CM (Coal Bed Methane) Workover Producing Formation: Elevation: Ground: Total Vertical Depth: Amount of Surface Pipe Set	
Oil WSW SWD Gas DH EOR OG GSW Total Vertical Depth: Amount of Surface Pipe Set	
Gas DH EOR OG GSW CM (Coal Bed Methane) Total Vertical Depth: Amount of Surface Pipe Set	Kelly Bushing:
CM (Coal Bed Methane) Amount of Surface Pipe Set	Plug Back Total Depth:
Sim (essa zea mana)	and Cemented at: Feet
	Feet
	ment circulated from:
	w/sx cmt.
	SX CITIL.
Original Comp. Date: Original Total Depth:	
□ Deepening □ Re-perf. □ Conv. to EOR □ Conv. to SWD □ Drilling Fluid Management □ Plug Back □ Liner □ Conv. to GSW □ Conv. to Producer (Data must be collected from the	
Commingled Permit #:	ppm Fluid volume: bbls
SWD Permit #: Location of fluid disposal if h	auled offsite:
EOR Permit #:	
GSW Permit #:	
Spud Date or Date Reached TD Completion Date or Recompletion Date County:	License #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received Drill Stem Tests Received				
Geologist Report / Mud Logs Received				
UIC Distribution				
ALT I II Approved by: Date:				

KOLAR Document ID: 1680786

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion		
Operator	Bobcat Oilfield Service, Inc.		
Well Name	ALVA SCHENDEL 26-22		
Doc ID	1680786		

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	8.75	6	10	20	Portland	5	50/50 POZ
Production	5.625	2.875	8	706	Portland	155	50/50 POZ

Lease:	Alva Schendel			
Owner:	Bobcat Oilfield Service LLC			
OPR #:	3895	Ä		
Contractor:	DALE JACKSON	N PRODUCTION CO.		
OPR #:	4339	₹		
Surface:	Cemented:	Hole Size:		
20' of 6"	5 Sacks	8 ¾"		
Longstring:	Cemented:	Hole Size:		
706' 2 7/8 8rd	155 Sacks	5 5/8		
	70 Portland			
	85 Flyash			

Dale Jackson Production Co. Box 266, Mound City, KS 66056 Cell # 620-363-2683 Office # 620-363-2696

SN: None

Plugged: None

	Well #: 26-22					
uction Co.	Location: NWNWSWSW Sec24 Twp16 S. R.21 E					
y, KS 66056	County: Miami					
-2683	FSL:					
3-2696	FEL:					
	API#: 15-121-31751-00-00					
	Started: 10-20-2022					
	Completed: 10-21-2022					
Packer: None	TD: 715'					
Bottom Plug: None						

Well Log

TKN	ВТМ	Formation	TKN	втм	Formation
IKI	Depth	Tornation	I KIN	Depth	Tomation
2	2	Topsoil	2	608	Sandy Shale (Odor)
3	5	Clay	9	617	Shale (Limey)
19	24	Lime	10	627	Lime
6	30	Black Shale	7	634	Black Shale
10	40	Lime	5	639	Lime
9	49	Shale (Limey)	7	646	Shale (Limey)
19	68	Lime	4	650	Lime
4	72	Shale	10	660	Shale (Limey)
3	75	Red Bed	1	661	Lime
5	80	Shale	6	667	Shale (Limey)
16	96	Sandy Shale	3	670	Light Sandy Shale (Oil Sand Stk) (Strong Odor)
15	111	Lime	3	673	Oil Sand (Shaley) (Poor Bleed)
5	116	Shale	3	676	Oil Sand (Some Shale) (Fair Bleed)
30	146	Sandy Shale	2 ½	678 ½	Oil Sand (Very Light Shale) (Good Bleed)
55	201	Shale	1/2	679	Oil Sand (Shaley) (Fair Bleed)
24	225	Lime	2	681	Oil Sand (Very Shaley) (Poor Bleed)
24	249	Shale (Limey)	2	683	Sandy Shale (Oil Sand Stk) (Poor Bleed)
7	256	Lime	8	691	Sandy Shale
18	274	Shale (Limey)	TD	715	Shale
2	276	Light Shale (Limey)			
6	282	Sandy Shale			
4	286	Sand			
3	289	Sandy Shale			
12	301	Lime			
16	317	Shale (Limey)			
27	344	Lime			
7	351	Black Shale			
3	354	Shale (Limey) (Taking Fluid)			
21	375	Lime			
2	377	Black Shale			
13	390	Lime			
6	396	Shale			
5	401	Shale (Limey)			
95	496	Shale			
3	499	Light Shale (Limey)			
5	504	Sandy Shale (Slight Oil Show) (Slight Odor)			
12	516	Light Shale (Limey)			
14	530	Shale			
5	535	Black Shale			
21	556	Light Shale (Limey)			
8	564	Lime			
32	596	Shale (limey)			
10	606	Lime			



Dale Jackson Production Co. Box 266, Mound City, KS 66056 Cell # 620-363-2683 Office # 620-363-2696

