_ WELL ID_

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER W	ELL				Origina	al Recor	d Corre	ection	Change	e in We	ll Use
Latitude	Longitude		Section	Townshi	ip	Range	E I	Fraction	1/4	1/4	1/4
Datum	Elevation		County		•		VV				
WATER WELL OWNER		WEL	L WATER US	E			NEAREST SO	URCE OF P	OTENTIAL CO	ONTAMIN	NATION
Name							Source:				
Business		CON	1PLETION				Distance		Direction	L	
				eted well:		6	from well:_		_ from well	:	
Address				lwater encounter			Source description:				
				(2) ft.;	cu.		Source:				
Well location				(4) dry well							
					ft		from well:		from well		
at owner's address		Sta	Static water level in well: ft. measured below land surface				Source description:				
			on (mm/dd/y								
CONSTRUCTION				ove land surface			No poter within 10		e of contamir	ation	
Borehole interval:	Borehole dia		on (mm/dd/y				PERMIT & ID	NUMBER!	S (AS REQUII	RED)	
fromtoft.			•	gpm	_		DIAZD 4 1	antic :: 37			
fromto ft.			ter level was:	ft. after					o do.		
Casing height above land			:		gp	om	KDHE / EPA Project Code:				
If casing height is less has a variance been a		s No	Pump installed? Yes No				Site Name: KDHE UIC Class V Form Completed: Yes No				
*variance not require	• •		Water well disinfected? Yes No				County Permit: Yes No Permit ID:				
or environmental rer	nediation wells	Da	te disinfected	(mm/dd/yy):			1				
Casing type:	ft to	- Ag	uifer, if know	n:			# of borehole	es:	# of dewateri	ing wells:	
Blank casing diameter:			OLOGIC LO								
Casing joints:			OM TO		Y INTERVA	ıs					
Weight:											
Wall thickness or gau		_ _									
Blank casing interval:	ft. to	ft.									
Blank casing diameter:	in.										
Casing joints:											
Weight:	_										
Wall thickness or gau	ge no.:										
Grout interval: ft	. toft.										
Grout material:											
Grout interval: ft		CON	MENTS								
Grout material:											
Saraan / manfamati	rial.										
Screen / perforation mater Screen / perforation open			ITDACTOR'S	OR LANDOWNI	EDC CERTIF	ICATION					
Screen / perforation interv				l was construc		econstru		rement to t	the stated wa	ntor wall	
Fromft. to							•				
Slot size un				ense and was c	-			•			
Fromft. to		1 1	-	knowledge and ness name of _				_			—
Slot size un											
Gravel pack intervals:				Well Contracto							
Gravel pack not used:	Gravel size _	in -		ned in K.A.R. 2	-	nd signe	d and certified	1 by the el	ectronic sig	nature o	of the
From ft. to				son at its subm				<u></u>			
Gravel pack not used:		in Send	one copy to	WATER WELL O			•			onstructe	ed well.
From ft to	ft	1	KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT								

Form	WWC5.2 - Water Well Record			
Doc ID	1680250			
Well Owner	G & J FUND			
Contractor	Downey Drilling, Inc. #748			

Lithology

From	То	Lithology Intervals
0	3	topsoil,brown,soft
3	8	clay,silty,brown,soft
8	37	clay,silty,brown,soft
37	44	clay,sandy,tan,soft
44	60	clay,fine,sandy,tan,soft
60	77	sand,fine to coarse,firm
77	94	clay,sandy,tan,firm
94	103	clay,sandy,yellowish,soft
103	109	sand,fine,clayey,soft
109	116	sand,fine to coarse,firm
116	118	sand,fine to medium,white,stiff
118	143	sand & gravel,fine to coarse,stiff
143	146	clay,sandy,brown,soft
146	155	sand,fine to coarse,firm
155	171	clay,brown
171	175	sand,fine to coarse,firm
175	180	clay,brown,soft
180	193	sand,fine to coarse,firm
193	198	clay,sandy,tan,soft
198	227	sand,fine to coarse,firm
227	256	sand & gravel,fine to medium,stiff
256	259	clay,sandy,tan,soft

Form	WWC5.2 - Water Well Record			
Doc ID	1680250			
Well Owner	G & J FUND			
Contractor	Downey Drilling, Inc. #748			

Lithology

From	То	Lithology Intervals
259	328	sand & gravel,fine to medium,firm
328	350	sand,fine to coarse,white,firm
350	355	sand,fine to coarse,white,stiff
355	369	clay,sandy,white,firm
369	374	sand,fine to coarse,firm
374	375	conglomerate,unknown,white, hard
375	379	sand,fine to coarse,firm
379	380	clay,white,soft
380	405	clay,fine to coarse,sandy,tan,firm
405	431	sand,fine to coarse,firm
431	435	sand,fine,clayey,white,firm
435	449	clay,sandy,white,soft
449	455	clay,fine,sandy,tan,firm
455	466	clay,brown
466	505	sand,fine,white
505	527	clay,sandy,brown,soft
527	529	sand,fine,soft
529	531	conglomerate,unknown,brown,hard
531	541	shale,unknown,yellowish,soft

Form	WWC5.2 - Water Well Record			
Doc ID	1680250			
Well Owner	G & J FUND			
Contractor	Downey Drilling, Inc. #748			

Screen and Gravel

From	То			Gravel Pack Used			Gravel Size
310	430	.08	inches	Yes	0	541	
430	470	.1	inches	No			
470	530	.05	inches	No			