WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

WATER WELL REC	ORD (W	WC-5)				KOLAR D	OC ID	WELL ID		
OCATION OF WATER WEL	L				0	riginal Recor	d Correction	Change	e in We	ll Use
Latitude	Longitude		Se	ction	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		Co	ounty	-		**			
WATER WELL OWNER			WELL WA	TER USE			NEAREST SOURCE OF P	OTENTIAL CO	ONTAMI	NATION
Name							Source:			
Business			COMPLE	TION			·			
Dusiness							from well:	_ from well	l:	
Address					ed well:	ft.	Source			
			1 -	-	vater encountered:		description:			
Well location					2) ft.;		Source:			
Well location			-		dry well		Distance from well:	Direction from well	ı l:	
at owner's address			meas	ured belo	n well: ft. w land surface		Source description:			
CONSTRUCTION	D 1 1 1		meas	nm/dd/yy ured abov nm/dd/yy	e land surface		No potential source within 100 feet.	of contamir	nation	
Borehole interval:	Borehole dia						PERMIT & ID NUMBER	S (AS REQUI	RED)	
fromto ft.		in.			gpm		DVID 4 II II VI			
fromto ft.			Water le	vel was: _	ft. after		DWR Application No.:			
Casing height above land su	rface:	in.	, n	. 11 . 15	pumping	gpm	KDHE / EPA Project C			
If casing height is less th has a variance been appropriate the control of the co		No	Pump in	stalled?	Yes No		Site Name: KDHE UIC Class V Fo			No
*variance not required for		NO	Water w	ell disinfe	cted? Yes No		County Permit: Yes	-		
or environmental remed			Date dis	infected (1	mm/dd/yy):		Lease Name & Well #:			
Casing type:							# of boreholes:			
Blank casing interval:		ft.	Aquifer,	if known:			" of botonoids.	# Of dewater.	ing wens.	
Blank casing diameter:			LITHOLO	GIC LOG						
Casing joints:			FROM	то	LITHOLOGY INT	ΓERVALS				
Weight:lbs										
Wall thickness or gauge										
Blank casing interval:		ft.								
Blank casing diameter:										
Casing joints:										
8	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. to										
Grout material:										
Grout interval: ft. to			COMMEN	JTS	l					
Grout material:			COMME	115						
Screen / perforation material	:									
Screen / perforation opening			CONTRA	CTOR'S C	R LANDOWNERS C	ERTIFICATION				
Screen / perforation intervals			This wa	ter well v	was constructed	reconstru	cted pursuant to	he stated w	ater well	l
Fromft. to							I certify tha			
Slot size unit					_		vell record was complete			
From ft. to	_ft.			-	_		ven record was complete			
Slot size unit										
Gravel pack intervals:							under the aut	-	_	
Gravel pack not used:	Gravel size _	in	-			-	d and certified by the el	ectronic sig	nature c	of the
From ft. to	ft.				on at its submittal:		·			
Gravel pack not used	Craval ciza		Send one	copy to W	ATER WELL OWN	ER and retain one	for your records. Fee of \$5	5.00 for each o	construct	ed well.

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1638538
Well Owner	Midwest Feeders
Contractor	Nash Water Well Service, LLC

Lithology

From	То	Lithology Intervals
0	3	topsoil
3	20	clay,tan with fine sand streaks
20	40	clay,Red Tan Fine Sand
40	50	clay,tan/brown with fine sand streaks
50	70	sand,fine to coarse,small medium gravel with tan clay streaks
70	90	clay,tan fine medium sand
90	130	sand,fine to coarse,w/ small gravel and tan clay streaks
130	165	sand,fine to medium,Tan clay
165	175	sand,fine to coarse,with small to large gravel
175	217	sand,fine to medium,with tan clay
217	225	sand,fine to coarse,with white loose medium large gravel
225	235	sand,fine to medium,with tan clay
235	360	shale,unknown,blue with streaks and layers of rock
360	378	other,unknown,blue clay
378	400	sandstone,unknown,gray with blue/ gray clay streaks Medium 60%
400	510	sandstone,unknown,Tan Blue Gray clay streaks Medium 90%

Form	WWC5.2 - Water Well Record
Doc ID	1638538
Well Owner	Midwest Feeders
Contractor	Nash Water Well Service, LLC

Lithology

From	То	Lithology Intervals
510	540	sandstone,unknown,Tan Blue Gray Tan clay streaks Medium 75%
540	560	sandstone,unknown,Tan Blue Gray clay streaks Medium tight 60%
560	620	sandstone,unknown,Tan blue gray clay streaks Medium 90%
620	640	sandstone,unknown,Tan Blue Gray Brown Red clay streaks Medium 30%
640	660	sandstone,unknown,Gray Fine Blue Gray Brown Red Medium 85%
660	680	sandstone,unknown,Gray Fine Blue Gray Brown Red Medium Loose 85%
680	700	sandstone,unknown,Gray Fine Blue Gray Brown Red Medium Loose 95%
700	720	sandstone,unknown,Gray fine Blue Gray Clay Medium Tight 80%
720	740	sandstone,unknown,Tan Gray with blue gray clay Medium Tight 85%
740	750	sandstone,unknown,Gray tan with Blue Gray Brown shale streaks Tight 60%

Form	WWC5.2 - Water Well Record
Doc ID	1638538
Well Owner	Midwest Feeders
Contractor	Nash Water Well Service, LLC

Lithology

From	То	Lithology Intervals
750	760	shale,unknown,Blue with Tight streaks of Fine sandstone Tight 20%
760	780	shale,unknown,Blue with tight streaks of Fine sandstone Tight 25%
780	800	shale,unknown,Gray with Blue Tan Gray Clay Medium Tight 60%
800	820	sandstone,unknown,Gray with Blue Tan Gray Clay Medium 85%
820	848	sandstone,unknown,Gray with Gray Sandstone Streaks Tight 35%

Form	WWC5.2 - Water Well Record
Doc ID	1638538
Well Owner	Midwest Feeders
Contractor	Nash Water Well Service, LLC

Screen and Gravel

From	То				Gravel Pack From		Gravel Size
360	820	32	millimeters	Yes	0	5	
				Yes	60	180	
				Yes	260	820	