KOLAR Document ID: 1682428

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East _ West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
□ Oil □ WSW □ SWD	Producing Formation:
☐ Gas ☐ DH ☐ EOR	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Describer	Chloride content: ppm Fluid volume: bbls
☐ Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposal if flauled offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY			
Confidentiality Requested			
Date:			
Confidential Release Date:			
Wireline Log Received Drill Stem Tests Received			
Geologist Report / Mud Logs Received			
UIC Distribution			
ALT I II Approved by: Date:			

KOLAR Document ID: 1682428

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion			
Operator	Bobcat Oilfield Service, Inc.			
Well Name	CAYOT 37-22			
Doc ID	1682428			

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	8.75	6	10	20	PORTLAN D	5	50/50 POZ
Production	5.625	2.875	8	736	ECONOB OND	77	50/50 POZ

Lease:	Cayot	
Owner:	Bobcat Oilfield	d Service LLC
OPR #:	3895	Y A
Contractor:	DALE JACKSOI	N PRODUCTION CO.
OPR #:	4339	<i>₹</i> /=\ .2.
Surface:	Cemented:	Hole Size:
20' of 6"	5 Sacks	8 ¾"
Longstring:	Cemented:	Hole Size:
736'	Ву	5 5/8
2 7/8 8rd	Hurricane	

Dale Jackson Production Co.

Box 266, Mound City, KS 66056

Cell # 620-363-2683

Office # 620-363-2696

Packer: None

Bottom Plug:

None

SN: None

Plugged: None

Well #: 37-22
Location: SESESESW Sec24 Twp16 S. R.21 E
County: Miami
FSL:
FEL:
API#:
Started: 11-10-2022
Completed: 11-14-2022
TD: 745'

Well Log

TKN	втм	Formation	TKN	втм	Formation
IKIN	Depth	Formation	IKN	Depth	romation
2	2	Topsoil	4	590	Shale (Limey) (Oil Show In The Lime)
28	30	Clay	25	615	Shale
15	45	Lime (Making Water)	6	621	Lime
5	50	Black Shale	5	626	Sandy Shale (Limey)
11	61	Lime	14	640	Shale (Limey)
4	65	Shale (Limey)	5	645	Lime (Oil Show)
2	67	Red Bed	3	648	Coal (Lime Stk) (Oil Show in Lime)
3	70	Shale (Limey)	3	651	Light Shale
17	87	Lime	5	656	Shale (Limey)
19	106	Shale	3	659	Lime
5	111	Sandy Shale	9	668	Shale (Limey)
5	116	Sand	6	674	Lime
21	137	Lime	3	677	Light Shale
9	146	Shale	1	678	Lime (Oil Show)
15	161	Sandy Shale (Taking Fluid)	6	684	Black Shale
60	221	Shale	5	689	Shale (Limey)
21	242	Lime	3	692	Light Shale
8	250	Shale (Limey)	2	694	Light Sandy Shale (Oil Sand Stk) (Poor Bleed)
8	258	Sandy Shale	1	695	Oil Sand (Shaley) (Fair Bleed)
16	274	Shale	2	697	Oil Sand (Some Shale) (Good Bleed) (Flowing)
5	279	Lime	1	698	Oil Sand (Shaley) (Fair Bleed)
2	281	Black Shale	5	703	Oil Sand (Shaley) (Good Bleed) (Flowing)
18	299	Shale (Limey)	3	706	Oil Sand (Very Shaley) (Fair Bleed)
3	302	Sandy Shale	2	708	Sandy Shale (Oil Sand Stk) (Poor Bleed) (Black Sand Stk)
16	318	Lime	3	711	Sandy Shale (Oil Show)
20	338	Shale (Limey)	TD	745	Shale
11	349	Lime (Slight Oil Show)			
4	353	Shale (Limey) (Taking Fluid)			
12	365	Lime			
5	370	Black Shale			
5	375	Shale (Limey)			
20	395	Lime			
4	399	Black Shale			
13	412	Lime			
21	433	Shale (Limey)			
8	441	Sandy Shale			
74	515	Shale			
19	534	Light Shale (Limey)			
7	541	Shale (Limey)			
2	543	Coal			
11	554	Light Shale (Limey)			
21	575	Shale (Limey)			
11	586	Lime (Good Oil Show)			



Dale Jackson Production Co. Box 266, Mound City, KS 66056 Cell # 620-363-2683 Office # 620-363-2696

