Change in Well Use

WELL ID

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER V	VELL												
Latitude	Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County									
WATER WELL OWNER		l	WELL	WATER U	SE				NEAREST S	OURCE OF	POTENTIAL	CONTAMIN	IOITAI
Name									Source:				
Business			COME	PLETION					Distance		Directi	on	
Dusiness									from well:		from w	ell:	
Address						ll:encountered:		_ft.	Source descriptio	n:			
				ft.;					Source:				
Well location				ft.;					Distance		Directi	on ell:	
at owner's address			n	c water leve neasured be n (mm/dd	elow lan	l: ft. d surface			Source descriptio				
CONSTRUCTION				neasured al	• • •	d surface					ce of contan	nination	
Borehole interval:	Borehole dia	meter:	I .	n (mm/dd					within	100 feet.			
fromto ft.		in.	Estin	nated yield	l:	gpm			PERMIT & ID NUMBERS (AS REQUIRED)				
fromtoft.						ft. after	hou	ırs	DWR Application No.:				
Casing height above land						pumping			KDHE / EPA Project Code:				
If casing height is les			Pump installed? Yes No					Site Name:					
has a variance been		s No							KDHE UIC Class V Form Completed: Yes No				
*variance not require	0		Wate	r well disii	nfected?	Yes No			County Permit: Yes No Permit ID:				
or environmental re	emediation wells		Date	disinfecte	d (mm/c	ld/yy):			Lease Name & Well #:				
Casing type:			Aquifer, if known:					# of boreh	oles:	# of dewat	ering wells:		
Blank casing interval:		ft.											
Blank casing diameter:				LOGIC LO		TUO: 06V I		_					
Casing joints:			FRO	M TO	) LI	THOLOGY IN	IIEKVAL	-5					
Weight:	_												
Wall thickness or gar													
Blank casing interval:		п.											
Blank casing diameter:													
Casing joints:													
Weight:	_												
Wall thickness or ga	uge no.:												
Grout interval:													
Grout material:													
Grout interval:			COM	MENTS									
Grout material:			COM	VILIVIS									
Savaan / naufamatiant	orial.												
Screen / perforation mate				DACTOR"	C OD ! 4	NDOWNERS	CENTIF	CATION					
	creen / perforation openings: CONTRACTOR'S OR LANDOWNERS CERTIFICATION  creen / perforation intervals: This water well was constructed reconst								41	, ,			
From ft. to									-		the stated		
						nd was comp	•			•			
Slot size u						ledge and be							
Fromft. to			und	er the bus	siness n	ame of							,
Slot sizeu	nıt		Kan	sas Water	: Well C	Contractor's I	License l	No	uı	nder the au	thority of t	he designa	ated
Gravel pack intervals:			pers	on as defi	ined in	K.A.R. 28-30	0-2(j) an	nd signe	d and certif	ied by the	electronic s	ignature o	f the
Gravel pack not used: Gravel sizein				person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal:									
From ft. to _											\$5.00 for ac =	h construct	nd ver
	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed was KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT						a wel						
From ft. to _	om ft. to ft. Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Top								12-1367				

Form	WWC5.2 - Water Well Record
Doc ID	1675855
Well Owner	Dave Stapleton
Contractor	Hydro Resources Mid Continent, Inc. #145

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	7	clay,fine to medium,sandy,brown
7	10	caliche
10	20	clay,fine to medium,sandy
20	45	sand,fine
45	54	sand,fine,sandy
54	61	sand,fine to coarse,gravelly
61	91	sand,fine to medium,clayey
91	116	sand,fine to medium,clayey,brown
116	128	sand,fine to coarse,gravelly
128	145	sand,fine to medium,clayey,brown
145	176	sand,fine to coarse,gravelly
176	317	sand,medium to coarse
317	330	clay
330	365	sand,fine to coarse
365	369	sand,fine to medium,clayey,brown
369	404	sand,fine to coarse
404	440	sand,fine
440	460	sand,fine,clayey
460	495	sand,fine
495	519	sand,fine to medium

Form	WWC5.2 - Water Well Record		
Doc ID	1675855		
Well Owner	Dave Stapleton		
Contractor	Hydro Resources Mid Continent, Inc. #145		

## Lithology

From	То	Lithology Intervals
519	550	sandstone,unweathered
550	560	shale,unweathered,Red Bed