

ALT ☐ I ☐ II ☐ III Approved by: _____ Date: _____

Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West County: _____

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	☐ Yes	☐ No	☐ Log	Formation (Top), Depth and Datum	☐ Sample
Samples Sent to Geological Survey	☐ Yes	☐ No	Name	Top	Datum
Cores Taken	☐ Yes	☐ No			
Electric Log Run	☐ Yes	☐ No			
Geologist Report / Mud Logs	☐ Yes	☐ No			
List All E. Logs Run:					

CASING RECORD ☐ New ☐ Used Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
☐ Perforate				
☐ Protect Casing				
☐ Plug Back TD				
☐ Plug Off Zone				

1. Did you perform a hydraulic fracturing treatment on this well? ☐ Yes ☐ No (If No, skip questions 2 and 3)
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? ☐ Yes ☐ No (If No, skip question 3)
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? ☐ Yes ☐ No (If No, fill out Page Three of the ACO-1)

Date of first Production/Injection or Resumed Production/Injection:		Producing Method: ☐ Flowing ☐ Pumping ☐ Gas Lift ☐ Other (Explain) _____			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water	Bbls.	Gas-Oil Ratio Gravity

DISPOSITION OF GAS: ☐ Vented ☐ Sold ☐ Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: ☐ Open Hole ☐ Perf. ☐ Dually Comp. ☐ Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i>	PRODUCTION INTERVAL: Top Bottom	

Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used)

TUBING RECORD:	Size:	Set At:	Packer At:	
----------------	-------	---------	------------	--

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	PUGSLEY A-22
Doc ID	1684503

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	9.875	6.625	17	20	portland	8	n/a
Production	5.875	3.5	9	874	portland	112	n/a

Kent Drilling Co.

TELEPHONE 448-3762 or 3922

GARNETT, KANSAS 66032

CALDWELL ENTERPRISES

PUGSLEY NO. A-22

54 Soil & lime
157 Shale
29 Lime
58 Shale
66 Lime
8 Shale
32 Lime
4 Shale
15 Lime
177 Shale
13 Lime
54 Shale
6 Lime
18 Shale
3 Lime
27 Shale
10 Lime
76 Shale
36 Oil sand
44 Shale

54 6 5/8 set @ 20' & cemented to surface.
211 3 1/2" set @ 874.70 & cemented to surface.
240 809 to 843 broken oil sand good bleeding.
298
364
372
404
408
423
600
613
667
673
691
694
721
731
807
843
887 T.D.

112 SXS

