### KOLAR Document ID: 1684286

Confident	tiality Request	ed:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM

WELL	HISTORY	- DESCRIPTION	OF WELL	& I FASE
	III JIONI	- DESCRIF HOR		a LLASL

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:      Dual Completion Permit #:	Dewatering method used:
Dual Completion         Permit #:           SWD         Permit #:	
EOR         Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

### Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

#### KOLAR Document ID: 1684286

Operator Nam	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c		Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Depth Perforate Depth		Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the</li> <li>Was the hydraulic fracture</li> </ol>	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold (If vented, Subn	Used on Lease		Open Hole		-	·	mingled	юр	
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	WRIGHT 13I
Doc ID	1684286

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	5	
Production	5.625	2.875	6.5	667	portland	74	

Wright 13I

5	soil	5		
100	lime	105		start 10/18/22
174	shale	279		finish 10/21/22
22	lime	301		
55	shale	356		
36	lime	392		set 20' 7"
29	shale	423		ran 667' 2 7/8
23	lime	446		hurricane cemented to surface
7	shale	453		
7	lime	461		
99	shale	460		
2	lime	462		
59	shale	626		
2	sandy shale	628	odor	
15	oil sand	643	good show	
35	oil sand	678	td	



	and a state of the	MENT REPO	and starting	Well:	Wright 131, 121	Ticket:	EP6403
Customer: RJ Energy				County:	LN, KS	Date:	10/24/2022
		arnett, KS			18-22-22	Service:	Longstrings
Field R	Rep: Ja	son Kent		S-T-R:			
Daumh	olo Infr	ormation		Calculated Slu	rry - Lead	Calcula	ted Slurry - Tail
Hole S	ALC: N	5 5/8 in		Blend:	OWC 1/2# PS	Blend:	-
lole De		686 ft		Weight:	14.99 ppg	Weight:	ppg gal / sk
Casing S	1111 H	2 7/8 in		Water / Sx:	6.77 gal / sk	Water / S×: Yield:	ft <sup>3</sup> /sk
ising De	pth:	678 ft		Yield:	1,43 ft <sup>3</sup> / sk	Annular Bbls / Ft.:	bbs / ft.
bing Li	iner:	in		Annular Bbls / Ft.:	bbs / ft.	Depth:	ft
De	epth:	ft		Depth;	ft	Annular Volume:	0 bbls
ool / Pac	ker:			Annular Volume:	0.0 bbls	Excess:	
Tool De	epth:	ft		Excess:		Total Slurry:	0.0 bbls
splacem	nent:	3.92 bbls	1	Total Slurry:	bbis	Total Sacks:	0 sks
		STAGE	TOTAL	Total Sacks: REMARKS	0 sks		
	RATE	PSI BBLS	BBLs	on location, held safety	meeting		
MA 00:0				bil location, neid bury		and the second	
	Contract I		<u> </u>	#13]		and the second	and and a second se
				established circulation			
	4.0			mixed and pumped 200	# Bentonite Gel followed by 4 bbis	fresh water	
	4.0			mixed and pumped 74	sks OWC cement with 1/2# PhenoS	eal per sk, cement to surface	
	4.0			flushed pump clean			
	4.0			pumped two 2 7/8" rub	ber plugs to casing TD with 3.92 bb	ols fresh water	
	1.0			pressured to 800 PSI,			
	1.0		-	released pressure to s	et float valve		and the second
	4.0		-	washed up equipment			
							-
11:00 AM				#121			198
	4.0		-	established circulation	n	e frech water	
	4.0		· ·	mixed and pumped 20	0# Bentonite Gel followed by 4 bbl	Seal per sk. cement to surface	5-
	4.0		· ·		5 sks OWC cement with 1/2# Pheno	ovar per one content to an inte	
	4.0			flushed pump clean	bber plugs to casing TD with 3.92 b	bls fresh water	
	1.0			pumped two 2 7/8" ru pressured to 800 PSI,			
	1.0		· · ·	released pressure to			
	C. And C. And			washed up equipment		an an ann an	
100	4.0			wasned up equipment			
				left location			
12:00 PM							
	+		-				
	E CALL	CREW		UNIT		SUMMAR	
C	ementer		redy	931	Average Rate	Average Pressure	Total Fluid
Pump C				239	3.1 bpm	- psi	- 0010
Camp C	Bulk			247			