KOLAR Document ID: 1686174

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
•	If Alternate II completion, cement circulated from:
Operator:	•
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II Approved by: Date:					

KOLAR Document ID: 1686174

Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casii								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513 1200 10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	WRIGHT 12A
Doc ID	1686174

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	8	n/a
Production	5.875	2.875	9	680	portland	76	n/a

Wright 12a

5	soil	5		
110	lime	115		start 11/7/22
173	shale	288		finish 11/8/22
20	lime	318		
48	shale	366		
30	lime	396		set 20' 7"
30	shale	426		ran 680' 2 7/8
25	lime	441		hurricane cemented to surface
12	shale	453		
7	lime	460		
95	shale	455		
2	lime	457		
66	shale	633		
6	sandy shale	639	odor	
5	limey sand	644	good show	
12	oil sand	656	good show	
35	shale	691	td	



Cust	omer	RJ En	ergy		Well:	Minimus 404 4	A CAMPAGE OF THE SECOND OF THE	All the second s
City,	State	Garne	tt, KS		County:	Wright 12A, 1	4A Ticke	EP6562
Field	Rep: Jason Kent		S-T-R:	LN, KS	Date			
					5-1-R:	18-22-22	Service	Longstrings
Down	nhole	Informat	tion		Calculated Sh	urry - Lead		
	Size:		8 in		Blend:	OWC 1/2# PS		lculated Slurry - Tail
Hole D	epth:	690/711	ft		Weight:	14.99 ppg	Blend	
Casing			8 in		Water / Sx:	6.77 gal / sk	Weight	
Casing D			ft		Yield:	1.43 ft ³ / sk	Water / Sx Yield	
Tubing / I		les Si	in		Annular Bbls / Ft.:	bbs / ft.	Annular Bbls / Ft.	
	epth:	4	ft		Depth:	ft	Depth	
Tool / Pa					Annular Volume:	0.0 bbis	Annular Volume	
Tool D			ft		Excess:		Excess	
Displacen	ment:	3.94/4.0	6 bbls	# 175 mm	Total Slurry:	bbls	Total Slurry	
TIME .			STAGE	TOTAL	Total Sacks:	0 sks	Total Sacks	
A contract of the contract of	RATE	PSI	BBLs	BBLs	REMARKS			U SRS
5:00 PM			+ +	•	on location, held safety m	neeting		
			+ +	•				
			1	•	12A			
	1.0		+	•	established circulation			
	.0			· ·	mixed and pumped 200# E	Bentonite Gel followed by 4 bbl	s fresh water	
	.0				mixed and pumped 76 sks	OWC cement with 1/2# Pheno	Seal per sk, cement to surface	9
	.0		\vdash	-	flushed pump clean			
	.0				pumped two 2 7/8" rubber	plugs to casing TD with 3.94 b	bls fresh water	
	-		+		pressured to 800 PSI, well			
4	.0			•	released pressure to set fi	oat valve		
7	-				washed up equipment			
				<u> </u>				
	1		-					
4.	0			· ·	14A			
4.			-		established circulation			
4.0			_	•	mixed and pumped 200# B	entonite Gel followed by 4 bbis	fresh water	
4.0				-:	flushed and pumped 79 sks	OWC cement with 1/2# Phenos	Seal per sk, cement to surface	
1.0	_				flushed pump clean			
1.0			_	:	pumped two 2 7/8" rubber	plugs to casing TD with 4.06 bi	ols fresh water	
				- :	pressured to 800 PSI, well i			
4.0	0			100000	released pressure to set flo washed up equipment	pat valve		
					adulpment up adulpment			
6:15 PM					left location			
							ш.	
				-				
		CREW	No.		UNIT			
Cement	ter:	Casey	Kennedy		931	A	SUMMARY	AND ADDRESS OF THE OWNER OF THE PARTY OF THE
Pump Operat	tor:		Katzer		239	Average Rate	Average Pressure	Total Fluid
Bu	alk:		Detwiler		247	3.1 bpm	- psi	- bbls
H2	20:		d Mentzer		111			

ftv: 15-2021/01/25 mplv: 339-2022/10/05