KOLAR Document ID: 1682424

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW ☐ CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	<u>'</u>
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
☐ Dual Completion Permit #: ☐ SWD Permit #:	
SWD Permit #: EOR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Caud Data on Data Dasahad TD Overslation Data	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received Drill Stem Tests Received				
Geologist Report / Mud Logs Received				
UIC Distribution				
ALT I II III Approved by: Date:				

KOLAR Document ID: 1682424

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion
Operator	Bobcat Oilfield Service, Inc.
Well Name	CAYOT 35-22
Doc ID	1682424

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	8.75	6	10	20	PORTLAN D	5	50/50 POZ
Production	5.625	2.875	8	713	ECONOB ON	93	50/50 POZ

Lease:	Cayot	
Owner:	Bobcat Oilfield	Service LLC
OPR #:	3895	V A
Contractor:	DALE JACKSON	PRODUCTION CO.
OPR #:	4339	-5 /H\ .2.
Surface: 20' of 6"	Cemented: 5 Sacks	Hole Size: 8 ¾"

Dale Jackson Production Co. Box 266, Mound City, KS 66056 Cell # 620-363-2683 Office # 620-363-2696

Packer: None

Bottom Plug:

None

SN: None

Plugged: None

Location: SESWSESW Sec24 Twp16 S. R.21 E County: Miami FSL: FEL: API#: 15-121-31757-00-00 Started: 11-8-2022 Completed: 11-9-2022 TD: 721'		Well #: 35-22
FSL: FEL: API#: 15-121-31757-00-00 Started: 11-8-2022 Completed: 11-9-2022	7	Location: SESWSESW Sec24 Twp16 S. R.21
FEL: API#: 15-121-31757-00-00 Started: 11-8-2022 Completed: 11-9-2022	1	County: Miami
API#: 15-121-31757-00-00 Started: 11-8-2022 Completed: 11-9-2022	Ī	FSL:
Started: 11-8-2022 Completed: 11-9-2022		FEL:
Completed: 11-9-2022		API#: 15-121-31757-00-00
		Started: 11-8-2022
TD: 721'		Completed: 11-9-2022
		TD: 721'

Well Log

TKN	ВТМ	Formation	TKN	втм	Formation
	Depth			Depth	
2	2	Topsoil	6	613	Lime
10	12	Clay	7	620	Sandy Shale (Limey) (Slight Oil Show)
17	29	Lime	11	631	Shale (Limey)
5	34	Black Shale (Making Water)	3	634	Lime
11	45	Lime	3	637	Coal (Strong Odor)
9	54	Shale (Limey)	8	645	Shale (Limey)
20	74	Lime	13	658	Lime
5	79	Shale	3	661	Shale (Limey)
5	84	Red Bed	5	666	Lime
19	103	Shale	6	672	Shale
16	119	Lime	6	778	Lime
4	123	Shale	3	681	Shale (Limey)
3	126	Sandy Shale	2	683	Sandy Shale (Oil Sand Stk) (Good Bleed)
13	139	Shale	3	686	Oil Sand (Limey) (Shaley) (Good Bleed)
21	160	Sandy Shale	3	689	Oil Sand (Some Shale) (Good Bleed)
46	206	Shale	2	691	Oil Sand (Shaley) (Good Bleed)
22	228	Lime	1	692	Sandy Shale (Oil Sand Stk) (Fair Bleed)
7	235	Shale	12	704	Sandy Shale (Oil Sand Stk) (Poor Bleed)
11	246	Sandy Shale	TD	721	Shale
14	260	Shale (Limey)			
6	266	Lime			
4	270	Black Shale			
6	276	Shale (Limey)			(Flowing 681-691)
10	286	Shale			
5	291	Sand			
5	296	Sandy Shale			
11	307	Lime			
20	327	Shale (Limey)			
11	338	Lime			
3	341	Shale (Limey) (Taking Fluid)			
10	351	Lime			
8	359	Black Shale			
4	363	Shale (Limey)			
21	384	Lime			
3	387	Black Shale			
12	399	Lime			
25	424	Shale (Limey)			
17	441	Sandy Shale (Black Sand Stk)			
75	516	Shale			
14	530	Light Shale (Limey)			
37	567	Shale (Limey)			
9	576	Lime			
31	607	Shale			



Dale Jackson Production Co. Box 266, Mound City, KS 66056 Cell # 620-363-2683 Office # 620-363-2696

