WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

WATER WELL REC	ORD (W	WC-5)				KOLAR D	OC ID	WELL ID		
OCATION OF WATER WEL	L				0	riginal Recor	d Correction	Change	e in We	ll Use
Latitude	Longitude		Se	ction	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		Co	ounty	-		**			
WATER WELL OWNER			WELL WA	TER USE			NEAREST SOURCE OF P	OTENTIAL CO	ONTAMI	NATION
Name							Source:			
Business			COMPLE	TION						
Dusiness							from well:	_ from well	l:	
Address					ed well:	ft.	Source			
			1 -	-	vater encountered:		description:			
Well location					2) ft.;		Source:			
Well location			-		dry well		Distance from well:	Direction from well	ı l:	
at owner's address			meas	ured belo	n well: ft. w land surface		Source description:			
CONSTRUCTION	D 1 1 1		meas	nm/dd/yy ured abov nm/dd/yy	e land surface		No potential source within 100 feet.	of contamir	nation	
Borehole interval:	Borehole dia						PERMIT & ID NUMBERS	S (AS REQUI	RED)	
fromto ft.		in.			gpm		DAME A LICE AT			
fromto ft.			Water le	vel was: _	ft. after		DWR Application No.:			
Casing height above land su	rface:	in.	, n	. 11 . 15	pumping	gpm	KDHE / EPA Project C			
If casing height is less th has a variance been appropriate the control of the co		No	Pump in	stalled?	Yes No		Site Name: KDHE UIC Class V Fo			No
*variance not required for		NO	Water w	ell disinfe	cted? Yes No		County Permit: Yes	-		
or environmental remed			Date dis	infected (1	mm/dd/yy):		Lease Name & Well #:			
Casing type:							# of boreholes:			
Blank casing interval:		ft.	Aquifer,	if known:			" of boronoics.	# Of dewater	ing wens.	
Blank casing diameter:			LITHOLO	GIC LOG						
Casing joints:			FROM	то	LITHOLOGY INT	ΓERVALS				
Weight:lbs										
Wall thickness or gauge										
Blank casing interval:		ft.								
Blank casing diameter:										
Casing joints:										
8	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. to										
Grout material:										
Grout interval: ft. to			COMMEN	JTS	l					
Grout material:			COMME	115						
Screen / perforation material	:									
Screen / perforation opening			CONTRA	CTOR'S C	R LANDOWNERS C	ERTIFICATION				
Screen / perforation intervals			This wa	ter well v	was constructed	reconstru	cted pursuant to t	he stated w	ater well	l
Fromft. to							I certify tha			
Slot size unit					_		vell record was complet			
From ft. to	_ft.			-	_		ven record was complet			
Slot size unit										
Gravel pack intervals:							under the aut	-	_	
Gravel pack not used:	Gravel size _	in	-				d and certified by the el	ectronic sig	nature c	of the
From ft. to	ft.				on at its submittal:		·			
Gravel pack not used:	Craval ciza		Send one	copy to W	ATER WELL OWN	ER and retain one	for your records. Fee of \$5	5.00 for each o	construct	ed well.

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record		
Doc ID	1681774		
Well Owner	John & Linda Fox		
Contractor	Allen's Holdings and Investments D/B/A Evans Energy #1011		

Lithology

From	То	Lithology Intervals	
0	10	topsoil,clayey	
10	24	shale,unweathered	
24	37	limestone,unweathered	
37	43	shale,unweathered	
43	56	limestone,unweathered	
56	61	shale,unweathered	
61	64	limestone,unweathered	
64	84	shale,unweathered	
84	95	limestone,unweathered	
95	96	shale,unweathered	
96	107	limestone,unweathered	
107	122	shale,unweathered	
122	125	limestone,unweathered	
125	127	shale,unweathered	
127	136	limestone,unweathered	
136	170	shale,unweathered	
170	183	limestone,unweathered	
183	200	shale,unweathered	
200	205	limestone,unweathered	
205	208	shale,unweathered	
208	209	limestone,unweathered	
209	226	shale,unweathered	
226	228	limestone,unweathered	
228	248	shale,unweathered	
l .		L	

Form	WWC5.2 - Water Well Record		
Doc ID	1681774		
Well Owner	John & Linda Fox		
Contractor	Allen's Holdings and Investments D/B/A Evans Energy #1011		

Lithology

From	То	Lithology Intervals
248	252	limestone,unweathered
252	270	shale,unweathered
270	272	limestone,unweathered
272	285	shale,unweathered
285	303	limestone,unweathered
303	319	shale,unweathered
319	341	other,unweathered,limey sand
341	345	shale,unweathered
345	366	limestone,unweathered
366	400	other,unweathered,sandy shale