

**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**WELL PLUGGING RECORD**  
K.A.R. 82-3-117

Form CP-4  
March 2009

Type or Print on this Form  
Form must be Signed  
All blanks must be Filled

OPERATOR: License #: \_\_\_\_\_  
 Name: \_\_\_\_\_  
 Address 1: \_\_\_\_\_  
 Address 2: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
 Contact Person: \_\_\_\_\_  
 Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Type of Well: (Check one)  Oil Well  Gas Well  OG  D&A  Cathodic  
 Water Supply Well  Other: \_\_\_\_\_  SWD Permit #: \_\_\_\_\_  
 ENHR Permit #: \_\_\_\_\_  Gas Storage Permit #: \_\_\_\_\_  
 Is ACO-1 filed?  Yes  No If not, is well log attached?  Yes  No  
 Producing Formation(s): List All (If needed attach another sheet)  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_

API No. 15 - \_\_\_\_\_  
 Spot Description: \_\_\_\_\_  
 \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 \_\_\_\_\_ Feet from  North /  South Line of Section  
 \_\_\_\_\_ Feet from  East /  West Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
 County: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_  
 Date Well Completed: \_\_\_\_\_  
 The plugging proposal was approved on: \_\_\_\_\_ (Date)  
 by: \_\_\_\_\_ (KCC District Agent's Name)  
 Plugging Commenced: \_\_\_\_\_  
 Plugging Completed: \_\_\_\_\_

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: \_\_\_\_\_ Name: \_\_\_\_\_  
 Address 1: \_\_\_\_\_ Address 2: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
 Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Name of Party Responsible for Plugging Fees: \_\_\_\_\_  
 State of \_\_\_\_\_ County, \_\_\_\_\_, ss.  
 \_\_\_\_\_  Employee of Operator or  Operator on above-described well,  
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-1071  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 3451

Date	2-2-23	Sec.	25	Twp.	11	Range	21	County	Trego	State	Ks	On Location		Finish	4:30 PM
Lease	Huck		Well No.	3		Owner	3W to C.L., 3/4 N, w/into								
Contractor	APS		Location Ellis - N to Church, 2N to Skepy Hollow												
Type Job	Plug		To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.												
Hole Size	4 1/2"		T.D.	Charge To 3G Production, LLC											
Csg.	2 3/8"		Depth	3000'											
Tbg. Size			Depth	3000'											
Tool			Depth	The above was done to satisfaction and supervision of owner agent or contractor.											
Cement Left in Csg.			Shoe Joint	Cement Amount Ordered 425 60/40 4% Gel											
Meas Line			Displace	H2o		500# Hulls									
<b>EQUIPMENT</b>															
Pumptrk	16	No.	Cementer	Tim		Common 200									
			Helper			Poz. Mix 1.35									
Bulktrk	19	No.	Driver	Boss		Gel. 12									
			Driver	Rick		Calcium									
Bulktrk	P.U.	No.	Driver	Rick		Hulls 300 # (6)									
<b>JOB SERVICES &amp; REMARKS</b>															
Remarks:	3000' - 75 5x 200 # Hulls														
Rat Hole	Salt														
Mouse Hole	Flowseal														
Centralizers	2300' - 50 5x Neat + 50 5x w/ 100 # Hulls														
Baskets	Kol-Seal														
D/V or Port Collar	Mud CLR 48														
	CFL-117 or CD110 CAF 38														
	Sand														
	850' - Circulate 4 1/2" w/ 60 5x Cement. Shut valve on 4 1/2" + try to pump up back side. Could not pump up back side. <del>Front Port on 4 1/2" + 50 5x +</del> Cement backside w/ 100 5x w/ 100 #. Shut in Cement fell on 4 1/2" Used 335 5x 300 # Hulls														
	Handling 425														
	Mileage														
<b>FLOAT EQUIPMENT</b>															
	Guide Shoe														
	Centralizer														
	Baskets														
	AFU Inserts														
	Float Shoe														
	Latch Down														
	Pumptrk Charge Plug														
	Mileage 31														
	Thanks														
X Signature	Kurtis C. Holt											Tax			
												Discount			
												Total Charge			

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-1071  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 3078

Date	2/3/23	Sec.	25	Twp.	11	Range	21	County	Trego	State	Kansas	On Location		Finish	10:30am								
								Location								Ellis in sleepy hollow 3w 3/4W white							
Lease	Huck			Well No. 3				Owner															
Contractor	Aps							To Quality Oilwell Cementing, Inc.															
Type Job	plug							You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.															
Hole Size				T.D.				Charge To 3G Production LLC															
Csg.	4 1/2			Depth				Street															
Tbg. Size	2 7/8			Depth 880'				City State															
Tool				Depth				The above was done to satisfaction and supervision of owner agent or contractor.															
Cement Left in Csg.				Shoe Joint				Cement Amount Ordered 300 @ 4% gel															
Meas Line				Displace																			
<b>EQUIPMENT</b>																							
Pumptrk 16	No.	Cementer	Jordan		Common				40														
		Helper			Poz. Mix				30														
Bulktrk 19	No.	Driver	Doug		Gel.				3														
		Driver			Calcium																		
Bulktrk pu	No.	Driver	David		Hulls																		
		Driver			Salt																		
<b>JOB SERVICES &amp; REMARKS</b>																							
Remarks:				Flowseal																			
Rat Hole				Kol-Seal																			
Mouse Hole				Mud CLR 48																			
Centralizers				CFL-117 or CD110 CAF 38																			
Baskets				Sand																			
D/V or Port Collar				Handling 300																			
880' mixed 60 sks to circulate to surface																							
Mileage																							
<b>FLOAT EQUIPMENT</b>																							
Topped off with 10 sks																							
(used 70 sks Total)																							
Guide Shoe																							
Centralizer																							
Baskets																							
AFU Inserts																							
Float Shoe																							
Latch Down																							
Cement did circulate																							
Pumptrk Charge plug																							
Mileage 31																							
Thanks																							
X Signature <i>[Signature]</i>																							
Tax																							
Discount																							
Total Charge																							