KOLAR Document ID: 1691169

Confident	tiality Re	equested:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL	HISTORY -	DESCRIPTION	OF WELL	& LEASE
				U LLAGE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #: SWD Permit #:	
	Location of fluid disposal if hauled offsite:
EOR Permit #: GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II III Approved by: Date:					

KOLAR Document ID: 1691169

Operator Nan	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Y	es 🗌 No			og Formatio	n (Top), Depth	and Datum	Sample
Samples Sent to Geological Survey			és 🗌 No	Ν	lame	e		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud Logs List All E. Logs Run:			ies No ies No ies No						
		Repo	CASING I] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled		ze Casing tt (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Туре	e of Cement	# Sacks Used		Type and Percent Additives			
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the is Was the hydraulic fractu Date of first Production/Inj 	total base fluid of the h ring treatment informa	nydraulic fra tion submit	acturing treatment	al disclosure regis	-	Yes ns? Yes Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Injection:			Flowing	Pumping		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	s. Gas Mcf			Water Bbls. Gas-Oil Ratio Gravity			
DISPOSITION	I OF GAS:		M	ETHOD OF COM	IPLE	TION:			ON INTERVAL:
Vented Sold (If vented, Subm	Used on Lease		Open Hole		Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)		Тор	Bottom	
		ition m	Bridge Plug Type	Bridge Plug Set At				Shot, Cementing Squeeze Record at and Kind of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	WRIGHT 21A
Doc ID	1691169

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	8	n/a
Production	5.875	2.875	9	683	portland	83	n/a

Wright 21a

5	soil	5		
106	lime	111		start 11/22/22
168	shale	279		finish 11/23/22
30	lime	309		
53	shale	362		
30	lime	392		set 20' 7"
32	shale	424		ran 683' 2 7/8
27	lime	451		hurricane cemented to surface
8	shale	459		
7	lime	466		
97	shale	563		
2	lime	565		
68	shale	633		
3	sandy shale	636	odor	
8	oil sand	644	good show	
7	dk sand	651	show	
40	shale	691	td	

	REAT	MENT P	EPOI	RT					EP6719		
	100	Energy	T. Lak		Woll:	Wright	19I, 21A	Ticket:			
	1000		and the second		County:	LN	I, KS	Date:	11/23/2022		
		Imett, KS	and the second second		S-T-R:	18-	22-22	Service:	Longstrings		
Field Re	≥p: Ja	son Ken							ed Slurry - Tail		
Downho	le Info	ormation			Calculated SI	urry - Lead	- and	Blend:	ed Sturry - can		
Hole Sa	ze:	5 5/8 in			Blend:	OWC 1/2# PS	4	Weight	PPB		
Hole Dep	th:	691 ft			Weight:	14.99 ppg		Water Sx:	gal / sk		
Casing Si	ze:	2 7/8 in			Water / Sx:	6.77 gal/sk		Yield:	ft ³ / sk		
asing Dep	th:	688 ft			Yield:	1,43 ft ³ /sk bbs/ft.	the second of the second s	Annular Bbls / Ft.:	bbs / ft.		
ibing Lin	er:	in			Annular Bbis Ft.:	ft		Depth:	ft		
Dep	sth:	ft		er hall	Depth:	0.0 bbis		Annular Volume:	0 bbis		
ool Pack	en	and a series of			Annular Volume:	U.U Duis	T PROVING	Excess:			
Tool Dep		ft		Statistics.	Excess:	bbis	-	Total Slurry:	0.0 bbis		
splaceme	ent:	3.98 bi	Sector Contractor	and the second	Total Slurry: Total Sacks:	0 sks		Total Sacks:	0 sks		
			TAGE BBLs	TOTAL BBLs F	REMARKS						
Store and a store of	ATE	PSI I	SBLS		on locaiton, held safet	ry meeting			1.42 A		
2:00 PM			- 1		Station .			1. 1. 1. N. 1.			
	+	-			191		and the second second		<u> 1960</u>		
	+			. 1	established circulation	n		A PARTY AND			
4.	.0			3	mixed and pumped 20	0# Bentonite Gel follo	wed by 4 bbis fres	h water			
1.1.1.1	.0	2 18 30		.	mixed and pumped 83	3 sks OWC cement with	n 1/2# PhenoSeal	per sk, cement to surface			
	.0				flushed pump clean						
	.0			2000-120	pumped two 2 7/8" rubber plugs to casing TD with 3.98 bbls fresh water						
	.0				pressured to 800 PSI, well held pressure						
				•	released pressure to	set float valve					
4	1.0			•	washed up equipmen	nt					
				•							
					21A						
4	4.0			•	established circulation	on line Califolit	word by 4 bble fre	sh water			
	4.0				mixed and pumped 2	200# Bentonite Gel folk	the 1/2# PhenoSea	per sk, cement to surface			
	4.0			· ·	a second and a second		In 1/2# Phenodel				
	4.0				flushed pump clean	ubber plugs to casing	TD with 3 98 bbls	fresh water			
	1.0				pumped two 2 7/8" r	il, well held pressure	10 4101010				
	1.0			· ·	released pressure to						
				· · ·	washed up equipme		and the second	and the second	Contracting and their contracting of the second		
	4.0	-	1	and the second	washed up equipme	and the second					
a series		Concerned and	an selfer se	A MARKA SHOW	left location						
4:00 PM					leit location						
				+							
				<u></u>							
		CREV			UNIT			SUMMAR	and the second se		
		Contraction of the local division of the loc	ey Ken	adv	931		Average Rate	Average Pressure	Total Fluid		
	mente	Las	sh weu	ledy			3.1 bpm	- psi	- bbls		

ftv: 15-2021/ mplv: 339-2022/