KOLAR Document ID: 1691153

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No
Cathodic Other (Core, Expl., etc.):	
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to: w/ sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
☐ EOR Permit #:	Location of haid disposal if hadica offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1691153

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool erature, fluid recovery, Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	nd Percent Additives	
Perforate Protect Ca Plug Back	Top	Bottom	туре	or cement	# Sacks Use	,u		туре а	ia Percent Additives	
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	WRIGHT 18I
Doc ID	1691153

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	5	
Production	5.625	2.875	6.5	683	portland	83	

Wright 18i

5	soil	5		
117	lime	122		start 11/17/22
161	shale	287		finish 11/18/22
35	lime	318		
54	shale	372		
30	lime	402		set 20' 7"
32	shale	434		ran 683' 2 7/8
24	lime	458		hurricane cemented to surface
13	shale	471		
6	lime	477		
95	shale	572		
2	lime	574		
30	shale	644		
4	sandy shale	648	odor	
8	oil sand	656	good show	
4	dk sand	660	show	
31	shale	691	td	



Custo	mer: F	RJ Energ	av	## BEST 707 - 0.24	Well:	Wright 181, 20A	Ticket:	EP6692
					County:	LN, KS	Date:	11/22/2022
City, State: Garnett, KS Field Rep: Jason Kent				S-T-R:	18-22-22	Service:	Longstrings	
Field	Rep: J	lason K	ent		3-1-83			
Down	hole In	formatio	on		Calculated Slu	rry - Lead	Calcu	lated Slurry - Tail
	Size:	5 5/8	STATE OF LABOR.		Blend:	OWC 1/28 PS	Blend:	
Hole D	epth:	691			Weight:	PP9		
Casing	Size:	2 7/8	in		Water Sx:	6,77 gal / sk	Water Sx:	gal/sk
Casing D	epth:	683	ft		Yield:	1,43 ft ³ / sk	Yield:	ft ³ / sik
ubing	Liner:		in		Annular Bbls Ft.:	bbs / ft.	Annular Bbls Ft.:	bbs / ft.
0	epth:		ft		Depth:		Depth:	n
Tool Pa	cker:				Annular Volume:	0.0 bbis	Annular Volume:	0 bbis
Tool D	epth:		ft		Excess:		Excess:	
Displace	ment:	3.95	bbls		Total Slurry:	bbls	Total Slurry:	0.0 bbls
			STAGE	TOTAL	Total Sacks:	0 sks	Total Sacks:	0 sks
TIME	RATE	PSI	BBLs	BBLs	REMARKS			
9:00 AM			-	•	on location, held safety	meeting		2010
					NOTE OF THE PERSON NAMED IN			
	A O		120, 2	•	\$181	OPPLICATION OF THE PROPERTY OF		
	4.0				established circulation	D. J. B. Calfelland by Abb	- frach woter	
	4.0			**************************************		Bentonite Gel followed by 4 bbl- ks OWC cement with 1/2# Pheno		
	4.0			•		ks OWC cement with 1/2# Phelio	Seal per Sk, Cellielle to Sullage	
	4.0			•	flushed pump clean	er plugs to casing TD with 3.95 b	hle fresh water	
	1.0			•			DIO NOON WALL	
	1.0				pressured to 800 PSI, we released pressure to set			
				•	washed up equipment	I IIIOat Valve		
	4.0	-	1	•	Washed up equipment			
					20A			
	4.0				established circulation			
	4.0		1			Bentonite Gel followed by 4 bb	s fresh water	
	4.0					ks OWC cement with 1/2# Pheno		
	4.0	1			flushed pump clean			
	1.0					er plugs to casing TD with 3.95 i	obls fresh water	
	1.0					o, continued to circulate, circulat		
	1.0				ran dye marker, dye to s	surface at roughly 9 bbls gone, g	uestimated hole in casing at 30	0', shut in casing
	1							
11:30 AN	tara:				left location	AND SELECTION OF THE PARTY.		
				£ 16120 (101 5				
					return trip for 20A on	following page		
	ly.			-				
				-				A
N A Me		CRE	W		UNIT		SUMMAR	
Co	menter:	Car	sey Kenne	dy	931	Average Rate	Average Pressure	Total Fluid
Pump Operator: Nick Beets					239	2.9 bpm	- psi	- bbls
	Bulk:	тс	Balthazor		246			
H2O: Keith Detwi			th Detuile	-	124			

ftv: 15-2021/01/ mplv: 339-2022/10/