KOLAR Document ID: 1691113

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
•	If Alternate II completion, cement circulated from:
Operator:	•
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1691113

#### Page Two

Operator Name:					_ Lease Nam	ne:			Well #:	
Sec Tw	pS	S. R	Eas	st West	County:					
	, flowing an	d shut-in pres	sures, wh	ether shut-in pre	ssure reached	static	level, hydrostat	ic pressures, bo		val tested, time tool erature, fluid recovery,
Final Radioactivi files must be sub							gs must be emai	led to kcc-well-l	ogs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests (Attach Addit		1		Yes No		Lo		n (Top), Depth a		Sample
Samples Sent to	Geological	Survey		Yes No		Name			Тор	Datum
Cores Taken Electric Log Run Geologist Report List All E. Logs F	t / Mud Log	s		Yes No Yes No Yes No						
			Rej	CASING	RECORD [	Nev		on, etc.		
Purpose of St	ring	Size Hole Drilled		Size Casing let (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	CEMENTING /	SQUE	EEZE RECORD		'	
Purpose: Perforate		Depth Top Bottom	Тур	pe of Cement	# Sacks Use	ed		Type and	Percent Additives	
Protect Ca										
Plug Off Z										
Did you perform     Does the volume     Was the hydraul	e of the total	base fluid of the	hydraulic	fracturing treatment		-	Yes S? Yes Yes	No (If No, s	kip questions 2 ar kip question 3) Il out Page Three	
Date of first Produ Injection:	ction/Injectio	n or Resumed Pi	roduction/	Producing Meth	od:		Gas Lift O	ther <i>(Explain)</i>		
Estimated Product Per 24 Hours		Oil	Bbls.		Mcf	Water			Gas-Oil Ratio	Gravity
DISPO	OSITION OF	GAS:		N	ETHOD OF CO	MPLET	ΓΙΟΝ:			DN INTERVAL: Bottom
Vented	Sold	Used on Lease		Open Hole	_	Dually ( Submit A		nmingled nit ACO-4)	Тор	BOLLOTTI
,	· I									
Shots Per Foot	Perforation Top	on Perfor Bott		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze and of Material Used)	
TUBING RECORI	D: S	size:	Set A	: -	Packer At:					

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	WRIGHT 17A
Doc ID	1691113

### Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	8	n/a
Production	5.875	2.875	9	680	portland	78	n/a

## Wright 17a

7	soil	7		
107	lime	114		start 11/14/22
150	shale	264		finish 11/15/22
26	lime	290		
62	shale	352		
32	lime	384		set 20' 7"
32	shale	416		ran 680' 2 7/8
24	lime	440		hurricane cemented to surface
7	shale	447		
6	lime	453		
97	shale	550		
2	lime	552		
67	shale	619		
4	sandy shale	623	odor	
7	bkn sand	630	good show	
3	oil sand	633	show	
6	oil sand	639	good show	
51	shale	690	td	



Custome	RJ En	ergy		Wett	Wright 17A, 16I	Ticket:	EP6628
City, State	ty, State: Garnett, KS		County:	LN, KS	Date:	11/16/2022	
Field Re			S-T-R:	18-22-22	Service:	Longstrings	
			- 1805 7 3				Andrew Armer (A. 1997)
Downhole	Informa	tion		Calculated Si	urry - Lead	<b>经保护的保护</b>	ated Slurry - Tail
Hole Size		i/8 in		Blend:	OWC 1/2# P\$	Blend:	
Hole Depti		91 ft		Weight:	14.99 ppg	Weight:	PP9
Casing Size asing Depti	200000000000000000000000000000000000000	/8 in		Water / Sx:	6,77 gal / sk 1,43 ft <sup>3</sup> / sk	Water / Sx: Yield:	gal / sk ft <sup>3</sup> / sk
ubing / Line		in		Yield:	bbs/ft.	Annular Bbls / Ft.:	bbs / ft.
Dept		ft		Depth:	n	Depth:	n
Fool / Packe				Annular Volume:	0,0 bbis	Annular Volume:	0 bbls
Tool Dept	n:	ft		Excess:		Excess:	
isplacemen	3.94/3	.96 bbls		Total Slurry:	bbls	Total Slurry:	0.0 bbls
		STAGE	TOTAL	Total Sacks:	0 sks	Total Sacks:	0 sks
TIME RAT	E PSI	BBLs	BBLs	REMARKS		The second was a second	
8:45 AM			•	on location, held safety	meeting		
300	200			Marie Control			Depart S
100 M			•	17A established circulation			
4.0					# Bentonite Gel followed by 4 bbis fr	esh water	
4.0					ks OWC cement with 1/2# PhenoSes		
4.0	1.22			flushed pump clean		3.34(%)	
1.0				pumped two 2 7/8" rubb	per plugs to casing TD with 3.94 bbls	fresh water	
1.0				pressured to 800 PSI, w	rell held pressure		
				released pressure to se	t float valve, shut in casing		
4.0				washed up equipment			
	_		<u> </u>	161			
4.0	-		-	established circulation	# D		
4.0	+	-			# Bentonite Gel followed by 4 bbis fr		
4.0	+	_	-	flushed pumped 79 s	sks OWC cement with 1/2# PhenoSea	ar per an, cement to surrace	
1.0	+	-	<u> </u>		per plugs to casing TD with 3.96 bbls	fresh water	
1.0			<del></del>	pressured to 800 PSI, w			
1.0					et float valve, shut in casing		
4.0	-		**E	washed up equipment	Section (Section Control of Contr		
10:30 AM				left location			
	-						
		EW.		100	THE PERSON NAMED IN	SUMMARY	
	S. Commence	EW		UNIT	Average Rate	Average Pressure	Total Fluid
Cement		asey Kenne lick Beets	uy	931	3.1 bpm	- psi	- bbls
Pump Operat Bu		evin Katzer		189	3.1 pp		
		eith Detwile	-	124		41	27

ftv: 15-2021/01/25 mplv: 339-2022/10/05