KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

OCATION OF WATER WELL						Original Reco	rd Correction	Change	e in Wel	l Use	
Latitude Longitude				Section	Township	Range	E W Fraction	1/4	1/4	1/4	
Datum	Elevation			County							
WATER WELL OWNER			WELL	WATER USI			NEAREST SOURCE OF POTENTIAL CONTAMINATION				
Name							Source:				
			COMP	LETION			Distance	Direction			
Business				LETION			from well:	from well	:		
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				Source description:				
			-	-	(2) ft.;		-				
Well location			(3) ft.; (4) dry well				Source: Distance Direction				
			Static water level in well: ft.				from well: from well:				
at owner's address			measured below land surface				Source description:				
CONSTRUCTION			m		ve land surface		No potential source within 100 feet.	ce of contamir	nation		
Borehole interval:	Borehole dia	meter:	on (mm/dd/yy):				PERMIT & ID NUMBERS (AS REQUIRED)				
fromto ft.		in.	Estim	ated yield:	gpm		FERMIT & ID NOMBE	NS (AS REQUI	NLD)		
fromto ft.		in.	Water level was: ft. after hours				DWR Application No.:				
Casing height above land sur	face:	in.			pumping	gpm	KDHE / EPA Project Code:				
If casing height is less tha			Pump	installed?	Yes No		Site Name:				
has a variance been appro		s No				KDHE UIC Class V Form Completed: Yes No					
*variance not required for			Water well disinfected? Yes No			County Permit: Yes No Permit ID:					
or environmental remed	iation wells		Date disinfected (mm/dd/yy):			Lease Name & Well #:					
Casing type:Blank casing interval:	ft to	ft	Aquif	er, if known	:		# of boreholes:	# of dewater	ing wells:		
Blank casing diameter:				LOGIC LOG							
Casing joints:			FRO		LITHOLOGY	NTERVALS					
Weight: lbs/			110	10	Limozodii	MILITALS					
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight:lbs/											
Wall thickness or gauge n											
Grout interval: ft. to											
Grout material:											
Grout interval: ft. to			COMM	IFNTS							
Grout material:				ILIVI 3							
Screen / perforation material:											
Screen / perforation opening	s:		CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	<u> </u>				
Screen / perforation intervals:			This	water well	was constructe	d reconstru	icted pursuant to	the stated wa	ater well		
Fromft. to			conti	ractor's lice	ense and was con	npleted on	I certify th	at this record	l is true t	ю	
Slot size unit _			the b	est of my l	knowledge and b	elief. This water	well record was comple	eted on			
From ft. to	ft.			-	_		1			_	
Slot size unit _							under the au			, ited	
Gravel pack intervals:								· ·	_		
Gravel pack not used:	Gravel size _	in	-			-	ed and certified by the	eiectronic sig	nature o	tne	
From ft. to	_ ft.				son at its submitt		·				
Gravel pack not used:	Gravel size	in	Send o	ne copy to V	VATER WELL OW	NER and retain on	e for your records. Fee of	\$5.00 for each o	constructe	d wel	

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record			
Doc ID	1682506			
Well Owner	Edison Operating			
Contractor	Rosencrantz-Bemis Ent., Inc.			

Grout

From	То	Grout Material
0	20	Bentonite
30	40	Bentonite
60	70	Bentonite

Form	WWC5.2 - Water Well Record			
Doc ID	1682506			
Well Owner	Edison Operating			
Contractor	Rosencrantz-Bemis Ent., Inc.			

Lithology

From	То	Lithology Intervals
0	21	clay,tan
21	29	sand & gravel,fine,small
29	45	clay,tan
45	54	sand & gravel,medium,to small
54	85	clay,tan
85	95	sand & gravel,medium,w/ clay
95	114	sand & gravel,medium,to small
114	115	clay,brown

Form	WWC5.2 - Water Well Record			
Doc ID	1682506			
Well Owner	Edison Operating			
Contractor	Rosencrantz-Bemis Ent., Inc.			

Screen and Gravel

From	То		Gravel Pack Used			Gravel Size
85	115		Yes	20	30	
			Yes	40	60	
			Yes	70	115	