KOLAR Document ID: 1683813

Confidentiality Requested:

Yes No

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from  North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR ☐ GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening       □ Re-perf.       □ Conv. to EOR       □ Conv. to SWD         □ Plug Back       □ Liner       □ Conv. to GSW       □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
☐ Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Ecodion of hald disposal in hadiod offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date  Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
☐ Wireline Log Received ☐ Drill Stem Tests Received				
Geologist Report / Mud Logs Received				
UIC Distribution				
ALT I II III Approved by: Date:				

KOLAR Document ID: 1683813

#### Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [	East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool rature, fluid recovery,  Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name	)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€  Y€	es No						
			Repo		RECORD [	Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[	Depth	Typo		# Sacks Use		EEZE RECORD	Typo a	ad Paraant Additivas	
Perforate			Type of Cement		# Sacks Oseu		Type and Percent Additives			
Plug Off Z										
Did you perform     Does the volum     Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
			le.	Flowing Pumping  S. Gas Mcf			Gas Lift Other (Explain)  Water Bbls.		Gas-Oil Ratio	Gravity
Estimated Production Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL:					N INTERVAL:					
☐ Vented ☐ Sold ☐ Used on Lease					Dually Comp. Commingled Submit ACO-5) (Submit ACO-4)		Тор	Bottom		
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (SUDI	nit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Bobcat Oilfield Service, Inc.
Well Name	NUTT EW-6
Doc ID	1683813

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	8.75	6	10	20	Portland	5	50/50 POZ
Production	5.625	2.875	8	710	Portland	104	50/50 POZ

Nutt	
Bobcat Oilfield	d Service LLC
3895	Ä
DALE JACKSON	PRODUCTION CO.
4339	\$ /H\ -\$A
Cemented:	Hole Size:
5 Sacks	8 ¾"
Cemented:	Hole Size:
104 Sacks	5 5/8
55 Portland	
49 Flyash	
	Bobcat Oilfield 3895  DALE JACKSON 4339  Cemented: 5 Sacks Cemented: 104 Sacks 55 Portland

### Dale Jackson Production Co. Box 266, Mound City, KS 66056 Cell # 620-363-2683 Office # 620-363-2696

SN: None

Plugged: None

	Well #: EW-6				
uction Co.	Location: SESENESW Sec13 Twp16 S. R.21				
y, KS 66056	County: Miami				
-2683	FSL:				
3-2696	FEL:				
	API#: 15-121-31761-00-00				
	Started: 11-21-2022				
	Completed: 11-22-2022				
Packer: None	TD: 716'				
Bottom Plug: None					

# Well Log

TKN	BTM Depth	Formation	TKN	BTM Depth	Formation
2	2	Topsoil	13	606	Shale (Limey)
7	9	Lime (Broken)	3	609	Lime
5	14	Black Shale	4	613	Coal
10	24	Lime	6	619	Shale (Limey)
8	32	Shale (Limey)	2	621	Lime (Odor)
17	49	Lime	10	631	Shale (Limey)
6	55	Shale	5	636	Lime
2	57	Red Bed	8	644	Shale (Limey)
8	65	Shale	2	646	Lime
5	70	Sand (Hard)	3	649	Black Shale
5	75	Sandy Shale	5	654	Lime
20	95	Lime	2	656	Black Shale
5	100	Shale (Limey)	2	658	Shale (Limey)
6	106	Sandy Shale	3	661	Light Shale (Limey)
5	111	Sand (Hard)	2	663	Sandy Shale (Oil Sand Stk) (Poor Bleed)
15	126	Sandy Shale	1	664	Oil Sand (Shaley) (Poor Bleed)
59	185	Shale	2	666	Oil Sand (Some Shale) (Good Bleed)
20	205	Lime	4	670	Oil Sand (Some Shale) (Fair Bleed) (Show of Water)
8	213	Shale (Limey)	2	672	Oil Sand (Shaley) (Fair Bleed)
8	221	Sandy Shale	4	676	Sandy Shale (Oil Sand Stk) (Poor Bleed)
16	237	Shale (Limey)	2	678	Sandy Shale (Oil Show)
8	245	Lime	TD	716	Shale
6	251	Black Shale			
9	260	Shale			
15	275	Sandy Shale			
5	280	Lime			
9	289	Shale (Limey)			
16	305	Shale			
24	329	Lime			
4	333	Black Shale			
5	338	Shale (Limey)			
22	360	Lime			
2	362	Black Shale			
15	377	Lime			
26	403	Shale (Limey)			
16	419	Sandy Shale			
116	535	Shale			
11	546	Shale (Limey)			
7	553	Lime			
6	559	Black Shale			
24	583	Shale (Limey)			
6	589	Lime			
4	593	Sandy Shale (Oil Sand Stk) (Poor Bleed)			
		, , , , , , , , , , , , , , , , , , , ,	<u> </u>		<u>L</u>



# Dale Jackson Production Co. Box 266, Mound City, KS 66056 Cell # 620-363-2683 Office # 620-363-2696

