KOLAR Document ID: 1683820

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No.:			
Name:			Spot Description:			
Address 1:				Sec Twp	S. R	_ East _ West
Address 2:				Feet from	North / So	uth Line of Section
City: S	State: Zip	:+		Feet from	East / We	est Line of Section
Contact Person:			Footages Calculat	ted from Nearest Outs	side Section Corr	ner:
Phone: ()			□NE	NW SE	\square sw	
CONTRACTOR: License #			GPS Location: La	at:	, Long:	
Name:				(e.g. xx.xxxxx)	¬	(e.gxxx.xxxxxx)
Wellsite Geologist:				027 NAD83		
Purchaser:						
Designate Type of Completion:			Lease Name:		Well	#:
New Well Re	e-Entry	Workover	Field Name:			
	SWD		Producing Format	tion:		
☐ Gas ☐ DH	☐ EOR		Elevation: Ground	nd:	Kelly Bushing:	
OG	GSW		Total Vertical Dept	th: Plu	g Back Total Dept	th:
CM (Coal Bed Methane)	_		Amount of Surface	e Pipe Set and Ceme	nted at:	Feet
Cathodic Other (Cor	re, Expl., etc.):		Multiple Stage Ce	ementing Collar Used?	? Yes No	0
If Workover/Re-entry: Old Well In	nfo as follows:		If yes, show depth	n set:		Feet
Operator:			If Alternate II comp	pletion, cement circul	ated from:	
Well Name:			feet depth to:	w	/	sx cmt.
Original Comp. Date:	Original To	tal Depth:				
☐ Deepening ☐ Re-perf. ☐ Plug Back ☐ Liner	Conv. to GS		Drilling Fluid Mai (Data must be collect	nagement Plan cted from the Reserve Pi	t)	
Commingled	Dormit #:		Chloride content:	ppm	Fluid volume:	bbls
Dual Completion			Dewatering metho	od used:		
SWD			Location of fluid di	lisposal if hauled offsi	te:	
☐ EOR				•		
☐ GSW						
Spud Date or Date Re	ached TD	Completion Date or	QuarterSe	ec Twp	S. R	_
Recompletion Date		Recompletion Date	County:	Perr	nit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II III Approved by: Date:					

KOLAR Document ID: 1683820

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used Type and Percent Additives				
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion		
Operator	Bobcat Oilfield Service, Inc.		
Well Name	NUTT GW-4		
Doc ID	1683820		

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	8.75	6	10	20	Portland	5	50/50 POZ
Production	5.625	2.875	8	710	Portland	103	50/50 POZ

Lease:	Nutt	
Owner:	Bobcat Oilfiel	d Service LLC
OPR #:	3895	IV A
Contractor:	DALE JACKSO	N PRODUCTION CO.
OPR #:	4339	\$ /H\
Surface:	Cemented:	Hole Size:
20' of 6"	5 Sacks	8 ¾"
Longstring:	Cemented:	Hole Size:
710'	103 Sacks	5 5/8
2 7/8 8rd	54 Portland	
	49 Flyash	

Dale Jackson Production Co. Box 266, Mound City, KS 66056 Cell # 620-363-2683 Office # 620-363-2696

	Well #: GW-4						
2	Location: SENENESW Sec13 Twp16 S. R.21						
1	County: Miami						
◂	FSL:						
	FEL:						
	API#: 15-121-31770-00-00						
	Started: 11-29-2022						
	Completed: 11-30-2022						
	TD: 721'						

SN: None Packer: None

Plugged: None Bottom Plug: None

Well Log

TKN	втм	Formation	TKN	втм	Formation
11(14	Depth	Tomation	1100	Depth	Tomason
2	2	Top Soil	2	600	Black Shale
8	10	Clay	19	619	Shale (Limey)
5	15	Lime (Broken) (10-13)	7	626	Lime
9	24	Sandy Shale	5	631	Shale (Limey)
20	44	Lime (Making Water)	1	632	Lime
2	46	Shale	3	635	Black Shale
4	50	Red Bed	5	640	Shale (Limey)
17	67	Shale	1	641	Lime
21	88	Lime	5	646	Light Shale
5	93	Shale	2	648	Light Sandy Shale (Oil Sand Stk) (Poor Bleed)
27	120	Sandy Shale	1	649	Oil Sand (Shaley) (Poor Bleed)
56	176	Shale	2	651	Oil Sand (Limey) (Poor Bleed)
21	197	Lime	1	652	Oil Sand (Some Lime) (Poor Bleed)
6	203	Shale	3	655	Oil Sand (Some Shale) (Good Bleed)
3	206	Sandy Shale	3	658	Oil Sand (Some Shale) (Poor Bleed)
10	216	Sand	3	661	Oil Sand (Some Shale) (Fair Bleed)
4	220	Sandy Shale	3	664	Sandy Shale (Oil Sand Stk) (Poor Bleed)
9	229	Shale (Limey)	16	680	Sandy Shale
10	239	Lime	37	717	Shale
5	244	Shale (Limey)	TD	721	Sandy Shale
8	252	Shale			
14	266	Sandy Shale (Limey)			
6	272	Lime			Squeezed (60 Gal) of Cement Do to Flow 24'-44'
8	280	Shale (Limey)			
15	295	Shale			
25	320	Lime			
3	323	Black Shale			
8	331	Shale (Limey)			
19	350	Lime			
5	355	Black Shale			
19	374	Lime			
16	390	Shale (Limey)			
20	410	Sandy Shale			
100	510	Shale			
26	536	Light Shale (Limey)			
5	541	Lime			
10	551	Shale (Limey)			
14	565	Shale			
8	573	Black Shale			
6	579	Lime		1	
2	581	Oil Sand (Shaley) (Some Lime) (Fair Bleed)			
13	594	Shale (Limey)			
4	598	Lime			
26 5 10 14 8 6 2 13	536 541 551 565 573 579 581 594	Light Shale (Limey) Lime Shale (Limey) Shale Black Shale Lime Oil Sand (Shaley) (Some Lime) (Fair Bleed) Shale (Limey)			



Dale Jackson Production Co. Box 266, Mound City, KS 66056 Cell # 620-363-2683 Office # 620-363-2696

