KOLAR Document ID: 1693951

For KCC Use:
Effective Date:
District #
SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1
Oct 2016
Form must be Typed
Form must be Signed
All blanks must be Filled

# CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1. Certification of Compliance with the Kansas Surface Owner Notification Act. MUST be submitted with this form.

	Spot Description:
Expected Spud Date:	
ODED ITOD 11	feet from N / S Line of Section
OPERATOR: License#	feet from E / W Line of Section
	Is SECTION: Regular Irregular?
Address 1: Address 2:	(Check directions from nearest outside corner boundries)
City: State: Zip: +	
Contact Person:	County:
Phone:	Facility Name:
	Borehole Number:
CONTRACTOR: License#	Cathodic Borehole Total Depth:
Name: Cobbs	Depth to Bedrock:
Type Drilling Equipment:	Water Information
☐ Air Rotary ☐ Other  Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set:	Depth to bottom of usable water:
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	
;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;;;;;	Annular space between borehole and casing will be grouted with:
•	Concrete Neat Cement Bentonite Cement Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
	Depth of TOP of Backfill installation material:
AFFIDAVIT	
	Borehole will be Pre-Plugged?   Yes   No
	Borehole will be Pre-Plugged? Yes No
f this well will comply with K.S.A. 55-101 et. seq.	Borehole will be Pre-Plugged?
of this well will comply with K.S.A. 55-101 et. seq.  t is agreed that the following minimum requirements will be met:	well. An agreement between the operator and the District Office on plugs
if this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.	well. An agreement between the operator and the District Office on plugs
of this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.	well. An agreement between the operator and the District Office on plugs r to any grouting.
of this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by	well. An agreement between the operator and the District Office on plugs r to any grouting.  grouting to the top when the cathodic surface casing is set.
of this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  I. Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  I. Notify appropriate District Office 48 hours prior to workover or re-entry.  I. A copy of the approved notice of intent to drill shall be posted on each drilling rig.  I. The minimum amount of cathodic surface casing as specified below shall be set by	well. An agreement between the operator and the District Office on plugs r to any grouting.  grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
<ol> <li>Notify appropriate District Office 48 hours prior to workover or re-entry.</li> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig.</li> <li>The minimum amount of cathodic surface casing as specified below shall be set by</li> <li>File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp.</li> </ol>	well. An agreement between the operator and the District Office on plugs r to any grouting.  grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
of this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  2. Notify appropriate District Office 48 hours prior to workover or re-entry.  3. A copy of the approved notice of intent to drill shall be posted on each drilling rig.  4. The minimum amount of cathodic surface casing as specified below shall be set by file all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp.	well. An agreement between the operator and the District Office on plugs r to any grouting.  grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
of this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically	well. An agreement between the operator and the District Office on plugs r to any grouting.  grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
of this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	well. An agreement between the operator and the District Office on plugs r to any grouting.  grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
of this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically	well. An agreement between the operator and the District Office on plugs r to any grouting.  grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification action Form (ACO-1) within 60 days from spud date.
if this well will comply with K.S.A. 55-101 et. seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY	well. An agreement between the operator and the District Office on plugs r to any grouting.  grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
if this well will comply with K.S.A. 55-101 et. seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -	well. An agreement between the operator and the District Office on plugs r to any grouting.  grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification action Form (ACO-1) within 60 days from spud date.
of this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15	well. An agreement between the operator and the District Office on plugs r to any grouting.  grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
If this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	well. An agreement between the operator and the District Office on plugs r to any grouting.  grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification action Form (ACO-1) within 60 days from spud date.
of this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met:  It is agreed that the following minimum requirements will be met.  It is agreed that the following minimum requirements will be met.  It is agreed that the following minimum requirements will be and again before pluging the and plugging the a	well. An agreement between the operator and the District Office on plugs r to any grouting.  grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification action Form (ACO-1) within 60 days from spud date.
of this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  I. Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  I. Notify appropriate District Office 48 hours prior to workover or re-entry.  I. A copy of the approved notice of intent to drill shall be posted on each drilling rig.  I. The minimum amount of cathodic surface casing as specified below shall be set by file all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	well. An agreement between the operator and the District Office on plugs r to any grouting.  grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification action Form (ACO-1) within 60 days from spud date.

1980' FSL

Location of Well: County:

SEWARD CO. 3390' FEL

Sida	TWO

For KCC Use ONLY	
API # 15	

Operator: \_\_\_

#### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Facility Name:	feet from N / S Line of Section
Borehole Number:	feet from E / W Line of Section
	Sec Twp S. R 🗌 E 🔲 W
	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
PLA	л
Show location of the Cathodic Borehole. Show footage to the near	rest lease or unit boundary line. Show the predicted locations of
lease roads, tank batteries, pipelines and electrical lines, as requi	red by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a sepa	arate plat if desired.
	1265 ft.
	LEGEND
	O Well Location
	Tank Battery Location
	: II
	Pipeline Location
	Electric Line Location
	Lease Road Location
	'
	<u>:</u>
	EXAMPLE : :
13	

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1693951

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):	
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date core  Pit capacity:	Existing nstructed: (bbls)	SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
material, thickness and installation procedure.		illei littegrity, il	acluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	ıl utilized in drilling/workover:
Number of producing wells on lease:		Number of world	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.
Submitted Electronically			
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Perm	it Date: Lease Inspection:

KOLAR Document ID: 1693951

### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R East	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description the lease below:	
Contact Person:		
Phone: ( ) Fax: ( )		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an addition	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
provided the following to the surface owner(s) of the land up Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing	Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the g in connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address.	
the KCC will be required to send this information to the surface	acknowledge that, because I have not provided this information, owner(s). To mitigate the additional cost of the KCC performing ress of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		




# **DURAMMO® DRAWING**

**DURAMMO INFORMATION** 

CABLE SIZE:

CURRENT RATING:



Energy Transfer


Location Name: Columbian

Section 13-27S-36W

1265 ft from north line,

135 ft from east line

1"=1,320ft



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Dwight D. Keen, Commissioner Andrew J. French, Commissioner

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.