For KCC Use:
Effective Date:
District #
SGA2 TVos TNo

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

	Onest Descriptions
Expected Spud Date: month day year	Spot Description:         Sec.         Twp.         S. R TE W
	Sec Twp S. R E W
DPERATOR: License#	feet from E / W Line of Section
ddrees 1:	Is SECTION: Regular Irregular?
ddress 1:ddress 2:	
State:	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
Ottor.	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
- · · g······ - · · · · · · · · · · · ·	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
Sottom Hole Location:	(Note: Apply for Permit with DWR )
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFI	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	
is agreed that the following minimum requirements will be met:	999
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> </ol>	drilling rig:
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding or well,</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i></li> </ol>	<b>0</b> 0.
2. A copy of the approved notice of intent to drill shall be posted on each	by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  crict office on plug length and placement is necessary <b>prior to plugging</b> ;
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  The control of the control
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  Trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  Trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  Trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  Trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  Trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  Trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  Trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Inicit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be considered.  **The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plugge.  **The appropriate district office will be notified before well is either plugge.  **The appropriate district plugge.	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Inicit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Inicit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be consistent with the spud date or the well shall be conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed Electronically  For KCC Use ONLY  API # 15	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  crict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:

Side Two

For KCC Use ONLY
API # 15

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operato	or:					_ Loc	cation of W	Vell: Cou	nty:		
Lease: _									feet from N / S Line of Section	n	
Well Nur	mber:								feet from E / W Line of Sectio	n	
Field:						Se	SecTwpS. R 🗌 E 🗍 W				
	of Acres attril					15 (	Section:	Regu	ular or Irregular		
QTR/QT	TR/QTR/QTR	or acreage:									
								_	r, locate well from nearest corner boundary.		
						Sec	ction corne	er used:	NE NW SE SW		
						PLAT					
	Sh	ow location	of the well S	Show footage	to the neare		unit hound	dary line	Show the predicted locations of		
				•				-	ce Owner Notice Act (House Bill 2032).		
		,	,   .		may attach		plat if desi	ired.	,		
							1529	9 ft.			
			:		:	:	:				
			:		:		:		LEGEND		
		•							O W. II:		
			:				:		O Well Location		
	:		:		:	:	:		Tank Battery Location Pipeline Location		
			• • • • • • • • • • • • • • • • • • • •	•••••			. ]	110	·		
							· •	413	Lease Road Location		
	:	:	:		:	:	:		Lease Road Location		
		:	:		:	:	:				
			:						EXAMPLE : :		
	:	:	<u> </u>		:	:	<u>:</u>				
				16			•		:		
	:	:	:		:		:		: : :		
		:				:					
							: :				
	:								: : : : : : : : : : : : : : : : : : :	í	
		:	:		:	:	•		1980 F3	-	
							•				
		•	•						1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 :		

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Pit capacity:		(111)	Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No			How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:			
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit?    Yes    No		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	KCC	OFFICE USE OF	NLY  Liner Steel Pit RFAC RFAS		
Date Received: Permit Numl	ber:	Permi			

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R 🗌 East 🗌 West				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip: +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City:					
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:   I certify that, pursuant to the Kansas Surface Owner Notice provided the following to the surface owner(s) of the land upon	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat of the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the gin connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address.				
the KCC will be required to send this information to the surface this task, I acknowledge that I must provide the name and addr and that I am being charged a \$30.00 handling fee, payable to the surface of the surface	acknowledge that, because I have not provided this information, owner(s). To mitigate the additional cost of the KCC performing tess of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.  The with this form. If the fee is not received with this form, the KSONA-1				
form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1					
Submitted Electronically					

EDISON OPERATING COMPANY, LLC DORAN LEASE NE. 1/4. SECTION 16. T24S. R14W STAFFORD COUNTY. KANSAS



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.


February 14, 2023

section of time containing and occess.

\*Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Bilfield Services. Inc., its officers and employees harmless from all losses, costs and expenses and said entities released from any liability from inclidental or consequential damages

\*Elevations derived from National Geodetic Vertical Datum.

EDISON OPERATING COMPANY, LLC DORAN #3-16 SEC. 16-24S-14W STAFFORD COUNTY, KS



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Dwight D. Keen, Commissioner Andrew J. French, Commissioner

March 02, 2023

DAVID WITHROW Edison Operating Company LLC 8100 E. 22ND ST. N., BLDG 1900 WICHITA, KS 67226-2319

Re: Drilling Pit Application DORAN 3-16 NE/4 Sec.16-24S-14W Stafford County, Kansas

#### Dear DAVID WITHROW:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.