WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

VATER WELL REC	ORD (W	WC-5)				KOLAR [OOC ID		WELL ID_		
OCATION OF WATER WEL	L					Original Reco	rd Coi	rrection	Chang	ge in We	ll Use
Latitude	Longitude			Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County							
ATER WELL OWNER			WELL	WATER USI	E		NEAREST S	OURCE OF F	POTENTIAL	CONTAMI	OITAN
Name							Source:				
Business			COMP	LETION			Distance		Directio	nn	
					ted well:	ft.	from well:	:	_ from we	ell:	
Address			-	-	water encountered:		Source descriptio	n:			
			-	•	(2) ft.;						
Well location					(4) dry well					n.	
			-			<u> </u>	from well:	:	_ from we	ell:	
at owner's address			m		in well: f ow land surface v):	ι.	Source descriptio	n:			
ONSTRUCTION Borehole interval:	Borehole dia	meter·	m	•	ve land surface			tential sourc 100 feet.	e of contam	ination	
fromto ft.		in.					PERMIT &	ID NUMBER	S (AS REQU	IRED)	
fromtoft.					gpm ft. after	hours	DWR Apr	plication No.			
			water		pumping			EPA Project (
Casing height above land su		in.	Pumr		Yes No	gpiii	I	e:			
If casing height is less th has a variance been appropriate the control of the control of the case of		s No	Tump	instanca.	103 110		I				No
*variance not required for monitoring			Water well disinfected? Yes No				KDHE UIC Class V Form Completed: Yes N County Permit: Yes No Permit ID:				
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:				
Casing type:	· ·		Aquif	er, if known			I	oles:			
Blank casing interval:		ft.									
Blank casing diameter:				LOGIC LOG		NTERVALE					
Casing joints:lbs			FROI	м то	LITHOLOGY	NIERVALS					
Wall thickness or gauge											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
· —	s/ft.										
Wall thickness or gauge											
Grout interval: ft. to											
Grout material:it. to											
Grout interval: ft. to											
Grout material:			COMM	IENTS							
Grout material.											
Screen / perforation material	l:										
Screen / perforation opening			CONTI	RACTOR'S	OR LANDOWNERS	S CERTIFICATION					
Screen / perforation intervals					was constructed			oursuant to	the stated v	water well	1
Fromft. to					ense and was com		•				
Slot size unit _					knowledge and be	_		-			
Fromft. to				-	_			_			
Slot size unit					ness name of						
Gravel pack intervals:					Well Contractor's				•	_	
Gravel pack not used:	Gravel size _	in	-		ed in K.A.R. 28-3		d and certifi	ied by the e	lectronic si	gnature o	of the
From ft. to			desig	nated pers	son at its submitte	al:		<u> </u>			
Gravel pack not used:		.	Send o	ne copy to V	VATER WELL OW	NER and retain on	e for your reco	ords. Fee of \$	5.00 for each	construct	ed wel

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record	
Doc ID	1664468	
Well Owner	Alan Sullins	
Contractor	Nash Water Well Service, LLC	

Lithology

From	То	Lithology Intervals
17	26	clay,Tan white clay with Fine Medium Sand
26	50	clay,tan with Fine Sand
50	60	sand,fine to coarse,With Tan Clay Streaks
60	80	clay,Brown with Fine Sand
80	110	sand,fine to medium,with Brown Clay
110	130	sand,fine to coarse,With small to mediumm gravel
130	180	clay,Tan Gray Brown Clay with fine medium sand
180	220	sand,fine to medium,Fine Medium Sand
220	240	clay,Brown Tan Clay
240	270	sand,fine to coarse,with streaks of gravel & tan brown clay
270	360	sand,fine to medium,with Tan Blue Clay
360	380	sand,fine to medium
380	405	sand,fine to coarse,small medium gravel
405	413	clay,Tan Brown Clay
420	440	other,unknown,Blue Clay with Tan Sandstone 15%
440	460	other,unknown,Blue Clay, Gray Sandstone 20%

Form	WWC5.2 - Water Well Record
Doc ID	1664468
Well Owner	Alan Sullins
Contractor	Nash Water Well Service, LLC

Lithology

From	То	Lithology Intervals
460		sandstone,unknown,Gray Tight 95%
500		sandstone,unknown,Gray with thin Tan Clay streaks soapstone 90%
545	555	shale,unknown,Red