KOLAR Document ID: 1641755

For KCC Use:		
Effective Date:		
District #		
SGA?	Yes No	

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

OPERATOR: License# Sec. Twp S. R Address 1: Sec. Twp S	Expected Spud Date:	month day yea	Spot Description:
Is SECTION: Regular Irregular? Interest Inte	DPERATOR: License#	,	Sec Twp S. R E E S. R S. Line of Sect
County: State Zip: + County: County: Lease Name: Well #: Field Name: Lease Name: Well #: Field Name: Is this a Prorated / Spaced Field? Yes Target Formation(s): Name Target Formati	lame:		
County:	Address 1:		Is SECTION: Regular Irregular?
County Ontact Person: hone: County County County			(Note. Locate well on the Section Flat on reverse side)
Contractors: License#	•	·	County:
Section Sect			Lease Name: vveil #: vveil #:
### Target Formation(s): ### Mearest Lease or unit boundary line (in footage): ### Ground Surface Elevation: ### Water Surface Plool Ext. Air Rotary Water well within one-quarter mile: Yes Yes Other Other: ### Other Other: ### Other Other: ### Other Other: ### Surface Pipe Planned to be set: Depth to bottom of tresh water: Depth to bottom of usable water water. Depth to bottom of to bottom of usable water water. Depth to bottom of to bottom of usable water water. Depth to bottom of to	none.		Field Name:
Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary line (in footage): Seismic : Infield Mud Rotary Water well within one-quarter mile: Yet Yet Seismic : # of Holes Other			Is this a Prorated / Spaced Field?
Oil Enh Rec	ame:		Target Formation(s):
Gals Storage Pool Ext. Air Yotary Water well within one-quarter mile: Yet Yet Gals Gals Storage Pool Ext. Air Yotary Public water supply well within one mile: Yet Yet Water well within one-quarter mile: Yet Yet Gals Wildcat Gable Pool Ext. Air Yotary Water well within one-quarter mile: Yet Yet Water Yet	Well Drilled For:	Well Class: Type Equipme	71G
Gas Slorage Pool Ext. Air Rotary Public water supply well within one mile: Yes Depth to bottom of fresh water: Depth to bottom of susable water: Depth to bottom of usable water to bottom of the poper to plugging; Depth to bottom of t	Oil Enh Re	ec Infield Mud Rot	Ground Surface Elevation:feet M
Depth to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of usable water: Depth service of the property of the period	Gas Storage		Water well within one-quarter mile:
Depth to bottom of usable water: Depth to bottom of usable water: Surface Pipe by Alternate: I I I Length of Surface Pipe by Alternate: I I I Length of Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: DWR Permit #: Will Cores be taken? Notify the paper of the properties district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; A repropriate district office of intent to drill shall be posted on each drilling rig; The appropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be noti	Dispos	al Wildcat Cable	
Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Promet to the spet: Length of Conductor Pipe (if any): Projected Total Depth: Prometion at Total Depth: Prometion at Total Depth: Prometion at Total Depth: Prometion at Total Depth: Water Source for Drilling Operations: Water Source of Drilling Operations: Water Source of Drilling Operations: Water Source Source Water Source Promote Source Water Sou	Seismic ; # of	Holes Other	Depth to bottom of fresh water:
Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Formation at Total Depth: Solution Hole Location: CC DKT #: No Will Cores be taken? If Yes, proposed zone: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approval notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:* - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill;	Other:		Depth to bottom of usable water:
Operator: Well Name: Original Completion Date: Original Total Depth: Identitional, Deviated or Horizontal wellbore? Ves, true vertical depth: OCD EXT #: Water Source for Drilling Operations: Water Source for Drilling Ope	It OMMO, ald wall in	oformation on follows:	
Well Name: Original Completion Date: Original Total Depth: Incettional, Deviated or Horizontal wellbore? Yes No Yes, true vertical depth: Interestional Depth: Interestional, Deviated or Horizontal wellbore? Yes Interestional Depth: Interestional Total Depth: Interestional Depth: Interestional Depth: Interestional Depth: Interestional Total Depth: Interestional	If OvvvvO: old well in	normation as follows:	Length of Surface Pipe Planned to be set:
Original Completion Date:Original Total Depth:	Operator:		
Water Source for Drilling Operations: Water Source for Drill operations: Water Source for Drill operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Date Form Accentually Operations: Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cares be taken? Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cares be taken? Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cares be taken? If Yes, proposed zone: Water Source for Drill Will Dwater Drill with Dwater Drill operations: (Note: Apply for Permit with DWR) Will Cares be taken? (Note: Apply for Permit with DWR) Will Cares be taken? (Note: Apply for Permit with Dwater Drill op			
rectional, Deviated or Horizontal wellbore? Yes, true vertical depth: DWR Permit #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Sagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:* - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date: - File Completion Form ACO-1 within 120 days of spud date:	Original Completion Date	e: Original Total Depth: _	
DWR Permit #: DWR Permit #: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone:			
ottom Hole Location: CC DKT #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Completion Form ACD-1 within 120 days of spud date: - File Completion Form ACD-1 within 120 days of spud date: - File Completion Form ACD-1 within 120 days of spud date:			
AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Act (KSONA-1) with Intent to Drill; File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:			DWK Femili #
If Yes, proposed zone: AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:			(Note: Apply for Fernit With DVIN
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Cill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of soud date:			Will Cores be taken?
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Certification (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:			
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. 	he undersigned hereby a	ffirms that the drilling, completion and	eventual plugging of this well will comply with K.S.A. 55 et. seq.
 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. District Office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date: 	is agreed that the following	ng minimum requirements will be met	
Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of soud date:	 A copy of the approvations. The minimum amount through all unconsol If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appe 	wed notice of intent to drill shall be po nt of surface pipe as specified below a lidated materials plus a minimum of 20 e, an agreement between the operator crict office will be notified before well is COMPLETION, production pipe shall endix "B" - Eastern Kansas surface case	sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Inis authorization expires:	ıbmitted Electron	ically	Remember to:
(This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water.	API # 15 Conductor pipe required Minimum surface pipe requ Approved by:	feetfeet per ALT.	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
	API # 15 Conductor pipe required Minimum surface pipe requ Approved by: This authorization expires:	feet uiredfeet per ALT.	Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
Spud date: Agent: please check the box below and return to the address below.	API # 15 Conductor pipe required Minimum surface pipe requ Approved by: This authorization expires:	feet uiredfeet per ALT.	Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use ONLY
API # 15

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



2970 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1641755

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit Proposed		Existing	SecTwp R	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Dit conceity:		Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		County	
Is the pit located in a Sensitive Ground Water A	urea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes N	No		
	Length (fee	•		
Depth from ground level to deepest point: (feet) No Pit If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining				
material, thickness and installation procedure. liner integrity, including any special monitoring.				
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet.	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of materia	ll utilized in drilling/workover:	
Number of producing wells on lease:		Number of work	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY				
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No	

KOLAR Document ID: 1641755

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R 🔲 East 🗌 West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
lame: When filing a Form T-1 involving multiple surface owners, attach an			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	country and in the real estate property toy records of the country traceurer		
City: State: Zip:+			
provided the following to the surface owner(s) of the land upon Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the in connection with this form; 2) if the form being filed is a Form		
the KCC will be required to send this information to the surface	acknowledge that, because I have not provided this information, owner(s). To mitigate the additional cost of the KCC performing		
and that I am being charged a \$30.00 handling fee, payable to the	ess of the surface owner by filling out the top section of this form he KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1			
Submitted Electronically			




BOX 8604 - PRATT, KS 67124 (620) 672-6491

OIL FIELD SURVEYORS

43222 INVOICE NO.

VAL ENERGY INC OPERATOR	GOTTLOB V 1-36 OWWO
COWLEY CO KS 36 33s 5e	SE SE NE
VAL ENERGY INC 125 N. Market St. S Wichita, KS 67202	ELEVATION: 1282 GR

AUTHORIZED BY. Todd Allam	
	SCALE: 1° = 1000' 232nd Rd.
Technical services to assis in locating old bore hole.	t
Set 5' T-post & 3' wood sta at point of highest meter reading. GPS Coordinates: 37.13616 96.82535 NAD83	St. Rd.
	DATE STAKED: 4/4/22



VAL ENERGY, INC.

125 N. Market, Suite 1110 Wichita, Kansas 67202

Office: (316) 263-6688 Fax: (316) 262-2512

May 2, 2022

Kansas Corporation Commission 266 N. Main St. Ste #220 Wichita, KS 67202-1513 Spier #1

Now being named Gottlob V1-36 OWWO

SE SE NE Sec 36-33S-5E

Cowley County, Kansas

To Whom it may concern,

VAL Energy Inc. requests an Exemption to the Surface Pipe, Table 1 requirement of 200ft., for the above captioned well. This well was originally drilled by Frank Wood who set 8-5/8" casing at 75 ft. We would like to deepen this well and run 5-1/2" casing to TD and will 2 stage this well and circulate the cement from 300' to surface.

Sincerely,

Dustin Wyer

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner

May 10, 2022

Val Energy, Inc. 125 N Market St., Ste 1110 Wichita, KS 67202-1728

RE: Surface Casing Exception
Gottlob V1-36 OWWO, Sec. 36-T33S-R5E

Cowley County, Kansas

Dear Mr. Wyer:

The Kansas Corporation Commission (KCC) has received your request for an exception to the Table 1 minimum surface pipe requirement of 200 feet for the proposed washdown of this well. From your request, the KCC understands that Val Energy, Inc. is requesting to utilize the existing 75 feet of surface casing, and cement in 5.5 inch casing from a depth of at least 250 feet to surface.

After review of this matter by technical staff it was determined that:

- 1. Bedrock at this location is the Permian Chase Group and is located at or near surface.
- 2. There are no water wells of record within one mile of the proposed location.

Based on this information, an exception is granted for the Table 1 Minimum Surface Casing Requirements with the following stipulations:

- 1. The KCC District #2 office must be notified prior to spudding the well.
- Upon reaching total depth of the well, the production or long string casing nearest the formation
 wall shall be immediately cemented from a depth of at least 250 feet back to surface using all
 common cement.
- 3. The KCC District #2 office must be notified one day before cementing the production casing so staff can be onsite to witness the cementing <u>from at least 250' to surface</u>. Cementing must be witnessed during business hours of 8am to 5pm, Monday through Friday.
- 4. In the event the well is dry, plugging will be performed according to KCC rules and KCC District #2 requirements.

Sincerely,

Ryan A. Hoffman

Director

cc: Jeff Klock - Dist. #2 Supervisor ✓ (via e-mail 5/09/2022)

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner

May 16, 2022

Dustin Wyer Val Energy, Inc. 125 N MARKET ST STE 1110 WICHITA, KS 67202-1728

Re: Drilling Pit Application Gottlob V1-36 OWWO NE/4 Sec.36-33S-05E Cowley County, Kansas

Dear Dustin Wyer:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 337-7400 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 337-7400.