## KOLAR Document ID: 1643704

Confident	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM

WELL	HISTORY	- DESCRIP	WEII &	IFASE
	INSIONI		$\mathbf{W} \mathbf{L} \mathbf{L} \mathbf{L} \boldsymbol{\alpha}$	LLASL

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	Sec TwpS. R East West
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
·	If Alternate II completion, cement circulated from:
Operator:	
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion     Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or         Date Reached TD         Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

#### KOLAR Document ID: 1643704

Operator Nam	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c		] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Depth Perforate		Туре	Type of Cement # Sacks		d	Type and Percent Additives			
Protect Casing Plug Back TD Plug Off Zone									
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the</li> <li>Was the hydraulic fracture</li> </ol>	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold Used on Lease (If vented, Submit ACO-18.)			Open Hole Perf.		-	·	mingled	юр	
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	TDR Construction, Inc.
Well Name	WISEMAN 17
Doc ID	1643704

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	U U	-	Type Of Cement		Type and Percent Additives
Surface	9	6.25	12	21	Portland	4	50/50 POZ
Production	5.625	2.875	6.5	914	Portland	100	50/50 POZ



CEMEN	T TRE	ATMEN	IT REP	ORT			· ·	-			
Cu	stamer	TDR Co	onstruct	ion	Well		- Wiseman '	17, 18 -	 Ticke	1:	EP4227
City	, State:	Louisb	urg, KS		County		FR, KS		Date	2	3/29/2022
Fic	ld Rep	Lance	Lance Town Street				30-15-2		Service		Longstrings
Dov	vuluaie	Informati	ion	[							
	le Size:				Galculated						Sturry • Tall
		940/920			Blond Weight		onobond 61 ppg		Blen. Weight		
	g Size:				Water / Sx:		12 gal/sx		Water / S		ppg gal/sx
Casing	Depth:	914/912	ft		Yield		56 ft <sup>3</sup> /sx		Yield		ft <sup>2</sup> /sx
Tubing.	/Liner:		In		Annular Bbls / Ft.:		bbs / ft.		Annular Bibls / Ft		bbs / ft.
	Depth:		ft		Depth:		ft		Depti	:	ft
1001/F			fila		Annular Volume:	0	.0 bbis		Annular Volume	:	0 bbls
		883/879			Excess:				Lacoso	:	
Displace	ement:	5.11/5.01			Total Slurry:		bbis		Total Slurry		0.0 bbis
TIME	RATE	PSI	STAGE BBLs	TOTAL BBLs	Total Sacks: REMARKS		0 sx		Total Sacks	:	0 sx
3:30 PM		- 31	11145		on location, held safe	tu meeting					
0.0011					on location, neid sale	ty meeting					
				-	#17					·	
	4.0				established circulatio	n		,			<b>.</b> .
	4.0			•	mixed and pumped 20	0# Bentoni	te Gel followed by 4	bbis fre	sh water		
	4.0			-	mixed and pumped 10	0 sks Econ	onobond cement, cement to surface				
	4.0			·····	flushed pump clean						
	1.0			•	pumped 2 7/8" rubber	plug to bai	fle at 882.6' with 5.1	1 bbis fre	esh water		
	1.0		f		pressured to 800 PSI,	well held p	ressure				
		·		-	released pressure to s	et float val	ve				
	4.0			-	washed up equipment						
							· · · · · ·				,
					· · · · · · · · · · · · · · · · · · ·						
					#18				·		· · · · · · · · · · · · · · · · · · ·
	4.0				established circulation	1					, <u>, , –</u>
	4.0				mixed and pumped 200	# Bentonit	e Gel followed by 4	bbls fres	h water		· · · · · · · · · · · · · · · · · · ·
	4.0				mixed and pumped 97	ske Econol	bond cement, cemer	t to surfa	ace		
	4.0				flushed pump clean						
	1.0				pumped 2 7/8" rubber p	olug to baff	le at 879' with 6.09 I	bis fresi	n water		-= ·· · · · · ·· ·
	1.0				pressured to 800 PSI, v			·			
					released pressure to se	et float valv	/0		······································		
<del> </del> '	4.0				washed up equipment						
5:00 PM					left location						
vo rm					rest Incertol)						
		CREW			UNIT				SUMMAR	Y	
Cent	enter:		Kennedy		89		Average Rat	e	Average Pressure		al Fluid
նութ Ծրշ		Nick E			239		3.1 bpm		- psi		bbis
	Liutk:	Scott	McCrea		193						
	H2O:	Keith	Detwiler		110						

ftv: 15-2021/01/25 mplv: 260-2022/03/30 Well:Wiseman #17 Lease Owner: TDR

## Franklin County, KS **TDR Construction, Inc.** Commenced Spudding: (913) 710-5400

#### WELL LOG

Thickness of Strata	Formation	Total Depth
0-1	Soil-Clay	1
2	Lime	3
7	Sand Shale	10
21	Sandy Shale	31
145	Shale	176
25	Lime	201
5	Shale	206
11	Lime	217
6	Shale	223
21	Lime	244
21	Shale	265
9	Sand	274
18	Lime	292
14	Sandy Shale	306
67	Shale	373
26	Lime	399
9	Shale	408
7	Lime	415
25	Shale	440
4	Lime	444
17	Shale	461
2	Lime	463
13	Shale	476
24	Lime	500
9	S	509
23	Lime	532
3	Shale	535
3	Lime	538
4	Shale	542
7	Lime	549
4	Shale	553
1	Lime	554
5	Sand	559
8	Sandy Shale	567
108	Shale	675
12	Sand	687
50	Shale	737
8	Lime	745
5	Shale	750
7	Lime	762

Well:Wiseman #17 Lease Owner: TDR

### Franklin County, KSTDR Construction, Inc.Commenced Spudding: (913) 710-5400

12	Shale	774
3	Lime	777
5	Shale	782
13	Lime	795
16	Shale	811
8	Lime	819
6	Shale	825
3	Sand	828
7	Sand	835
8	Sand	843
2	Sand	845
8	Sand	853
11	Sand	864
6	Sandy Shale	870
70	Sandy Shale	
10		940-TD
	·	
	· · · · · · · · · · · · · · · · · · ·	
		· · · ·
		· · · · ·
		· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·	
	·····	