KOLAR Document ID: 1643710

Confidentiality Requested:

Yes No

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
□ Oil □ WSW □ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Committed at Provider	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:  Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposal if fladied offsite.
GSW Permit #:	Operator Name:
<u> </u>	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II Approved by: Date:					

KOLAR Document ID: 1643710

#### Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
<ol> <li>Did you perform a</li> <li>Does the volume o</li> <li>Was the hydraulic</li> </ol>	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (	,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze  I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion
Operator	TDR Construction, Inc.
Well Name	WISEMAN 18
Doc ID	1643710

### Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9	6.25	12	22	Portland	3	50/50 POZ
Production	5.625	2.875	6.5	912	Portland	97	50/50 POZ



CEMENT	TRE	ATMENT R	EPORT	-				
Cus	tomer:	TDR Constr	uction	Well:	Wiseman 1	7, 18 Ticko	EP4227	
City,	State:	Louisburg, I	irg, KS County:		FR, KS	Dat	3/29/2022	
Fiel	d Rep:	tep: Lance Town S-T-R:		30-15-21				
			·					
Dow	mhole	nformation		Calculated Siz	rry - Lead	c	alculated Slurry - Tall	
Hole	e Size:	5 5/8 In	_	Blend:	Econobond	Blen	d:	
		940/920 ft	_	Weight:	13.61 ppg	Weigh	t: ppg	
	g Size:			Water / Sx:	7.12 gal / sx	Water / S	<del></del>	
Tubing /		914/912 ft		Yield:	1.56 ft <sup>3</sup> / sx	Yiel	<del></del>	
	Depth:	In ft	-	Annular Bbls / Ft.:	bbs / ft.	Annular Bbls / F		
Tool / P		baffle		Depth: Annular Volume:	ft 0.0 bbls	Dept Annular Volum		
		883/879 ft		Excess:	U.U DIJIS	Exces		
		5.11/5.09 bbl	5	Total Slurry:	bbis	Total Slure		
		STA	GE TOTAL	Total Sacks:	Xe O	Total Sack		
TIME	RATE	PSI BB	Ls BOLs	REMARKS	·			
3:30 PM		-	<u> </u>	on location, held safety n	neeting			
		-	<del>                                     </del>					
			-	#17		· ·		
	4.0		<del> </del>	established circulation	Bentonite Gel followed by 4	hhla feach water		
·	4.0		<u> </u>		ks Econobond cement, ceme			
	4.0			Rushed pump clean	no Econopolia centalit, cent	ent to adilace		
	1.0				g to baffle at 882.6' with 5.1	1 bbis fresh water		
	1.0			pressured to 800 PSI, wel				
				released pressure to set	float valve			
	4.0			washed up equipment				
				<del> </del>				
			<u> </u>					
				· · · · · · · · · · · · ·				
		-						
	4.0			#18 established circulation				
	4.0				Bentonite Gel followed by 4	hhis fresh water	· · · · · · · · · · · · · · · · · · ·	
	4.0						···	
	4.0			mixed and pumped 97 sks Econobond cement, cement to surface flushed pump clean				
	1.0			pumped 2 7/8" rubber plug to baffle at 879' with 5.09 bbls fresh water				
	1.0			pressured to 800 PSI, wel				
				released pressure to set (	loat valve		<del> </del>	
	4.0			washed up equipment		<del> </del>		
						· · · · · · · · · · · · · · · · · · ·		
5:00 PM			<del>- </del>	left location	<del></del>			
		CREW	_1	IINI			ny	
Cum	ienter:	Çasey Ker	nedv	TINU 89	Augrana Par	SUMMA	1	
Pump Opt		Nick Beets		239	Average Rat	e Average Pressure - psi	Total Fluid - bbis	
	Bulk:	Scott McC		193	3.1 apm	l • hei	_ vuis	
	H2O:	Kelth Detv		110				

FranklinCounty, KS
Well:Wiseman 18
Lease Owner: TDR

TDR Construction, Inc.
(913) 710-5400
3/31/22

#### WELL LOG

Thickness of Strata	Formation	Total Depth
0	Soil-Clay	10
133	Shale	143
4	Lime	147
4	Shale	151
16	Lime	167
6	Shale	173
11	Lime	184
5	Shale	189
16	Lime	205
39	Shale	244
30	Lime	274
67	Shale	341
23	Lime	364
12	Shale	376
10	Lime	386
24	Shale	410
4	Lime	414
17	Shale	431
2	Lime	433
14	Shale	447
23	Lime	470
7	Shale	477
24	Lime	501
3	Shale	504
4	Lime	508
3	Shale	511
6	Lime	517
3	Shale	520
5	Lime	525
7	Sand	532
61	Shale	593
13	Sandy Shale	606
32	Shale	638
16	Sand	654
53	Shale	707
6	Lime	713
4	Shale	717
13	Lime	730
13	Shale	743
3	Lime	746

FranklinCounty, KS Well:Wiseman 18 Lease Owner: TDR

# TDR Construction, Inc. Commenced Spudding: 3/31/22

4	Shale	750
14	Lime	764
18	Shale	782
7	Lime	791
2	Shale	797
6	Sand	806
9	Sand	808
2	Sand	821
13	Sand	824
11	Sand	835
85	Shale	920-TD
	Griale	920-10
· · · · · · · · · · · · · · · · · · ·		<u></u>
		<u>-</u>
	-	
	-	
		<del>-</del>
-	<del></del>	
	· · · · · · · · · · · · · · · · · · ·	
		-
		<del></del>
		-