KOLAR Document ID: 1643716

Confident	tiality Re	equested:
Yes	No	

Recompletion Date

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD □ Gas □ DH □ EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #: SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West

County:

AFFIDAVIT

Recompletion Date

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II III Approved by: Date:						

_ Permit #: _

KOLAR Document ID: 1643716

Operator Nan	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken	Stem Tests Taken (Attach Additional Sheets)		′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample	
	ples Sent to Geological Survey		⁄es 🗌 No	1	Name	Э		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No							
		Rep	CASING ort all strings set-c		Ne	w Used rmediate, productio	on, etc.			
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD				
Purpose:	Depth Top Bottom	Туре	Type of Cement # Sacks		Used Type			and Percent Additives		
Protect Casing Plug Back TD Plug Off Zone										
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three				
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>			
Estimated Production Per 24 Hours			Gas	Gas Mcf Water Bbls. Gas-Oil Ratio			Gravity			
DISPOSITION OF GAS:			METHOD OF			F COMPLETION:			PRODUCTION INTERVAL: Top Bottom	
Vented Sold Used on Lease (If vented, Submit ACO-18.)			Open Hole Perf.		Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)		юр			
Shots Per Perforation Perforation Foot Top Bottom			Bridge Plug Bridge Plu Type Set At			Acid,		ementing Squeezend of Material Used)		
TUBING RECORD:	Size:	Set At:		Packer At:						

Form	ACO1 - Well Completion
Operator	TDR Construction, Inc.
Well Name	WISEMAN 19
Doc ID	1643716

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	U U	-	Type Of Cement		Type and Percent Additives
Surface	9	6.25	12	24	Portland	4	50/50 POZ
Production	5.625	2.875	6.5	891	Portland	110	50/50 POZ



CEMEN	T TRE	ATME	NT REP	ORT							
Cus	tomer	TDR-C	onstuctio	ึ่งก	Well: -	Wisem	an 19, 20	ficke		EP4314	
City,	State	ate: Louisburg, KS			County:		FR, KS			4/8/2022	
					S-T-R:		15-21	Dat Servic		Longstrings	
Field Rep: Lance Town											
Downhole Information					Calculated S	urry - Lead	c	olculated S	urry - Tail		
Hoj	e Size:	5 5/	8 in		Blend:	Econobond]	Blen	d:	· · · · · · · · · · · · · · · · · · ·	
		920/900	Ħ		Weight:	13.61 ppg		Weigh	t:	ppg	
	g Size:				Water / Sx:	7.12 gal / sx	_	Water / S	«:	gal / sx	
		891/893			Yield:	1.56 ft ³ /sx	1	Yiel	1:	ft ³ / sx	
Tubing /			in		Annular Bbis / Ft.:	bbs / ft.	Į	Annular Obio / Fi		bbs / ft.	
	Depth:		ft		Depth:	ft		Dept	17	ft	
Tool / P			ffle		Annutar Volume:	0.0 bbts	ļ	Annular Volum		0 bbis	
		860/860			Ехсевь:			Exces		<u> </u>	
Displace		4.98	bbis	7070	Total Sturry:	bbis	Í	Total Slurn		0 bbis	
TIME	RATE	PSI	STAGE BBLs	TOTAL BBLs	Total Sacks: REMARKS	0 5X		Total Sacks	2	0 sx	
12:30 PM					on location, held safety	meeting					
		-		<u> </u>	our roounion, neie suicty	incening		· · · · · · · · · · · · · · · · · · ·			
2:30 PM				-	#19						
	4.0				established circulation			·······	<u> </u>		
	4.0			•	mixed and pumped 200# Bentonite Gel followed by 4 bbls fresh water						
	4.0			-	mixed and pumped 110 sks Econobond cement, cement to surface						
	4.0				flushed pump clean						
	1.0				pumped 2 7/8" rubber plu	ig to baffle with 4.98 bb	is fresh wat	er			
	1.0	_		-	pressured to 800 PSI, we	I held pressure					
				-	released pressure to set	float valve	<u>.</u>	,			
	4.0			•	washed up equipment						
							· · · · · ·				
3:30 PM					waited for rig to make re	airs, trip out of hole, ar	nd run casin	a			
5:00 PM					#20			· · ·			
	4.0				established circulation				<u> </u>		
	4.0				washed down last joint o						
	4.0				mixed and pumped 200# Bentonile Gel followed by 4 bbls fresh water						
	4.0 4.0				mixed and pumped 106 sl	s Econobond cement, c	ement to su	Inface			
	1.0				flushed pump clean	to baffle with 4 An Lite					
	1.0				pumped 2 7/8" rubber plu pressured to 800 PSI, well		s iresn wate	<u> </u>			
†'	<u> </u>				released pressure to set f			· · · · · · · · · · · · · · · · · · ·			
	1.0				washed up equipment						
	1										
:30 PM					left location						
	<u> </u>	CREW			UNIT			SUMMAR	Y		
Ceme	enter:	Casey	Kennedy		89	Average	Rate	Average Pressure	Total I	Fluid	
шар Орса	ator	Nick E			239	3.2 b		- psi		bbls	
i	entk:	Keith	Detwiler		247			÷	- · ·		
	H2O:	Garret	t Scott		110						

ftv: 15-2021/01/25 mplv: 260-2022/03/30 Lease Owner: TDR

Franklin County, KSTDR Construction, Inc.Commenced Spudding:Well:Wiseman 19(913) 710-54004/6/22

WELL LOG

Thickness of Strata	Formation	Total Depth
0-6	Soil-Clay	6
15	Sandstone	21
112	Shale	133
3	Lime	136
3	Shale	139
18	Lime	157
7	Shale	164
10	Lime	174
6	Shale	180
16	Lime	196
22	Shale	218
17	Sand	235
19	Lime	254
78	Shale	332
23	Lime	355
16	Shale	371
6	Lime	377
25	Shale	402
4	Lime	406
17	Shale	423
2	Lime	425
13	Shale	438
27	Lime	465
5	Shale	470
22	Lime	492
4	Shale	496
5	Lime	501
3	Shale	504
6	Lime	510
7	Shale	517
6	Sandy Shale	523
110	Shale	633
12	Sand	645
44	Shale	689
5	Lime	694
8	Shale	702
4	Lime	706
3	Shale	709
3	Lime	712
5	Shale	717

Franklin County, KSTDR Construction, Inc.Commenced Spudding:Well:Wiseman 19(913) 710-54004/6/22 Lease Owner: TDR

4/6/22

6	Lime	723
8	Shale	731
4	Lime	735
3	Shale	738
9	Lime	
5		747
5	Shale	752
	Lime	757
13	Shale	770
7	Lime	777
5	Shale	782
4	Sand	786
3	Sand	789
6	Sand	795
3	Sand	798
7	Sand	805
3	Sand	808
4	Sand	812
6	Sand	818
3	Sandy Lime	821
6	Sand	827
2	Sandy Shale	829
91	Shale	920-TD
		320-10
	······································	
,,		
·····		
	· · · · · · · · · · · · · · · · · · ·	