KOLAR Document ID: 1643730

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:		
Name:	Spot Description:		
Address 1:	SecTwpS. R East _ West		
Address 2:	Feet from North / South Line of Section		
City: State: Zip:+	Feet from		
Contact Person:	Footages Calculated from Nearest Outside Section Corner:		
Phone: ()	□NE □NW □SE □SW		
CONTRACTOR: License #	GPS Location: Lat:, Long:		
Name:	Datum: NAD27 NAD83 WGS84		
Wellsite Geologist:	County:		
Purchaser:	·		
Designate Type of Completion:	Lease Name: Well #:		
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:		
☐ Oil ☐ WSW ☐ SWD ☐ Gas ☐ DH ☐ EOR ☐ OG ☐ GSW	Producing Formation: Kelly Bushing: Elevation: Ground: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth:		
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet		
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? ☐ Yes ☐ No		
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet		
Operator:	If Alternate II completion, cement circulated from:		
Well Name:	feet depth to:w/sx cmt.		
Original Comp. Date: Original Total Depth:			
□ Deepening □ Re-perf. □ Conv. to EOR □ Conv. to SWD □ Plug Back □ Liner □ Conv. to GSW □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)		
Commingled Permit #:	Chloride content:ppm Fluid volume: bbls		
Dual Completion Permit #:	Dewatering method used:		
SWD Permit #:	Location of fluid disposal if hauled offsite:		
EOR Permit #:	·		
GSW Permit #:	Operator Name:		
	Lease Name: License #:		
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec. TwpS. R East West County: Permit #:		

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II Approved by: Date:					

KOLAR Document ID: 1643730

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	of Cement # Sacks Used Type and Percent Additi				
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.710				

Form	ACO1 - Well Completion		
Operator	TDR Construction, Inc.		
Well Name	WISEMAN 27		
Doc ID	1643730		

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9	6.25	12	21	Portland	3	50/50 POZ
Production	5.625	2.875	6.5	948	Portland	112	50/50 POZ



CEMENT	TRE	ATMEN	IT REPO	ORT						
Cus	tomer:	TDR Co	nstructi	on	Well:	Wiseman	27, 26 T	icket:	EP4288	
City,	State:	Louisbu	ırg, KS		County:	FR, I		Date:	4/6/22	
Fiel	d Rep:	Lance T	own		S-T-R:	30-15	-	rvice:	Longstring	
	• •									
		nformati			Calculated Sit	rry - Lead		Calculat	ted Slurry - Tall	
	e Size:				Blend:	Econobond	ŧ	Slend:		
		960/940			Weight:	13.61 ppg		eight:	PPB	
	g Size:	2 7/8 948/927			Water / Sx;	7.12 gal / sx	Wate		gal / sx	
Tubing /		040/02/	in		Yield:	1.56 ft ³ / sx		Yield:	ft ³ / sx	
	Depth:		<u> </u>		Annular Bbls / Ft.:	bbs / ft.	Annular Bbls		bbs / ft.	
Tool / Pa		bat			Depth:	ft		epth:	ft	
		915/896			Annular Volume: Excess:	0.0 bbls	Annular Vo		0 bbis	
		5.30/5,19			Total Slurry:	bbls		cess:	0.0 bble	
			STAGE	TOTAL	Total Sacks:	0 sx	Total S Total S		0.0 bbis 0 sx	
TIME	RATE	PSI	BBLs	BBLs	REMARKS	0 24	10(3)	agas.	0 6%	
					on location, held safety n	neeting				
	4.0	7-1			#27 - established circula	lon				
	4.0				mixed and pumped 200#	Bentonite Gel followed by	4 bbls fresh water			
	4.0				mixed and pumped 112 s	s Econobond cement, co	ment to surface			
	4.0			•	flushed pump clean					
	1.0			-	pumped 2 7/8" rubber plug to baffle with 5.30 bbls fresh water					
	1.0				pressured to 800 PSI, wel	l held pressure				
				•	released pressure to set	loat valve				
	4.0			•	washed up equipment					
	-+		1	•	·					
						·				
									<u> </u>	
										
	4.0				#26 - established circulat					
	4.0		-		mixed and pumped 200# i					
	4.0				mixed and pumped 104 si	s =conopona cement, ce	ment to surface			
	1.0				flushed pump clean pumped 2 7/8" rubber plu	to haffle with \$ 40 hbl-	Irash watar			
	1.0				pressured to 800 PSI, well		real Marci			
				-						
	4.0				released pressure to set float valve washed up equipment					
			$\neg \uparrow$			···				
4:30 PM					left tocation	-				
									· · · · · · · · · · · · · · · · · · ·	
									···	
		CREW			UNIT		SUN	IMARY		
Cem	enter:	Case	/ Kennedy		89	Average I	Rate Average Pressu	re	Total Fluid	
≥սութ Օրе	rator;	Nick I	Beets		238	3.1 bp	m - psi		- bbis	
	Bidk:		Katzer		193		· ··· 	-		
	H2O:	Keith	Detwiler		110					

Franklin County, KS Well:Wiseman 27

Lease Owner: TDR

TDR Construction, Inc. Commenced Spudding: 4/1/22

WELL LOG

Thickness of Strata	Formation	Total Depth
0-7	Soil/Clay	7
5	Lime	12
5	Sandstone	17
172_	Shale	189
24	Lime	213
5	Shale	218
11	Lime	229
6	Shale	235
20	Lime	255
19	Shale	274
12	Sand	286
23	Lime	309
8	Sand	317
68	Shale	385
26	Lime	411
8	Shale	419
7	Lime	426
23	Shale	449
4	Lime	453
18	Shale	471
2	Lime	473
13	Shale	486
25	Lime	511
8	Shale	519
23	Lime	542
4	Shale	546
3	Lime	549
4	Shale	553
5	Lime	558
4	Shale	562
2	Lime	564
4	Sand	568
7	Sandy Shale	575
109	Shale	684
12	Sand	696
8	Sandy Shale	704
38	Shale	742
7	Lime	749
5	Shale	754
6	Lime	760

Franklin County, KS Well:Wiseman 27

TDR Construction, Inc. (913) 710-5400

Commenced Spudding: 4/1/22

Lease Owner: TDR

8	Shale	768
2	Lime	770
13	Shale	783
3	Lime	786
7	Shale	793
11		804
12	Lime	
12	Shale	816
3	Lime	817
	Shale	820
6	Lime	826
9	Shale	835
1	Sand	836
11	Sand	847
9	Sand	856
3	Sand	859
2	Sand	861
6	Sand	867
5	Sand	872
6	Sand	878
82	Shale	960-TD
		```
-		
	· · · · · · · · · · · · · · · · · · ·	
	-	
		1