WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	ge in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County	l l						
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from well	l:	Directio from we	ili:	
Address					ed well:		Source				
] -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance	1.	Directio from we	n Ji.	
at owner's			Static	water level	in well:	ft.	Source	l;	110111 we	11	
address			m	measured below land surface				on:			
CONCEDUCTION			on	(mm/dd/y	y):		No no	tontial course	a of contami	ination	
CONSTRUCTION	D 1 2 3:		measured above land surface			No potential source of contamination within 100 feet.					
	Borehole dia	meter:	on	on (mm/dd/yy):			PERMIT & ID NUMBERS (AS REQUIRED)				
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.			pumping	gpm	KDHE / EPA Project Code:				
If casing height is less that			Pump	installed?	Yes No						
has a variance been appro		s No	T17.	11 11	. 10				orm Complet		
*variance not required for monitoring or environmental remediation wells					ected? Yes N		1		No Perm		
Casing type:			Date	disinfected ((mm/dd/yy):						
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FROI	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								D118011224 + -	the stated -	vator11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
Slot size unit _					ness name of						
			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ie designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,		•		-	
From ft. to	_				VATER WELL OW	<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			2311311 4010	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1708031
Well Owner	NARIN & NARIN FARMS
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	4	topsoil,brown,soft
4	15	clay,silty,brown,soft
15	30	clay,sandy,tan,firm
30	48	clay,sandy,tan,soft
48	67	clay,brown,soft
67	97	sand,fine to coarse,firm
97	118	clay,brown,soft
118	133	sand,fine to medium,soft
133	147	clay,sandy,tan,soft
147	161	clay,sandy,tan,soft
161	174	sand,fine,firm
174	181	clay,fine,tan,soft
181	214	sand,fine to medium,soft
214	236	sand,fine,clayey,white,firm
236	243	clay,sandy,tan,soft
243	248	sand,fine to coarse,firm
248	255	clay,brown
255	260	clay,silty,brown
260	269	sand,fine,soft
269	277	sand,fine to coarse,firm
277	280	clay,brown,soft
280	291	sand,fine to coarse,firm
291	301	clay,brown,soft
301	330	sand,fine to coarse,firm

Form	WWC5.2 - Water Well Record
Doc ID	1708031
Well Owner	NARIN & NARIN FARMS
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
330	334	clay,brown,soft
334	340	sand,fine to coarse,firm
340	359	clay,brown,soft
359	378	sand,fine,soft
378	414	sand & gravel,fine to medium,stiff
414	420	clay,brown,soft
420	444	sand & gravel,fine to coarse,stiff
444	457	clay,brown,soft
457	460	sandstone,unknown,soft
460	487	sandstone,unknown,sandy,ha rd
487	495	sandstone,unknown,sandy,yel lowish,brown,hard
495	504	clay,red,soft
504	513	sandstone,unknown,sandy,tan ,hard
513	516	clay,green,hard
516	534	sandstone,unknown,sandy,yel lowish,hard
534	571	sandstone,unknown,sandy,ha rd
571	593	clay,silty,brown,soft
593	601	clay,green,soft
601	624	sandstone,unknown,sandy,tan ,hard

Form	WWC5.2 - Water Well Record
Doc ID	1708031
Well Owner	NARIN & NARIN FARMS
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
624		other,unknown,red,hard,red bed