_ WELL ID_

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER WELI	L						Origin	al Recor	d Cor	rection	Chang	e in We	ll Use
Latitude	Longitude		5	Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County		-			VV				
WATER WELL OWNER			WELLV	VATER US	SE				NEAREST S	OURCE OF I	POTENTIAL C	ONTAMI	NATION
Name									Source:				
Business			COMPL	ETION					Distance		Direction	ı	
					atad wall			6	from well:		from wel	l:	
Address						: ncountered:			Source description	n:			
			1 -						_				
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well					·			<u> </u>		
									from well:		_ from wel		
at owner's address			Static water level in well: ft. measured below land surface					Source description	n•				
address				(mm/dd/									
CONSTRUCTION				asured ab		surface				ential sourc 100 feet.	e of contami	nation	
Borehole interval:	Borehole dia	meter:	on	(mm/dd/	'yy):	_					RS (AS REOUI	RED)	
fromto ft.		in.	Estima	ited yield:	:	_ gpm			PERMIT & ID NUMBERS (AS REQUIRED)				
fromto ft.		in.	Water	level was:		_ ft. after	ho	urs	1		:		
Casing height above land sur	rface:	in.			•	oumping	gr	m	KDHE / EPA Project Code:				
If casing height is less that			Pump installed? Yes No					Site Name:					
has a variance been appr *variance not required fo		s No	Water well disinfected? Yes No					KDHE UIC Class V Form Completed: Yes No County Permit: Yes No Permit ID:					
or environmental remed			Date disinfected (mm/dd/yy):					Lease Name & Well #:					
Casing type:								1		# of dewater			
Blank casing interval:		ft.	Aquite	r, if know	vn:						" of dewater	mg wens.	
Blank casing diameter:				OGIC LO									
Casing joints:			FROM	1 то	LIT	HOLOGY II	NTERVA	LS					
Weight:lbs													
Wall thickness or gauge I Blank casing interval:													
Blank casing diameter:													
Casing joints:													
Weight: lbs													
Wall thickness or gauge 1													
Grout interval: ft. to	. A												
Grout material:it. to													
Grout interval: ft. to													
Grout material:	сомм	ENTS											
Screen / perforation material:	:												
Screen / perforation opening	gs:		CONTR	ACTOR'S	OR LAI	NDOWNERS	CERTIF	ICATION					
Screen / perforation intervals	:		This v	vater we	ll was	constructed	l r	econstru	cted p	ursuant to	the stated w	ater well	1
Fromft. to	_ft.		contra	actor's li	cense ar	nd was com	pleted o	on		I certify th	at this record	d is true	to
Slot size unit _			the be	est of my	knowle	edge and be	lief. Th	is water v	vell record v	was comple	eted on		
From ft. to			under	the bus	iness na	me of							,
Slot size unit _			Kansa	ıs Water	Well Co	ontractor's l	License	No.	ur	nder the au	thority of th	e design	ated
Gravel pack intervals:											electronic sig		
Gravel pack not used:		in	-			its submitta	-	Ü			C	•	
From ft. to Gravel pack not used:		in						retain one	e for your reco	ords. Fee of \$	55.00 for each	construct	ed well.

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1701950
Well Owner	HINES FARMS
Contractor	Downey Drilling, Inc. #748

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	250	16	Glued	.250
250	255	16	Threaded	.250
335	355	16	Glued	.250

Form	WWC5.2 - Water Well Record
Doc ID	1701950
Well Owner	HINES FARMS
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	4	topsoil,black,soft
4	81	clay,silty,tan,soft
81	124	clay,tan,soft
124	140	clay,brown,firm
140	159	sand,fine to medium,brown,soft
159	164	sand,medium to coarse,brown,soft
164	172	clay,tan,soft
172	191	gravel,fine to medium,red,soft
191	200	clay,brown,firm
200	215	sand,fine to medium,clayey,brown,soft
215	240	gravel,fine to medium,clayey,brown,soft
240	263	gravel,fine to medium,white,loose,MAG STRIP
263	280	clay,medium,sandy,white,firm, MAG STRIP, SAND
280	288	clay,fine to medium,white,soft
288	335	gravel,fine to medium,brown,soft
335	355	shale,unknown,orange,hard,O CHRE