Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:					
Name:	Spot Description:					
Address 1:						
Address 2:	Feet from North / South Line of Section					
City:	Feet from East / West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()	□NE □NW □SE □SW					
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
New Well Re-Entry Workover	Field Name:					
	Producing Formation:					
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:					
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:					
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet					
☐ CM (Coal Bed Methane)☐ Cathodic☐ Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No					
	If yes, show depth set: Feet					
If Workover/Re-entry: Old Well Info as follows:						
Operator:	If Alternate II completion, cement circulated from:					
Well Name:	feet depth to: sx cmt.					
Original Comp. Date: Original Total Depth:						
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan					
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)					
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls					
Dual Completion Permit #:	Dewatering method used:					
SWD Permit #:	Location of fluid disposal if hauled offsite:					
EOR	·					
GSW	Operator Name:					
	Lease Name: License #:					
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West					
Recompletion Date Recompletion Date	County: Permit #:					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II III Approved by: Date:							

Page Two

Operator Name: _				Lease Name:			Well #:		
Sec Twp.	S. R.	Ea	ast West	County:					
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,	
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.go\	. Digital electronic log	
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample	
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No						
		R			New Used	on, etc.			
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I			
Purpose:		epth Ty	pe of Cement	# Sacks Used	Type and Percent Additives				
Protect Casi									
Plug Off Zon									
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,	
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)			
Estimated Production Per 24 Hours	on	Oil Bbls.							
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom	
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom	
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·				
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record	
TUBING RECORD:	Size:	Set /	At:	Packer At:					
. 5213 (1200) 10.	JIEG.			. 30.0.71					

Form	ACO1 - Well Completion
Operator	Altavista Energy, Inc.
Well Name	LEONARD AI-31
Doc ID	1710111

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	22	Portland	5	NA
Production	5.875	2.875	6.5	903	Econobon d	113	See Ticket



Mound City, KS

					tillelitto, ii				620.224.7406
		We	II #				Casi	ing	
	Alta	avista E	nergy,	Inc.			Surface		Longstring
	ı	_eonard	l #AI-3	1		Size:	7 "	Size:	2 7/8 "
						Tally:	22.4 '	Tally:	902.55 '
API #:	15-207	7-29905	S-T-R:	18-26S-17E		Cement:	5 sx	Bit:	5.875 "
County:	Wood	son - KS	Date:	3/14/2023		Bit:	9.875 "	Date:	3/20/2023
Тор	Base	Form	ation		Тор	Base	Formation		
0	2	Soil			759	762	Lime		
2	15	Clay			762	791	Shale		
15	56	Lime			791	805	Lime		
56	166	Shale			805	818	Shale		
166	188	Lime			818	820	Lime		
188	197	Shale			820	845	Shale		
197	200	Lime			845	857	Sand	See belo)W
200	209	Shale			857		Sandy Shale		
209	261	Lime							
261	270	Shale							
270	279	Sand		Grey					
279	293	Shale							
293	295	Lime							
295	342	Shale							
342	389	Lime							
389	394	Shale							
394	407	Lime							
407	414	Shale					Float Equipment		
414	418	Lime			Qty	Size			
418	422	Shale			1		Float Shoe		
422	452	Lime			1	2 7/8	Aluminum Baffle	Se	et at 871.65'
452	455	Shale			3	2 7/8	Centralizers		
455	456	Lime			1	2 7/8	Casing clamp		
456	457	Shale							
457	501	Lime					Sand / Core De	etail	
501	622	Shale			Core #1:		Core #2:		
622	627	Lime			Core #3:		Core #4:		
627	640	Shale			658	664	Broken sand, good	odor, go	od bleed
640	650	Lime							
650	658	Shale			845	847	Broken sand, good	odor, fai	r bleed
658	664	Sand		See below	847	853	Slightly broken, god	od odor,	slight bleed
664	726	Shale			853	857	Sand, good odor, g	ood blee	d
726	728	Lime							
728	731	Shale							
731	737	Lime							
737	750	Shale							
750	755	Lime							
755	759	Shale		Total Depth:	912				



Remit To: Hurricane Services, Inc.

250 N. Water, Suite 200 Wichita, KS 67202 316-303-9515

Customer:

ALTAVISTA ENERGY INC PO BOX 128

WELLSVILLE, KS 66092-0128

 Invoice Date:
 3/20/2023

 Invoice #:
 0367195

 Lease Name:
 Leonard

 Well #:
 AI-31 (New)

 County:
 Woodson, Ks

 Job Number:
 EP7924

District:

East

Date/Description	HRS/QTY	Rate	Total
Longstring	0.000	0.000	0.00
Cement Pump Service	1.000	750.000	750.00
Heavy Eq Mileage	50.000	4.000	200.00
Light Eq Mileage	50.000	2.000	100.00
Ton Mileage-Minimum	1.000	300.000	300.00
Vacuum Truck-80bbl	3.500	100.000	350.00
Econobond	113.000	20.000	2,260.00
Pheno Seal	113.000	1.750	197.75
Bentonite Gel	200.000	0.400	80.00
2 7/8" Rubber Plug	1.000	40.000	40.00
Fresh water	3,360.000	0.020	67.20

Total	4,344.95

TERMS: Net 30 days. Interest may be charged on past due invoice at rate of 1 ½% per month or maximum allowed by applicable state or federal laws. HSI has right to revoke any discounts applied in arriving at net invoice price if invoice is past due. If revoked, full invoice price without discount plus additional sales tax, as applicable, is due immediately and subject to interest charges. Customer agrees to pay all collection costs directly or indirectly incurred by HSI in the event HSI engages a third party to pursue collection of past due invoice.

<u>SALES TAX:</u> Services performed on oil, gas and water wells in Kansas are subject to sales tax, with certain exceptions. HSI relies on the well information provided by the customer in identifying whether the services performed on wells qualify for exemption.



Customer	Altavista Energy		Lease & Well #					Date	3/20/2023	
Service District	Garnett	1—	County & State		Legals S/T/R New Well?	18-26		Job#		
Job Type	Longstring	PROD	✓ INJ	SWD	New Well!	✓ YES	No	Ticket #	E	P7924
Equipment #	Driver			Job Safety A	nalysis - A Discuss	ion of Hazards	& Safety Pro	ocedures		
931	Casey Kennedy	✓ Hard hat		✓ Gloves		Lockout/Ta	_	Warning Sign		
239	Devin Katzer	✓ H2S Monitor		✓ Eye Protection		Required P		Fall Protection		
215	Keith Detwiler	✓ Safety Footwo		Respiratory Pi		✓ Slip/Trip/Fa		✓ Specific Job		
126	Richard Mentzer	FRC/Protectiv	_		emical/Acid PPE	Overhead I		✓ Muster Point		ations
		✓ Hearing Prote	Hearing Protection							
					Con	nments				
		-								
		-								
Product/ Service Code		Desci	ription		Unit of Measure	Quantity				Net Amount
C010	Cement Pump Serv				ea	1.00				\$750.00

M010	Heavy Equipment M	/lileage			mi	50.00				\$200.00
M015	Light Equipment Mil				mi	50.00				\$100.00
M025	Ton Mileage - Minin				each	1.00				\$300.00
T010	Vacuum Truck - 80	bbl			hr	3.50				\$350.00
CP049	EconoBond				sack	113.00				\$2,260.00
CP125	Pheno Seal				lb	113.00				\$197.75
CP095	Bentonite Gel				lb	200.00				\$80.00
FE025	2 7/8" Rubber Plug				ea	1.00				\$40.00
AF080	Fresh Water				gal	3,360.00				\$67.20
					1					
Custo	omer Section: On th	e following scale h	low would you rate	Hurricane Services	Inc.?				Net:	\$4,344.95
ļ		!!!!!!4			-0	Total Taxable	\$ -	Tax Rate:		
Ba	ased on this job, ho	w likely is it you v	would recommend	a HSI to a colleagu	er	State tax laws de used on new wel		ducts and services ax exempt.	Sale Tax:	\$ -
								customer provided a determination if		
	Unlikely 1 2	3 4 5	6 7 8	9 10 E	xtremely Likely	services and/or p			Total:	\$ 4,344.95
						HSI Repres	entative:	Case	ry Ken	wedy
	ance unless Hurricane S							n or before the 30th	day from the da	ate of invoice. Past
	y interest on the baland Customer hereby agrees									

TEXMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due act the rate of 1 ½% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. DISCLAIMER NOTICE: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results from the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantees proper operational care of all customer owned equipment and property while HSI is on location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

CUSTOMER AUTHORIZATION SIGNATUR

ftv: 15-2021/01/25 mplv: 378-2023/03/16



CEMENT	T TRE	ATMEN	T REP	ORT							
Cust	tomer:	Altavista	a Energ	у	Well:		Leonard A	AI-31	Ticket:	EP7924	
City,	State:	Wellsvil	le, KS		County:		WO, C	0	Date:	3/20/2023	
Field	d Rep:	Bryan M	liller		S-T-R:		18-26-1	17	Service:	Longstring	
D	mbala.	Informatio		1							
					Calculated SI					ulated Slurry - Tail	
	e Size:				Blend:	Econobor			Blend:		
	Depth: g Size:				Weight:	13.61			Weight:	ppg	
Casing I					Water / Sx:		gal / sk		Water / Sx:	gal / sk ft³ / sk	
Tubing /		902.55	in		Yield:		ft ³ / sk		Yield:		
	Depth:		ft		Annular Bbls / Ft.:		bbs / ft. ft		Annular Bbls / Ft.:	bbs / ft.	
Tool / Pa		baf			Depth:				Depth:		
	Depth:				Annular Volume: Excess:	0.0	DDIS		Annular Volume: Excess:	0 bbls	
Displace		-	bbls		Total Slurry:	31.40	hhle		Total Slurry:	0.0 bbls	
		0.00	STAGE	TOTAL	Total Sacks:	113			Total Sacks:	0.0 bbis 0 sks	
TIME	RATE	PSI	BBLs	BBLs	REMARKS				Potar Boats AST		
11:45 AM			-		on location, held safety	meeting					
				-							
				-	waited for rig to finish r	running casi	ng				
				-							
12:15 PM	4.0			-	established circulation						
	4.0			-	mixed and pumped 200	# Bentonite	Gel followed by	4 bbls fre	sh water		
	4.0			-	mixed and pumped 113	sks Econob	ond cement wit	h 1# Phen	oSeal per sk, cement to s	urface	
	4.0			-	flushed pump clean						
	1.0			-	pumped 2 7/8" rubber p	olug to baffle	with 5.05 bbls f	resh wate	r		
	1.0			-	pressured to 800 PSI, w	vell held pres	ssure				
				-	released pressure to se	et float valve					
	4.0			-	washed up equipment						
4.45 DM				-	left leastless						
1:15 PM				-	left location						
	+			-							
				-							
	<u> </u>										
				_							
				-							
				-							
				-							
				-							
				-							
				-							
				-							
				-							
		CREW			UNIT				SUMMAR	Y	
Cer	menter:	Case	y Kenned	dy	931	ļ	Average R	tate	Average Pressure	Total Fluid	
Pump Op	perator:	Devi	n Katzer		239	-	3.1 bp	m	- psi	- bbls	
	Bulk:		Detwile		215						
H2O: Richard Mentzer					126						

ftv: 15-2021/01/25 mplv: 378-2023/03/16