KOLAR Document ID: 1710120

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
□ Oil □ WSW □ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Committed at Provider	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposal if fladied offsite.
GSW Permit #:	Operator Name:
<u> </u>	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II Approved by: Date:							

KOLAR Document ID: 1710120

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.go\	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used				
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.				Bbls. Gas-Oil Ratio Gra		
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion
Operator	Altavista Energy, Inc.
Well Name	LEONARD AI-33
Doc ID	1710120

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	23	Portland	5	NA
Production	5.875	2.875	6.5	924	Econobon d	114	See Ticket



Mound City, KS 620.224.7406

		We	II #					Casi	ing	020.224.7400
	Alta	avista E	nergy,	Inc.				Surface		Longstring
	l	_eonarc	l #AI-3	3			Size:	7 "	Size:	2 7/8 "
							Tally:	22.7 '	Tally:	923.65 '
API #:	15-207	7-29910	S-T-R:	18-26S-17E			Cement:	5 sx	Bit:	5.875 "
County:	Woods	son - KS	Date:	3/20/2023			Bit:	9.875 "	Date:	3/23/2023
Тор	Base	Form	ation			Тор	Base	Formation		
0	2	Soil				733	740	Lime		
2	18	Clay				740	748	Shale		
18	28	Lime				748	757	Lime		
28	31	Shale				757	759	Shale		
31	55	Lime				759	760	Lime		
55	165	Shale				760	761	Shale		
165	188	Lime				761	765	Lime		
188	193	Shale				765	794	Shale		
193	195	Lime				794	810	Lime		
195	206	Shale				810	817	Shale		
206	258	Lime				817	821	Lime		
258	265	Shale				821	844	Shale		
265	280	Sand		Grey		844	845	Sand	See belo	ow
280	338	Shale				845	851	Shale	Sandy	
338	384	Lime				851	859	Sand	See belo	ow
384	389	Shale				859		Sandy shale		
389	404	Lime								
404	412	Shale						Float Equipment		
412	416	Lime				Qty	Size			
416	420	Shale				1	2 7/8	Float Shoe		
420	450	Lime				1	2 7/8	Aluminum Baffle	Se	et at 893.05'
450	455	Shale				3	2 7/8	Centralizers		
455	471	Lime				1	2 7/8	Casing clamp		
471	473	Shale								
473	497	Lime						Sand / Core De	etail	
497	608	Shale				Core #1:		Core #2:		
608	610	Lime				Core #3:		Core #4:		
610	628	Shale				660	662	Good odor, slight b	leed to p	it
628	631	Lime				662	664	Good odor, good bl	eed to p	it
631	640	Shale				664	669	Good odor, fair ble	ed to pit	
640	651	Lime								
651	654	Shale				844	845	Fair odor, no bleed	to pit	
654	658	Lime				845	849	Sandy shale, slight	odor	
658	660	Shale				849	851	Sandy shale, fair od	lor, slight	t bleed to pit
660	669	Sand		See below		851	859	Broken sand, good	odor, go	od bleed to pit
669	726	Shale								
726	730	Lime								
730	759	Shale		Total Depth:	9	30				



Remit To: Hurricane Services, Inc.

250 N. Water, Suite 200 Wichita, KS 67202 316-303-9515

Customer:

ALTAVISTA ENERGY INC PO BOX 128

WELLSVILLE, KS 66092-0128

District:

East

Date/Description	HRS/QTY	Rate	Total
Longstring	0.000	0.000	0.00
Cement Pump Service	1.000	750.000	750.00
Heavy Eq Mileage	50.000	4.000	200.00
Light Eq Mileage	50.000	2.000	100.00
Ton Mileage-Minimum	1.000	300.000	300.00
Vacuum Truck-80bbl	3.000	100.000	300.00
Econobond	114.000	20.000	2,280.00
Pheno Seal	114.000	1.750	199.50
Bentonite Gel	200.000	0.400	80.00
Fresh water	3,360.000	0.020	67.20
2 7/8" Rubber Plug	1.000	40.000	40.00

Total	4,316.70

TERMS: Net 30 days. Interest may be charged on past due invoice at rate of 1 ½% per month or maximum allowed by applicable state or federal laws. HSI has right to revoke any discounts applied in arriving at net invoice price if invoice is past due. If revoked, full invoice price without discount plus additional sales tax, as applicable, is due immediately and subject to interest charges. Customer agrees to pay all collection costs directly or indirectly incurred by HSI in the event HSI engages a third party to pursue collection of past due invoice.

SALES TAX: Services performed on oil, gas and water wells in Kansas are subject to sales tax, with certain exceptions. HSI relies on the well information provided by the customer in identifying whether the services performed on wells qualify for exemption.



Customer	Altavista Energy		Lease & Well #	Leonard Al-33				Date	3/2	23/2023
Service District	Garnett		County & State	WO, KS	Legals S/T/R	18-26	-17	Job#		
Job Type	Longstring	PROD	✓ INJ	SWD	New Well?	✓ YES	No	Ticket #	Е	P7975
Equipment #	Driver			Job Safety An	alysis - A Discuss	ion of Hazards	& Safety Pro	cedures	•	
931	Casey Kennedy	✓ Hard hat		✓ Gloves		Lockout/Ta	gout	Warning Sign	ns & Flagging	}
239	Devin Katzer	✓ H2S Monitor		✓ Eye Protection		Required Po	ermits	Fall Protection	n	
215	Trevor Glasgow	✓ Safety Footwe	ear	Respiratory Pro	otection	✓ Slip/Trip/Fa	ll Hazards	✓ Specific Job	Sequence/Exp	pectations
110	Keith Detwiler	✓ FRC/Protectiv	e Clothing	Additional Che	mical/Acid PPE	Overhead H	lazards	✓ Muster Point	/Medical Loca	ations
		✓ Hearing Prote	ection	✓ Fire Extinguish	er	Additional	concerns or is	sues noted below		
					Con	nments				
Product/ Service Code		Danas	dati a m		Unit of Measure	Quantity				Nat Amount
C010	Cement Pump Serv		ription		ea	1.00				Net Amount \$750.00
C010	Cement Fump Serv	rice			ea	1.00				\$750.00
M010	Heavy Equipment N	Mileage			mi	50.00				\$200.00
M015	Light Equipment Mil				mi	50.00				\$100.00
M025	Ton Mileage - Minin				each	1.00				\$300.00
111020	Ton Mileage Milling	nam.			Cuon	1.00				4000.00
T010	Vacuum Truck - 80	bbl			hr	3.00				\$300.00

CP049	EconoBond				sack	114.00				\$2,280.00
CP125	Pheno Seal				lb	114.00				\$199.50
CP095	Bentonite Gel				lb	200.00				\$80.00
AF080	Fresh Water				gal	3,360.00				\$67.20
FE025	2 7/8" Rubber Plug				ea	1.00				\$40.00
	2 1: 0 11									
Custo	omer Section: On th	ne following scale h	ow would you rate	Hurricane Services	Inc.?		Γ.		Net:	\$4,316.70
Ba	ased on this job, ho	w likely is it you v	vould recommend	HSI to a colleague	?	Total Taxable State tax laws de	s -	Tax Rate:	Sala Tayı	
				•	•	used on new well	s to be sales ta	ax exempt.	Sale Tax:	\$ -
	1 0					well information a	bove to make			
	Jnlikely 1 2	3 4 5	6 7 8	9 10 Ex	remely Likely	services and/or p	roducts are tax	•	Total:	\$ 4,316.70
						HSI Represe	entative:	Case	ry Ken	inedy
	ance unless Hurricane									
	y interest on the balanc Customer hereby agrees									

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due at the rate of 1 1/5% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. DISCLAIMER NOTICE: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results from the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the customer guarantees proper operational care of all customer owned equipment and property while HSI is on location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

CUSTOMER AUTHORIZATION SIGNATUR

ftv: 15-2021/01/25 mplv: 378-2023/03/16



CEMENT	T TRE	ATMEN	IT REP	ORT							
Cust	tomer:	Altavist	a Energ	ıy	Well:	Well: Leonard Al-33			Ticket:	EP7975	
City,	State:	Wellsvil	le, KS		County:		WO, K	S	Date:	3/23/2023	
Field	d Rep:	Bryan M	liller		S-T-R:		18-26-	17	Service:	Longstring	
Dow	mbolo I	nformatio	on.								
	e Size:								ulated Slurry - Tail		
	e size: Depth:	930				Blend:					
	g Size:	2 7/8			Weight: Water / Sx:	13.61	gal / sk		Weight: Water / Sx:	ppg gal / sk	
Casing I					Yield:		ft ³ / sk		Yield:	ft ³ / sk	
Tubing /			in		Annular Bbls / Ft.:		bbs / ft.		Annular Bbls / Ft.:	bbs / ft.	
	Depth:		ft		Depth:		ft		Depth:	ft	
Tool / Pa	acker:	baf	fle	İ	Annular Volume:		bbls		Annular Volume:	0 bbls	
Tool I	Depth:	893.05	ft	1	Excess:				Excess:		
Displace	ement:	5.17	bbls		Total Slurry:	31.67	bbls		Total Slurry:	0.0 bbls	
			STAGE	TOTAL	Total Sacks:	114	sks		Total Sacks:	0 sks	
TIME	RATE	PSI	BBLs	BBLs	REMARKS						
10:45 AM	<u> </u>		-	-	on location, held safety	meeting					
				-							
	4.0			-	established circulation						
	4.0			-	mixed and pumped 200	# Bentonite	Gel followed by	4 bbls fre	sh water		
	4.0			-	mixed and pumped 114	sks Econob	ond cement wit	h 1# Phen	oSeal per sk, cement to su	ırface	
	4.0			-	flushed pump clean						
	1.0			-	pumped 2 7/8" rubber p			fresh wate	r		
	1.0			-	pressured to 800 PSI, w						
	1.0			-	released pressure to se	t float valve					
	4.0			-	washed up equipment						
11:45 AM	,			-	left location						
11.45 AW	1			-	ien iocation						
				_							
				-							
				-							
				-							
				-							
				-							
				-							
	1			-							
	1			-							
	1			-							
	-			-							
	+			-							
		CDEW		-	UNIT						
		CREW		al	UNIT		A	2040	SUMMAR		
	menter:		y Kenned	ay	931	}	Average F		Average Pressure	Total Fluid	
Pump Op			n Katzer	OW/	239	ŀ	3.1 bp	Ш	- psi	- bbls	
	Bulk: H2O:		or Glasgo n Detwilei		215 110						
Rotti Detwiei											

ftv: 15-2021/01/25 mplv: 378-2023/03/16