KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF	WATER WELI	L					(Original Re	cord	Correction	n	Change	e in Wel	II Use
Latitude		Longitude			Section		Township	Rang	ge	E W Fraction	on	1/4	1/4	1/4
Datum		Elevation			County					,,,				
WATER WELL C	WNER			WELL	WATER US	SE			N	EAREST SOURCE	OF POT	ENTIAL CO	ONTAMIN	NATION
Name										Source:				
Business				COMF	LETION					Distance rom well:		Direction		
				Depth of completed well: ft.				7 ¹	rom well:		from well	:		
Address				Depth(s) groundwater encountered:				Source lescription:						
				-	ft.;					Source:				
Well location			(3) ft.; (4) dry well				,			Direction				
					Static water level in well: ft.				- i	rom well:		from well	:	
at owner's address				measured below land surface					Source lescription:					
uuu1000				on (mm/dd/yy):				. `						
CONSTRUCTIO		ı			neasured ab		nd surface			No potential s within 100 fee	ource of t.	f contamin	ation	
Borehole inter		Borehole dia	meter:	on (mm/dd/yy):				. PI	ERMIT & ID NUM	IBERS (A	AS REOUII	RED)		
fromto	ft.		in.	Estin	nated yield:		gpm			PERMIT & ID NUMBERS (AS REQUIRED)				
fromto	ft.		in.	Wate	r level was:		ft. after	hours		OWR Application				
Casing height	above land sur	rface:	in.				pumping	gpm		KDHE / EPA Project Code:				
	eight is less tha			Pum	p installed?	Ye	s No			Site Name:				
	nce been appr not required fo		s No	Water well disinfected? Yes No					KDHE UIC Class V Form Completed: Yes No					
	mental remed			Date disinfected (mm/dd/yy):					County Permit: Yes No Permit ID: Lease Name & Well #:					
Casing type:										of boreholes:				
Blank casing in			ft.	Aqui	fer, if know	n:						or dewater	ing wens.	
Blank casing d					LOGIC LO									
	nts:			FRO	м то	L	ITHOLOGY II	NTERVALS						
-	lbs													
Blank casing in	ness or gauge 1													
Blank casing if			1t.											
	nts:													
	lbs													
·	ness or gauge 1													
Grout interval														
	: 11. 10 erial:													
Grout interval:ft. toft. Grout material:				COM	MENTS									
Screen / perfor	ation material:	:												
Screen / perfor	ration opening	gs:		CONT	RACTOR'S	OR LA	ANDOWNERS	CERTIFICATI	ON					
Screen / perfor	ation intervals	:		This	water we	ll was	constructed	l recons	tructe	d pursuar	nt to the	stated wa	ater well	
From	_ft. to	_ft.		cont	ractor's li	cense a	and was com	pleted on		I certif	y that th	his record	l is true	to
	unit _							=		record was con	-			
	_ ft. to				-		-				_			
	unit _									under th				
Gravel pack in										nd certified by t		-	_	
	k not used:		in	-			t its submitta		, u	cortinion by				
	ft. to								one for	your records. Fe	e of \$5 00) for each o	onstruct	ed well
Gravel pack	k not used:	Gravel size _	in	Jena	-10 COPY 10		0 111	and retail	0.10	, 5 1000143. 10	- υ. ψυ.υ(Januar uch	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1709152
Well Owner	US ARMY CORPS OF ENGINEERS KANSAS CITY DISTICT
Contractor	Environmental Works, Inc.

Grout

From	То	Grout Material
0	2.5	Cement
2.5	17	Neat Cement
17	21	Bentonite

Form	WWC5.2 - Water Well Record
Doc ID	1709152
Well Owner	US ARMY CORPS OF ENGINEERS KANSAS CITY DISTICT
Contractor	Environmental Works, Inc.

Lithology

From	То	Lithology Intervals
0	.5	topsoil,fine,loamy,dark,browni sh,brown,dry,loose,not cemented,no staining
.5	1	clay,fine,clayey,light,yellowish, brown,dry,loose,not cemented,no staining
1	6	sand,fine,sandy,light,brownish ,brown,dry,loose,not cemented,no staining
6	8	sand & gravel,fine,sandy,light,yellowi sh,brown,dry,loose,not cemented,no staining
8	9.5	shale,broken,pale,yellowish,ot her,soft,medium bedded
9.5	10	limestone,broken,pale,brownis h,brown,hard,medium bedded
10	13.5	shale,broken,silty,pale,yellowi sh,other,hard,medium bedded
13.5	14.5	limestone,broken,pale,whiteis h,white,hard,medium bedded
14.5	16	shale,broken,pale,brownish,br own,hard,medium bedded
16	18	limestone,broken,pale,brownis h,brown,hard,medium bedded
18	30	shale,broken,dark,grayish,gra y,hard,medium bedded
30	34	shale,broken,dark,grayish,gra y,hard,medium bedded
34	35	limestone,broken,pale,whiteis h,tan,hard,medium bedded