WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	ge in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County	l l						
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from well	l:	Directio from we	ili:	
Address					ed well:		Source				
] -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance	1.	Directio from we	n Ji.	
at owner's			Static	water level	in well:	ft.	Source	l;	110111 we	11	
address			m	measured below land surface				on:			
CONCEDUCTION			on	(mm/dd/y	y):		No no	tontial cours	a of contami	ination	
CONSTRUCTION	D 1 2 3:		measured above land surface			No potential source of contamination within 100 feet.					
	Borehole dia	meter:	on	on (mm/dd/yy):			PERMIT &	ID NUMBER	RS (AS REQU	IRED)	
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.			pumping	gpm	KDHE / EPA Project Code:				
If casing height is less that			Pump	installed?	Yes No						
has a variance been appro		s No	T17.	11 11	. 10				orm Complet		
*variance not required for environmental remed					ected? Yes N		1		No Perm		
Casing type:	lation wens		Date disinfected (mm/dd/yy):			Lease Name & Well #:					
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FROI	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								D118011224 + -	the stated -	vator11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
Slot size unit _					ness name of						
			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ie designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,		•		-	
From ft. to	_				VATER WELL OW	<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			2311311 4010	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1708645
Well Owner	US ARMY CORPS OF ENGINEERS KANSAS CITY DISTICT
Contractor	Environmental Works, Inc.

Grout

From	То	Grout Material
0	2.5	Cement
2.5	14	Neat Cement
14	16	Bentonite

Form	WWC5.2 - Water Well Record
Doc ID	1708645
Well Owner	US ARMY CORPS OF ENGINEERS KANSAS CITY DISTICT
Contractor	Environmental Works, Inc.

Lithology

From	То	Lithology Intervals
0	1	topsoil,very fine,loamy,dark,brownish,bro wn,dry,loose,not cemented
1	2	clay,fine to coarse,sandy,pale,brownish,b rown,dry,loose,not cemented
2	3.5	clay,fine,clayey,dark,brownish ,brown,dry,loose,not cemented
3.5	4	limestone,fractured,light,yello wish,brown,hard,medium bedded
4	5	shale,moderately weathered,very light,brownish,brown,soft,med ium bedded
5	5.5	clay,fine,clayey,light,brownish, gray,dry,loose,not cemented
5.5	6.5	shale,fractured,light,brownish, gray,soft,medium bedded
6.5	7.5	shale,fractured,dark,grayish,br own,soft,medium bedded
7.5	10	shale,fractured,pale,brownish, brown,hard,medium bedded
10	12	limestone,fractured,pale,brow nish,brown,hard,medium bedded
12	14	shale,fractured,light,yellowish, brown,soft,very thinly bedded

Form	WWC5.2 - Water Well Record
Doc ID	1708645
Well Owner	US ARMY CORPS OF ENGINEERS KANSAS CITY DISTICT
Contractor	Environmental Works, Inc.

Lithology

From	То	Lithology Intervals
14	16	limestone,fractured,pale,brow nish,brown,hard,medium bedded
16	17	shale,fractured,pale,brownish, brown,hard,medium bedded
17	18	shale,fractured,very dark,grayish,gray,soft,medium bedded
18	18.5	limestone,fractured,light,grayi sh,gray,hard,medium bedded
18.5	19	shale,fractured,dark,grayish,gr ay,hard,medium bedded
19	20	shale,fractured,very dark,grayish,gray,hard,mediu m bedded
20	23	shale,fractured,very dark,grayish,gray,hard,mediu m bedded
23	24	shale,fractured,light,grayish,gr ay,hard,medium bedded
24	30	shale,fractured,very dark,grayish,gray,hard,mediu m bedded