WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WELL	_					Original Reco	ord Correction	Change in Well Use
Latitude	Longitude		,	Section	Township	Range	E W Fraction	1/4 1/4 1/2
Datum	Elevation			County			***	
WATER WELL OWNER			WELL	NATER USE			NEAREST SOURCE OF	POTENTIAL CONTAMINATIO
Name								
			50140	FTION			Dietance	Direction
Business				LETION			from well:	from well:
Address			Depth of completed well:ft.			ft.	Source	
			-	-	water encountered		description:	
					(2) ft.;		Source:	
Well location			(3)	ft.; ((4) dry well		Distance	Direction from well:
at owner's			Static	water level i	in well:	t.		irom weii:
address			measured below land surface				Source description:	
CONCEDUCTION				(mm/dd/yy			No notential cour	rce of contamination
CONSTRUCTION	D 1 1 1:		measured above land surface on (mm/dd/yy):				No potential source of contamination within 100 feet.	
Borehole interval:	Borehole dia		on	(mm/aa/y)	y)		PERMIT & ID NUMBE	ERS (AS REQUIRED)
fromto ft.		in.			gpm			
fromto ft.		in.	Water	level was: _	ft. after	hours		0.:
Casing height above land sur	face:	in.			pumping	gpm	KDHE / EPA Project	Code:
If casing height is less tha			Pump	installed?	Yes No		Site Name:	
has a variance been appro		s No	747.4	11 1:	. 12 . 77 . 77			Form Completed: Yes No
*variance not required fo or environmental remed					ected? Yes N		· '	es No Permit ID:
Casing type:	nation wens		Date o	lisinfected (mm/dd/yy):			# :
Blank casing interval:	ft. to	ft.	Aquife	er, if known	:		# of boreholes:	# of dewatering wells:
Blank casing diameter:			LITHOI	LOGIC LOG				
Casing joints:			FROM	и то	LITHOLOGY	NTERVALS		
Weight: lbs.								
Wall thickness or gauge r								
Blank casing interval:								
Blank casing diameter:								
Casing joints:								
Weight: lbs.								
Wall thickness or gauge r	10.:							
Grout interval: ft. to	4							
Grout material: Grout interval: ft. to								
Grout material:			сомм	ENTS				
Glout material.								
Screen / perforation material:								
Screen / perforation opening			CONTE	ACTOR'S	OR LANDOWNER	S CEPTIEICATION		
Screen / perforation opening								a tha atatad wratan wall
Fromft. to					was constructe		•	o the stated water well
	_					_	•	hat this record is true to
Slot size unit _ From ft. to				•	_		_	leted on
Slot size unit _	_							,
			Kans	as Water V	Vell Contractor's	License No	under the a	uthority of the designated
Gravel pack intervals:	Crovel eine	.	perso	n as define	ed in K.A.R. 28-	30-2(j) and sign	ed and certified by the	electronic signature of the
Gravel pack not used: Gravel size in From ft. to ft.			designated person at its submittal:					
Gravel pack not used:		.					ne for your records. Fee of	\$5.00 for each constructed wel
		in	01				HEALTH AND ENVIRON	
From ft. to	_ 11.			Bureau	of Water, Geology	Section, 1000 SW	Jackson St., Suite 420, To	peka KS 66612-1367

Form	WWC5.2 - Water Well Record	
Doc ID	1708242	
Well Owner	US ARMY CORPS OF ENGINEERS KANSAS CITY DISTRICT	
Contractor	Environmental Works, Inc.	

Grout

From	То	Grout Material
0	2.5	Cement
2.5	24	Neat Cement
24	27	Bentonite

Form	WWC5.2 - Water Well Record	
Doc ID	1708242	
Well Owner	US ARMY CORPS OF ENGINEERS KANSAS CITY DISTRICT	
Contractor	Environmental Works, Inc.	

Lithology

From	То	Lithology Intervals
0	2	fill (man-made material),fine to medium,sandy,dark,brownish ,brown,dry,loose,not cemented
2	5	other,NO RECOVER
5	10	clay,fine to medium,gravelly,dark,grayish ,gray,dry,loose,not cemented
10	15	other,NO RECOVERY
15	17	clay,fine to medium,silty,dark,grayish,gra y,dry,loose,not cemented
17	19	sand,fine to medium,gravelly,pale,brownis h,brown,dry,loose,not cemented
19	23	clay,fine to medium,gravelly,pale,grayish, gray,dry,loose,not cemented
23	32	sand,fine,clayey,light,brownis h,gray,dry,loose,not cemented
32	34	shale,fractured,dark,grayish,gr ay,hard,medium bedded
34	36.5	limestone,broken,pale,whiteis h,white,hard,medium bedded
36.5	40	shale,broken,silty,light,grayish ,gray,hard,medium bedded