WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

VATER WELL REC	ORD (W	WC-5)				KOLAR [OOC ID		WELL ID_		
OCATION OF WATER WEL	L					Original Reco	rd Coi	rrection	Chang	ge in We	ll Use
Latitude	Longitude			Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County							
ATER WELL OWNER			WELL	WATER USI	E		NEAREST S	OURCE OF F	POTENTIAL	CONTAMI	OITAN
Name							Source:				
Business			COMP	LETION			Distance		Directio	nn	
					ted well:	ft.	from well:	:	_ from we	ell:	
Address			-	-	water encountered:		Source descriptio	n:			
			-	•	(2) ft.;						
Well location					(4) dry well					n.	
			-			<u> </u>	from well:	:	_ from we	ell:	
at owner's address			m		in well: f ow land surface v):	ι.	Source descriptio	n:			
ONSTRUCTION Borehole interval:	Borehole dia	meter·	m	•	ve land surface			tential sourc 100 feet.	e of contam	ination	
fromto ft.		in.					PERMIT &	ID NUMBER	S (AS REQU	IRED)	
fromtoft.					gpm ft. after	hours	DWR Apr	plication No.			
			water		pumping			EPA Project (
Casing height above land su		in.	Pumr		Yes No	gpiii	I	e:			
If casing height is less th has a variance been appropriate the control of the control of the case of		s No	Tump	instanca.	103 110		I				No
*variance not required for			Water well disinfected? Yes No				KDHE UIC Class V Form Completed: Yes N County Permit: Yes No Permit ID:				
or environmental remed	diation wells		Date of	disinfected	(mm/dd/yy):		1	ne & Well #:			
Casing type:	· ·		Aquif	er, if known			I	oles:			
Blank casing interval:		ft.									
Blank casing diameter:				LOGIC LOG		NTERVALE					
Casing joints:lbs			FROI	м то	LITHOLOGY	NIERVALS					
Wall thickness or gauge											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
· —	s/ft.										
Wall thickness or gauge											
Grout interval: ft. to											
Grout material:it. to											
Grout interval: ft. to											
Grout material:			COMM	IENTS							
Grout material.											
Screen / perforation material	l:										
Screen / perforation opening			CONTI	RACTOR'S	OR LANDOWNERS	S CERTIFICATION					
Screen / perforation intervals					was constructed			oursuant to	the stated v	water well	1
Fromft. to					ense and was com		•				
Slot size unit _					knowledge and be	_		-			
Fromft. to				-	_			_			
Slot size unit					ness name of						
Gravel pack intervals:					Well Contractor's				•	_	
Gravel pack not used:	Gravel size _	in	-		ed in K.A.R. 28-3		d and certifi	ied by the e	lectronic si	gnature o	of the
From ft. to			desig	nated pers	son at its submitte	al:		<u> </u>			
Gravel pack not used:		.	Send o	ne copy to V	VATER WELL OW	NER and retain on	e for your reco	ords. Fee of \$	5.00 for each	construct	ed wel

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record		
Doc ID	1708373		
Well Owner	US AMY CORPS OF ENGINEERS KANSAS CITY DISTRICT		
Contractor	Environmental Works, Inc.		

Grout

From	То	Grout Material
0	2.5	Cement
2.5	9	Neat Cement
9	11	Bentonite

Form	WWC5.2 - Water Well Record	
Doc ID	1708373	
Well Owner	US AMY CORPS OF ENGINEERS KANSAS CITY DISTRICT	
Contractor	Environmental Works, Inc.	

Lithology

From	То	Lithology Intervals
0	.5	topsoil,fine,clayey,dark,browni sh,brown,dry,loose,not cemented
.5	6	clay,fine,clayey,dark,brownish ,brown,dry,firm,not cemented
6	8	limestone,broken,light,yellowis h,brown,hard,medium bedded
8	10.5	shale,broken,silty,light,yellowi sh,brown,hard,medium bedded
10.5	13	shale,broken,silty,light,grayish ,brown,hard,medium bedded
13.	13.5	limestone,broken,pale,brownis h,brown,hard,medium bedded
13.5	15	shale,fractured,silty,pale,brow nish,brown,hard,medium bedded
15	16	limestone,broken,pale,brownis h,brown,hard,medium bedded
16	17	limestone,broken,pale,whiteis h,white,hard,medium bedded
17	22	shale,broken,very light,grayish,gray,hard,mediu m bedded
22	30	shale,broken,very dark,grayish,gray,hard,mediu m bedded