CORRECTION #2

KOLAR Document ID: 1712937

For KCC Use:	Kansas Corporation Commission
Effective Date:	OIL & GAS CONSERVATION DIVISION
District #	Ole a One Concert will on Division

Yes No

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
	year,,, Sec Twp S. R E V
DPERATOR: License#	(Q/Q/Q/Q) feat from N / S Line of Section
lame:	fact from E / W Line of Section
ddress 1:	LOCATION D. L. D. L. O.
ddress 2:	
City: State: Zip:	
ontact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	
Well Drilled For: Well Class: Type	e Equipment: Nearest Lease or unit boundary line (in footage):
	Ground Surface Flevation: feet MS
	Mud Rotary Air Rotary Water well within one-quarter mile: Yes N
	Cable Public water supply well within one mile: Yes N
Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total	·
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Farm Pond Other:
Yes, true vertical depth:	BWICT GITTIE #.
Sottom Hole Location: CCC DKT #:	(Note. Apply for Fernit with DWK)
	will cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
"ha undersigned hereby affirms that the drilling	etion and eventual plugging of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby animis that the drilling, comple	
0 ,	. 35 5
t is agreed that the following minimum requirements wil	Il be met:
0 ,	ll be met: ding of well;
t is agreed that the following minimum requirements wil 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set
 is agreed that the following minimum requirements wil Notify the appropriate district office <i>prior</i> to spude A copy of the approved notice of intent to drill <i>sha</i> The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation.
 is agreed that the following minimum requirements wil Notify the appropriate district office <i>prior</i> to spude A copy of the approved notice of intent to drill <i>sha</i> The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim If the well is dry hole, an agreement between the 	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging;
 t is agreed that the following minimum requirements wil Notify the appropriate district office <i>prior</i> to spude A copy of the approved notice of intent to drill <i>sha</i> The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim If the well is dry hole, an agreement between the The appropriate district office will be notified before 	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in;
 is agreed that the following minimum requirements wil Notify the appropriate district office <i>prior</i> to spude A copy of the approved notice of intent to drill <i>sha</i> The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim If the well is dry hole, an agreement between the The appropriate district office will be notified befo If an ALTERNATE II COMPLETION, production p 	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging;
 t is agreed that the following minimum requirements wil Notify the appropriate district office <i>prior</i> to spude A copy of the approved notice of intent to drill <i>sha</i> The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim If the well is dry hole, an agreement between the The appropriate district office will be notified befo If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su 	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.
 t is agreed that the following minimum requirements wil Notify the appropriate district office <i>prior</i> to spude A copy of the approved notice of intent to drill <i>sha</i> The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim If the well is dry hole, an agreement between the The appropriate district office will be notified befo If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su 	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. urface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum requirements wil Notify the appropriate district office <i>prior</i> to spude A copy of the approved notice of intent to drill <i>sha</i> The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim If the well is dry hole, an agreement between the The appropriate district office will be notified befo If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su 	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. urface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. urface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. urface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day ubmitted Electronically	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; one well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day Jubmitted Electronically For KCC Use ONLY	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; one well is either plugged or production casing is cemented in; sipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day Libmitted Electronically For KCC Use ONLY API # 15 -	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; one well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the following minimum requirements wil 1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing atte or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
is agreed that the following minimum requirements wil 1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; one well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
is agreed that the following minimum requirements wil 1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; ore well is either plugged or production casing is cemented in; oipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Inface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing atte or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day **Description** **Descri	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged. In all cases, NOTIFY district office prior to any cementing of the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
t is agreed that the following minimum requirements wil 1. Notify the appropriate district office <i>prior</i> to spude 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified befo 6. If an ALTERNATE II COMPLETION, production p Or pursuant to Appendix "B" - Eastern Kansas su must be completed within 30 days of the spud day Libmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Il be met: ding of well; all be posted on each drilling rig; d below shall be set by circulating cement to the top; in all cases surface pipe shall be set num of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged or production casing is cemented in; or well is either plugged. In all cases, NOTIFY district office prior to any cementing of the or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

KOLAR Document ID: 1712937



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section feet from E / W Line of Section
Field:	Sec Twp S. R E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



LEGEND

O Well Location
Tank Battery Location
Pipeline Location
----- Electric Line Location
Lease Road Location

EXAMPLE

1980' FSL

SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #2

KOLAR Document ID: 1712937

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		SecTwpR East West	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
(II WI Supply Al Fivo. of real Dillieu)	(bbls)		County	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining any special monitoring.	
		Depth to shallo Source of infor	allowest fresh water feet. formation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	kover and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	Type of material utilized in drilling/workover:	
Number of producing wells on lease:		Number of world	Number of working pits to be utilized:	
		Abandonment	nment procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits m		Drill pits must b	pits must be closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	

CORRECTION #2

KOLAR Document ID: 1712937

Kansas Corporation Commission Oil & Gas Conservation Division Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
provided the following to the surface owner(s) of the land up Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing C-1 or Form CB-1, the plat(s) required by this form; and 3) my one of the surface owner(s).	Act (see Chapter 55 of the Kansas Statutes Annotated), I have son which the subject well is or will be located: 1) a copy of the g in connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address. acknowledge that, because I have not provided this information, e owner(s). To mitigate the additional cost of the KCC performing
this task, I acknowledge that I must provide the name and add and that I am being charged a \$30.00 handling fee, payable to	ress of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

Summary of Changes

Lease Name and Number: Carlson Farms 54-4

API/Permit #: 15-117-20029-00-00

New Doc ID: 1712937
Parent Doc ID: 1696370
Correction Number: 2

Approved By: CeLena Peterson 05/15/2023

Field Name	Previous Value	New Value
KCC Only - Alternate Completion	II	I
KCC Only - Approved By	CeLena Peterson 02/23/2023	CeLena Peterson 05/15/2023
KCC Only - Approved Date	02/23/2023	05/15/2023
KCC Only - Date Received	02/22/2023	05/09/2023
Surface Pipe By Alternate I or II	II	I