_ WELL ID_

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WEL	L				(Original I	Recor	d Cor	rection	Change	e in Wel	l Use
Latitude	Longitude		Section	ı	Township	R	ange	E W	Fraction	1/4	1/4	1/4
Datum	Elevation		Count	y	_			**				
WATER WELL OWNER		W	/ELL WATER	USE				NEAREST S	OURCE OF	POTENTIAL C	ONTAMIN	ATION
Name								Source:			-	
Business			OMPLETIO	\.I				Distance		Direction	1	
Dusiness								from well:		from wel	l:	
Address					ed well:		ft.	Source				
					rater encountered:			description				
Well location					2) ft.;							
wen location					4) dry well			Distance from well:		Direction from wel	ı l:	
at owner's					n well: ft.	•		Source				
address			measured below land surface on (mm/dd/yy):					description:				
CONSTRUCTION							_			ce of contami	nation	
Borehole interval:	Borehole dia	meter:	measured above land surface on (mm/dd/yy):				within 100 feet.					
from to ft.		in.	Estimated yield: gpm					PERMIT & ID NUMBERS (AS REQUIRED)				
fromtoft.					gpm ft. after	houre		DWR Apr	olication No	v.:		
				vas						 Code:		
Casing height above land su						8F***		Site Name:				
If casing height is less than 12 in. has a variance been approved?* Yes No			Pump installed? Yes No				KDHE UIC Class V Form Completed: Yes No				No	
*variance not required for monitoring			Water well d	isinfec	cted? Yes No			County Pe	ermit: Yes	No Permi	t ID:	
or environmental remediation wells			Date disinfected (mm/dd/yy):			_	Lease Name & Well #:					
Casing type:	G. 4-		Aquifer, if kı	own.				# of boreh	oles:	# of dewater	ing wells:	
Blank casing diameter:			THOLOGIC									
Casing joints:			FROM	TO	LITHOLOGY IN	ITEDVALC						
Weight:lbs		— 	rkom	10	LITTIOLOGI IN	TILNVALS						
Wall thickness or gauge												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight: lbs												
Wall thickness or gauge	no.:	_										
Grout interval: ft. to	. 6											
Grout material: it. to												
Grout interval: ft. to												
Grout material:		C	OMMENTS									
Grout material.												
Screen / perforation material	l:											
Screen / perforation opening			ONTRACTO	R'S O	R LANDOWNERS	CERTIFICA	ATION					
Screen / perforation intervals					vas constructed				oursuant to	the stated w	ater well	
Fromft. to					nse and was comp			•				
Slot size unit					-				•			
From ft. to				•	nowledge and bel				•			
Slot size unit					ess name of							
Gravel pack intervals:					'ell Contractor's L					-	-	
Gravel pack not used:	Gravel size	in			d in K.A.R. 28-30		signe	d and certifi	ied by the	electronic sig	nature o	the
From ft. to			designated	perso	on at its submittal	1:			·			
Gravel pack not used:	Gravel size	in Se	end one copy	to W	ATER WELL OWN			•			constructe	d well.
From ft. to	ft.		Bu	reau o	KANSAS DEI of Water, Geology S (78)	Section, 100	0 SW J		uite 420, To		-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1710730		
Well Owner	Roy Stoddard		
Contractor	3-B Drilling		

Grout

From	То	Grout Material
0	5	Other
5	25	Bentonite
25	205	Other
205	225	Bentonite

Form	WWC5.2 - Water Well Record		
Doc ID	1710730		
Well Owner	Roy Stoddard		
Contractor	3-B Drilling		

Lithology

From	То	Lithology Intervals
0	2	topsoil,sandy,brownish
2	20	sand,fine to medium,sandy
20	80	sand,medium,clayey,brownish
80	140	sand,fine
140	240	sand,coarse
240	280	sand,fine to coarse
280	400	sand,coarse,clayey,brownish
400	440	sand,fine
440	520	sand,coarse
520	550	sand,fine
550	560	clay,dark,red