KOLAR Document ID: 1714848

For KCC Use:
Effective Date:
District #
SGA? Ves No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
OPERATOR: License#	Sec Twp S. R E feet from N / S. Line of Section / Sec Twp S. R Sec Twp S. R S. R Sec Feet from N / S. Line of Section from N / S. R Sec
lame:	feet from E / W Line of Section E /
ddress 1:	Is SECTION: Regular Irregular?
ddress 2: + State: Zip: +	,
contact Person:	County:
hone:	Lease Name: Well #:
ONTRACTOR: License#	Field Name:
ame:	
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
Other.	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	1 (O 1 (D) ('')
Well Name:	Designated Tatal Denths
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
lottom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	- Will Cores be taken? Yes
	If Yes, proposed zone:
AF	
	If Yes, proposed zone:
he undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
he undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual price is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig;
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; f by circulating cement to the top; in all cases surface pipe shall be set
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approximation of the approximation and	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging;
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be notified before well is either plug to the understand the district office will be notified before well is either plug	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved in the appropriate district of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface intention of the	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; leged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the s	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the s	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; leged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: If IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be submitted Electronically	If Yes, proposed zone: If IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically **For KCC Use ONLY**	If Yes, proposed zone: If IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall be district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	If Yes, proposed zone: If IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. It do drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall be district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	If Yes, proposed zone: If IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. It do drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
ne undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the sequence of the well is either plug of the sequence of the well is either plug of the sequence of the well is either plug of the sequence of the well shall be completed within 30 days of the spud date or the well shall be sequence of the well shall be sequenced.	If Yes, proposed zone: If IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for gursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	If Yes, proposed zone: If IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. It do drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spuddate or the well shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall be submitted Electronically For KCC Use ONLY API # 15	If Yes, proposed zone: IFIDAVIT Itugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; igged from below any usable water to surface within 120 DAYS of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing it is plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the superior of the shall be computed to Appendix "B" - Eastern Kansas surface casing order with must be completed within 30 days of the spud date or the well shall be submitted Electronically **Torright Torright	If Yes, proposed zone: IFIDAVIT Itugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; iged from below any usable water to surface within 120 DAYS of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing is plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the search and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for gursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	If Yes, proposed zone: IFIDAVIT Itugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; igged from below any usable water to surface within 120 DAYS of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing it is plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:

For KCC Use ONLY
API # 15

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🔲 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases Idcate the spot of the proposed drilling locaton.

246 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1714848

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed Existing		SecTwp R
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section
Is the pit located in a Sensitive Ground Water Area? Yes No		, ,	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	m ground level to dee	pest point:	(feet) No Pit
		• ,	cluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inform	west fresh water feet. nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:
Producing Formation: Type of ma		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease: Number of wor		king pits to be utilized:	
Barrels of fluid produced daily: Abandonment		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		e closed within 365 days of spud date.	
Submitted Electronically			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:

KOLAR Document ID: 1714848

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal descript the lease below:	
Contact Person:		
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface	
Address 1:	owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City:		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
provided the following to the surface owner(s) of the land up Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing	Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the g in connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address.	
the KCC will be required to send this information to the surface	acknowledge that, because I have not provided this information, cowner(s). To mitigate the additional cost of the KCC performing ress of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		

For KCC Use ONLY	
API # 15	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: American Warrior, Inc. Lease: Ford Trust	Location of Well: County: Hodgeman 246 feet from N/K S Line of Section
Well Number: 3-26 Field: Jetmore	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT


Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Dwight D. Keen, Commissioner Andrew J. French, Commissioner

NOTICE

Nearest Lease or Unit Boundary Line

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Dwight D. Keen, Commissioner Andrew J. French, Commissioner

May 26, 2023

Kevin Wiles American Warrior, Inc. PO BOX 399 GARDEN CITY, KS 67846-0399

Re: Drilling Pit Application Ford Trust 3-26 SW/4 Sec.26-22S-24W Hodgeman County, Kansas

Dear Kevin Wiles:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.