WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER W	/ELL					Original Re	ecor	d Co	rrection	Chang	e in We	ll Use
Latitude	Longitude		9	Section	Township	Rar	nge	E	Fraction	1/4	1/4	1/4
Datum	Elevation			County				VV				
WATER WELL OWNER				/ATER US				NEARESTS	OURCE OF	POTENTIAL C	ONTAMIN	OITAL
Name												.,
			COMPI	FTION				Dictance		Direction	n	
Business			COMPL	EHON			\neg	from well:		from wel	il:	
Address					ed well:			Source				
			1 -		water encountered			descriptio				
747 11 1					(2) ft.;			Source:				
Well location			(3)	ft.;	(4) dry well			Distance from well-		Direction from wel	n II.	
at owner's			Static water level in well: ft.					Source				
address			measured below land surface					descriptio	n:			
CONSTRUCTION				(mm/dd/y			-	No pot	tential sour	ce of contami	nation	
Borehole interval:	Borehole dia	meter:		asured abo (mm/dd/y	ve land surface y):				100 feet.			
fromtoft.							=	PERMIT &	ID NUMBE	RS (AS REQUI	RED)	
		in.			gpm ft after	1		DW/R Ass	nlication No			
fromtoft.	·		Water level was: ft. afterhours					DWR Application No.: KDHF / FPA Project Code:				
Casing height above land		in.	pumping gpm Pump installed? Yes No				KDHE / EPA Project Code:Site Name:					
If casing height is less has a variance been a		s No	Fullip	ilistalieu:	ies No					orm Complet		N
*variance not require			Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
or environmental remediation wells			Date disinfected (mm/dd/yy):			_	Lease Name & Well #:					
Casing type:			A :C	.01			\dashv			# of dewater		
Blank casing interval:		ft.		r, if known								
Blank casing diameter:				OGIC LOG								
Casing joints:			FROM	і то	LITHOLOGY	NTERVALS						
Weight:												
Wall thickness or gat												
Blank casing interval:		п.										
Blank casing diameter:												
Casing joints: Weight:												
Wall thickness or gau	_											
Grout interval: f												
Grout material:												
Grout interval:f			СОММ	ENTS	1							
Grout material:												
S / / / /	1											
Screen / perforation mate			CONTO	ACTORIC:	OD I ANDOUNES	C CEDTIFIC **	101					
Screen / perforation open Screen / perforation inter					OR LANDOWNER			. 1		41	11	
-					was constructe			•		the stated w		
Fromft. to					ense and was con	•			•			
Slot size un From ft. to				-	knowledge and b				_			
Slot size u					ness name of							
Gravel pack intervals:	·····		Kansa	s Water V	Vell Contractor's	License No.		uı	nder the au	thority of th	e design	ated
Gravel pack mervais:	· Gravel cize		perso	n as defin	ed in K.A.R. 28-	30-2(j) and si	igned	l and certif	ied by the	electronic się	gnature o	f th
From ft. to		in	design	nated pers	on at its submitt	al:						
Gravel pack not used:		in	Send on	e copy to V	VATER WELL OW	NER and retai	n one	for your rec	ords. Fee of	\$5.00 for each	constructo	ed we
From ft. to _		m		17	KANSAS D	EPARTMENT (OF HE	EALTH AND	ENVIRON	MENT		
11011111.10 _	11.			Bureau	of Water, Geology	Section, 1000	SW Ja	ackson St., S	uite 420, Toj	peka KS 66612	2-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1714823		
Well Owner	Mollhagen INC		
Contractor	Rosencrantz-Bemis Ent., Inc.		

Lithology

From	То	Lithology Intervals
0	3	topsoil
3	11	clay,brown
11	18	shale,slightly weathered,red
18	28	shale,slightly weathered,yellowish,red
28	30	shale,slightly weathered,gray
30	65	sandstone,slightly weathered,tan,coarse, clean
65	73	shale,slightly weathered,red
73	78	sandstone,slightly weathered,tan,coarse w/ tan clay
78	81	shale,slightly weathered,gray
81	101	clay,red
101	105	sandstone,slightly weathered,tan,coarse w/ white clay
105	130	clay,red
130	141	shale,slightly weathered,sandy,white,brittle w/ sandrock
141	142	sandstone,slightly weathered,w/ hard cemented rock
142	145	sandstone,slightly weathered,tan,w/ gray shale
145	160	clay,red
160	165	shale,slightly weathered,gray

Form	WWC5.2 - Water Well Record		
Doc ID	1714823		
Well Owner	Mollhagen INC		
Contractor	Rosencrantz-Bemis Ent., Inc.		

Lithology

From	То	Lithology Intervals
165	185	sandstone,slightly weathered,tan,w/ clay streaks
185	192	sandstone,slightly weathered,tan,ironated, clean
192	193	iron formation,slightly weathered,hard,pyrite
193	195	sandstone,slightly weathered,tan,ironated
195	245	sandstone,slightly weathered,soft,clean
245	247	clay,red,w/ shale
247	250	iron formation,slightly weathered,pyrite
250	260	shale,slightly weathered,gray
260	275	sandstone,slightly weathered,ironated, coarse, clean
275	290	sandstone,slightly weathered,tan,ironated w/ gray shale
290	296	shale,slightly weathered,gray
296	303	iron formation,slightly weathered,pyrite