KOLAR Document ID: 1715853

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No.:
Name:		Spot Description:
Address 1:		SecTwpS. R □East □ West
Address 2:		Feet from
City: State:	Zip:+	Feet from _ East / _ West Line of Section
Contact Person:		Footages Calculated from Nearest Outside Section Corner:
Phone: ()		□NE □NW □SE □SW
CONTRACTOR: License #		GPS Location: Lat:, Long:
Name:		(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84
Purchaser:		County:
Designate Type of Completion:		Lease Name: Well #:
New Well Re-Entry	Workover	Field Name:
□ oil □ wsw □	SWD	Producing Formation:
	EOR	Elevation: Ground: Kelly Bushing:
	GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)		Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl.	, etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as for	ollows:	If yes, show depth set: Feet
Operator:		If Alternate II completion, cement circulated from:
Well Name:		feet depth to:w/sx cmt.
Original Comp. Date:(Original Total Depth:	
Deepening Re-perf.	Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐	Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
		Chloride content: ppm Fluid volume: bbls
	nit #:	Dewatering method used:
	mit #: mit #:	Location of fluid disposal if hauled offsite:
	nit #:	Location of fluid disposal if flauled offsite.
	mit #:	Operator Name:
		Lease Name: License #:
Spud Date or Date Reached	TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date	Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II III Approved by: Date:					

KOLAR Document ID: 1715853

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	WEBER 5W
Doc ID	1715853

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	5	
Production	5.625	2.875	6.5	674	portland	80	



Well #: Weber 50

Operator: RS Chergy

Spud Date: 3/31/23
Surface Casing: 7"
Surface Length: 20
Surface Cement: 4 sx

County: Lina L/S: 21/4" L/S Tally: 674.60 L/S Date: 4/3/23

under State of Australia	Run	Depth	Recovery	Run	Depth	Recovery
Coring:	1			3		30
	2			4		***

Depth	Formation
6-2	Soil
2-9	Clay
7-10	lime
10-13	Shale
13-63	Lime
63 - 68	Shale
18-91	Line
91-96	Shale (Blh)
96-105	Line
105-106	Shele
106-112	Lime
112-115	Shale
115-120	Lime
120-145	Shale
143-147	Lime
147-293	Shale
293 - 311	Lime
311- 371	Shale
34- 385	Lime
383- 311	Shale
391-399	Line
368- 6136	SHELE.
436-459	Lime
459. 470	Shale
490-475	lime
47.5-551	Shale
551. 552	Lime
552. 569	Shale

Depth	Formation	
519-572 572 639 639-650	Lime Shale Saud	
6-Xi.	Shale	
		8
	102	
639-648	Good ador, Good Bleed S	lightly Bodon
248-656	Good oder, Good Bleed Hark Brown Sund,	



MENT T	REA	TMENT REPO	रा				EP8126				
Custon	ner: R	J Energy		Wellt	Weber, 4W, 5W	Ticket:					
City, St	ate:			County:	Linn, KS	Date:	4/3/2023				
Field F	Rep: J	ason Kent		S-T-R:		Service:	Longstrings				
						Calcula	ited Slurry - Tail				
		formation		Calculated Slu Blend:	OWC , 1/2# PS	Blend:					
Hole S		5 7/8 in		Weight:		Weight:	ppg				
Hole De		ft		Water / Sx:	6,8 gai / sx	Water / Sx:	gal / sx				
Casing S		2 7/8 in		Yield:	1,43 ft ³ / sx	Yield:	ft³/sx				
asing De		ft		Annular Bbls / Ft.:	bbs / ft.	Annular Bbls / Ft.:	bbs / ft.				
ubing / Li		ft		Depth:	ft	Depth:	ft				
	epth:			Annular Volume:	0.0 bbls	Annular Volume:	0 bbls				
Tool / Pac		ft		Excess:	0.0 12.0	Excess:					
Tool De		bbls		Total Slurry:	0.0 bbls	Total Slurry:	0.0 bbls				
Displacen	Rente	STAGE	TOTAL	Total Sacks:	0.5 SX	Total Sacks:	0 sx				
TIME F	RATE	PSI BBLs	BBLs	REMARKS		To control of					
2:00 PM				On location Held saftey m	neeting						
2.00 F III		Same and the same									
				#4W Hole TD 678', Pipe T	D 673'						
3	3.0										
	3.0			Established circulaion through the 2 7/8" tubing Mixed and pumped 400# of bentonite gel followed by 4BBI of fresh water							
	3.0			Mixed and pumped sks of OWC cement with 1/2# PS							
				Knocked off and flushed pump clean							
3.00	1.0	200.0		Dropped two rubber plugs and displaced them with 3.9 BBL of fresh water							
	1 10	800.0		Pressured well up to 800	Pressured well up to 800 PSI, released pressure to set float valve						
3:30 PM				Wash up equipment and	moved	* * * * * * * * * * * * * * * * * * * *					
					TD 474						
				#5W Hole TD 702', Pipe TD 674' Established circulaion through the 2 7/8" tubing							
				Mixed and pumped 400# of bentonite gel followed by 4BBI of fresh water Mixed and pumped 34 sks of OWC cement with 1/2# PS							
				Knocked off and flushed		L of fresh water					
				Dropped two rubber plugs and displaced them with 3.9 BBL of fresh water Pressured well up to 800 PSI, released pressure to set float valve							
				Wash up equipment and							
4:00 PM				wasn up equipment and	Lett (Ocation						
					Constitution and Superior Service						
	-										
	-										
	-										
	ASSE	CREW		UNIT		SUMMARY					
		CREW	Education and	97	Average Rate	Average Pressure	Total Fluid				
	menter:			209	2.5 bpm	500 psi	- bbls				
Pump Op				248			F I Hallo at				
E	Bulk #1	Doug G		110							